# QUICK START GUIDE FOR ARRAY PRODUCT INFORMATION

# TABLE OF CONTENTS

Quick Start Guide for ARRAY PRODUCT information	1
Introduction	1
WHAT IS A QUICK START GUIDE	
TOOL USED FOR THE QUICK START GUIDE ILLUSTRATION	
THE MOCK IMPLEMENTATIONS	
HOW A GUIDE WORKS	
THE QUICK START GUIDE FOR ARRAY PRODUCT	
PRODUCTS	
WHAT THE PRODUCT REPRESENTS	

# Introduction

## WHAT IS A QUICK START GUIDE

SMI-S is 2516 pages of reading spread across 8 books, plus it references another 14 or so DMTF profiles which amount to another 660 pages of reading. So, the question is where do you start? We have come up with a series of Quick Start Guides that are designed to help you get started by illustrating how to find useful SMI-S information in mock servers (mock ups of SMI-S server implementations). The Quick Start Guides don't illustrate EVERYTHING in the 3176 pages, but they give you a head start at finding some important items in SMI-S.

We currently have quick start guides for:

- 1. The Interop Namespace What is it and what does it tell us?
- 2. Performance Information Where do I find performance information in an SMI-S Server?
- 3. Capacity Information Where do I find storage capacity information in an SMI-S Server?
- 4. Hardware Information Where do I find hardware information in an SMI-S Server?
- 5. Product Information Where do I find product information in an SMI-S Server?
- 6. Software Information Where do I find software information in an SMI-S Server?

#### TOOL USED FOR THE QUICK START GUIDE ILLUSTRATION

The tool used for illustrating how to find information in SMI-S is the pywbemcli. It is a command line interface for accessing any CIM Server. It uses pywbem, an interface for python program access to any CIM Server. The pywbemcli and pywbem are python programs that use a set of python packages. Pywbem and the pywbemcli are actively being maintained and are available on Github.

We will be using the latest version of the pywbemcli in these guides. You can find documentation on the pywbemcli at the following website:

https://pywbemtools.readthedocs.io/en/latest/

### THE MOCK IMPLEMENTATIONS

The mock implementations mock selected autonomous profiles and some of their component profiles in SMI-S 1.8.0.

We currently have mock ups for the following autonomous profiles:

- 1. The SNIA Server Profile
- 2. The DMTF WBEM Server Profile
- 3. The Array Profile
- 4. The NAS Head Profile

And we plan on doing a Fabric (and Switch) mock up.

We chose to do mock ups of the SMI-S 1.8.0 versions of these profiles to illustrate differences between 1.8.0 and 1.6.1. We don't mock everything that is new in 1.8.0, but we do highlight some key changes ... like the DMTF WBEM Server profile, new indications and Advance Metrics (performance) for Arrays.

#### **HOW A GUIDE WORKS**

The guide is a sequence of text explaining what we are looking for, followed by the command to obtain the information, followed by command output and then text that explains the output.

# THE QUICK START GUIDE FOR ARRAY PRODUCT

In this guide we will be exploring product information provided by an SMI-S Server for an Array. The mock for the Array supports SMI-S 1.8.0.

This 3 page document highlights information that can be found in about 10 pages of SMI-S, the Physical Package profile in the common profiles book of SMI-S.

In this script we will be working with beta3 of pywbem 1.0.0 and version 0.7.1 of pywbemtools (pywbemcli).

So, let's begin. First, we go to our virtual environment for beta3:

### C:\Users\FarmerMike>workon beta3

(beta3) c:\Users\FarmerMike\devenv>

We are now in our virtual environment for beta3.

We will be working with a mock server that supports an SMI-S 1.8.0 Array. So, we need to establish a connection to the Array mock up:

(beta3) c:\Users\FarmerMike\devenv>pywbemcli -o table --name ArrayMock

Enter 'help' for help, <CTRL-D> or ':q' to exit pywbemcli or <CTRL-r> to search history, pywbemcli>

In our command, I requested the default format of output to be in "table" format (-o table) and name the mock that I want (--name ArrayMock). The command worked and we get a pywbemcli prompt to start entering commands on the ArrayMock.

### **PRODUCTS**

The elements that reports product information are instances of CIM\_Product.

So, we start by looking for classes that report product information (CIM\_Product)

pywbemcli> instance enumerate CIM_Productpl name,IdentifyingNumber,Vendor,Version						
Instances: CIM_Product						
+	+	<b></b>	·	-		
IdentifyingNumber	Name	Vendor	Version			
	+		·			
"ACME+CF2A5091300089"	"ACME"	"ACME Corporation"	"1.1.0"			
+	+	·	tt	-		
pywbemcli>						

The array mock is only showing one product: The ACME product, version 1.1.0.

#### WHAT THE PRODUCT REPRESENTS

The next question to answer is what part of the Array does the product represent.

We will determine this by the following command to determine logical elements supported by the product.

```
pywbemcli> -o mof instance shrub CIM_Product.?

CIM_Product.IdentifyingNumber="ACME+CF2A5091300089",Name="ACME",Vendor="ACME

Corporation",Version="1.1.0"
+-- GroupComponent(Role)
+-- CIM_ProductPhysicalComponent(AssocClass)
+-- PartComponent(ResultRole)
+-- CIM_PhysicalPackage(ResultClass)(1 insts)
+-- /:CIM_PhysicalPackage.CreationClassName="CIM_Chassis",Tag="ACME+CF2A5091300089"

pywbemcli>
```

There are a couple of things to notice with this command output. If there is only one product to select from you are not prompted for a selection. The command automatically generates the results for the one item.

The shrub consists of a CIM\_ProductPhysicalComponent to a physical package (a CIM\_Chassis). The Chassis is the Chassis for the Array.