




د. لمياء أبوزيد

Software Evolution : TOC

1. Introduction to Software Evolution
2. Taxonomy of Software Maintenance and Evolution
3. Evolution and Maintenance Models
4. Reuse and Domain Engineering
5. Program Comprehension
6. Impact Analysis
7. Refactoring
8. Reengineering
9. Legacy Information Systems

Maintenance as part of the SDLC



Software maintenance has unique characteristics:

- ❑ Constraints of an existing system
- ❑ Shorter time frame
- ❑ Available test data


Software Maintenance Life Cycle (SMLC)

Why Do We Need Models to Manage & Execute Software Maintenance Activities?

- ❑ Change, Evolution, and system configuration complicate maintenance activities.
- ❑ The software product released to a customer is in the form of **executable code**, whereas the corresponding “product” within the supplier organization is **source code**. Thus, **strict control** must be kept, otherwise **exact source code representation of a particular executable version may not exist**.
- ❑ Three maintenance models will be explained:
 1. Reuse → old
 2. Simple Staged → relatively new
 3. Change Mini-cycle → still in research

Change Mini-Cycle Model


❑ Software change is a process that may introduce new requirements or alter the software system if requirements are not correctly implemented. Yau et al (1978) introduced the **change mini-cycle** evolutionary model to capture this and revisited by other researchers, namely, Bennet et al. (2000) and Mens (2008).



Change Mini-Cycle Model

□ mini-cycle model consists of five major phases:

1. Change Request (CR): defect report or enhancement request
2. Analyze and plan change: Program comprehension, Impact analysis and ripple effect
3. Implement change: change propagation
4. Verify and validate: code review, regression testing, and execution of new tests
5. Documentation change.



Software Maintenance Standard


- ❑ IEEE and ISO have both addressed s/w maintenance processes.
- ❑ IEEE/EIA 1219 considers maintenance as a fundamental life cycle process , it organizes the maintenance process in seven activities :
 - problem identification, analysis, design, implementation, system test, acceptance test and delivery.
- ❑ ISO/IEC 14764 describes s/w maintenance as an iterative process for managing and executing software maintenance activities, which are :
 - process implementation, problem and modification analysis, modification implementation, maintenance review/acceptance, migration and retirement.

IEEE/EIA 1219 Maintenance Process

The standard focuses on a seven-phases

Each of the seven activities has five associated attributes as follows:

- ❑ **Activity definition:** This refers to the implementation process of the activity.
- ❑ **Input:** This refers to the items that are required as input to the activity.
- ❑ **Output:** This refers to the items that are produced by the activity.
- ❑ **Control:** This refers to those items that provide control over the activity.
- ❑ **Metrics:** This refers to the items that are measured during the execution of the activity.




IEEE/EIA 1219 Maintenance Process

- The **change request** (CR) is submitted in the form of a **modification request** (MR) for a correction or for an enhancement. MR & CR are used interchangeably.


- Activities include:

1. reject or accept the MR,
2. identify and estimate the resources needed to change the system
3. put the MR in a batch of changes scheduled for implementation.




IEEE/EIA 1219 Maintenance Process

Analysis




IEEE/EIA 1219 Maintenance Process

Design




IEEE/EIA 1219 Maintenance Process

Implementation




IEEE/EIA 1219 Maintenance Process

System test




IEEE/EIA 1219 Maintenance Process

Acceptance test



IEEE/EIA 1219 Maintenance Process

Delivery



Questions

?

Readings

Chapter 3 : 3.4, 3.5, 3.6