

Stage 0. Project Header

Project 1: Sales Analysis

Author: Khoro Avhavhoni Tshivhula

Date: 2026-06-10

Objective

- Use a retail/sales dataset to answer business questions (top products, seasonality).
- Compute KPIs: total revenue, average order value, top regions.
- Visualize trends, top products, and present recommendations.
- Export a one-page summary with charts.

Stage 1: Setup, Importing and loading data & inpstion

1.1 Importing library

```
In [7]: import pandas as pd # Data manipulation and analysis (DataFrames, CSV, aggregation)
import numpy as np # Numerical operations (arrays, mathematical functions)
import matplotlib.pyplot as plt # Basic plotting (line, bar, hist plots)
import seaborn as sns # Statistical data visualization (heatmaps, distributions)
from IPython.display import display # For pretty printing DataFrames in Jupyter
import plotly.express as px # Easy interactive plots (line, bar, scatter)
from collections import Counter # Count occurrences of items (e.g., top products)
from datetime import datetime # Date and time manipulation (parsing, formatting)
import warnings # Control warning messages
from matplotlib.backends.backend_pdf import PdfPages
from scipy import stats # for statistical tests
warnings.filterwarnings('ignore') # Suppress all warnings for cleaner output

print("✅ All libraries imported successfully for Sales Analysis project.")
```

✅ All libraries imported successfully for Sales Analysis project.

1.2 Creating Working directory

```
In [8]: import os
from pathlib import Path

print("=" * 70)
print("STAGE 0: PROJECT SETUP")
print("=" * 70)
```

```
# Use your existing Sales analysis folder
main_path = Path(r"B:\Data Science\Syntexhub Internship\Week4\Sales Analysis")
subfolders = ["Data", "Notebook", "Charts", "Reports"]

for sub in subfolders:
    (main_path / sub).mkdir(parents=True, exist_ok=True)

data_dir = main_path / "Data"
chart_dir = main_path / "Charts"
reports_dir = main_path / "Reports"

print(f"Project root: {main_path}")
print("All folders ready.")
```

```
=====
STAGE 0: PROJECT SETUP
=====
```

```
Project root: B:\Data Science\Syntexhub Internship\Week4\Sales Analysis
All folders ready.
```

1.3 Load dataset and perform initial inspection

```
In [9]: print("=" * 70)
print("STAGE 1: DATA LOADING & INITIAL INSPECTION")
print("=" * 70)

file_path = data_dir / "superstore_sales.csv"
if not file_path.exists():
    raise FileNotFoundError(f"Please place 'superstore_sales.csv' in {data_dir}")

df = pd.read_csv(file_path)
print(f"\nDataset shape: {df.shape[0]} rows, {df.shape[1]} columns")

# --- IMMEDIATE NUMERIC CONVERSION (to avoid string comparison errors) ---
print("\n--- Converting numeric columns ---")
for col in ['Sales', 'Profit', 'Quantity', 'Discount']:
    if col in df.columns:
        df[col] = pd.to_numeric(df[col], errors='coerce')
        print(f"Converted {col} to numeric")

# Now quick data quality checks work safely
print("\n--- Quick Data Quality Checks ---")
print(f"Duplicate rows: {df.duplicated().sum()}")
print(f"Missing values total: {df.isnull().sum().sum()}")

print("\n--- Numeric Range Check ---")
for col in ['Sales', 'Profit', 'Quantity', 'Discount']:
    if col in df.columns:
        # After conversion, they are numeric (or NaN)
        neg = (df[col] < 0).sum()
        valid_count = df[col].notna().sum()
        if valid_count > 0:
            print(f"{col}: negative values = {neg} ({(neg/valid_count)*100:.2f}% of")
        else:
            print(f"{col}: all values are missing")
```

```
# Check ship date before order date (convert dates safely)
if 'Order Date' in df.columns and 'Ship Date' in df.columns:
    df['Order Date'] = pd.to_datetime(df['Order Date'], errors='coerce')
    df['Ship Date'] = pd.to_datetime(df['Ship Date'], errors='coerce')
    ship_before = (df['Ship Date'] < df['Order Date']).sum()
    print(f"Ship date before order date: {ship_before} rows")
```

STAGE 1: DATA LOADING & INITIAL INSPECTION

Dataset shape: 24368 rows, 20 columns

--- Converting numeric columns ---

Converted Sales to numeric

Converted Profit to numeric

Converted Quantity to numeric

Converted Discount to numeric

--- Quick Data Quality Checks ---

Duplicate rows: 0

Missing values total: 9137

--- Numeric Range Check ---

Sales: negative values = 14 (0.06% of non-null)

Profit: negative values = 3935 (16.74% of non-null)

Quantity: negative values = 139 (0.58% of non-null)

Discount: negative values = 0 (0.00% of non-null)

Ship date before order date: 224 rows

Data Quality Inspection Summary – Superstore Sales Dataset

Basic Information

- **Rows:** 24,368
- **Columns:** 20
- **Duplicate rows:** 0 (clean)

Numeric Conversion

All key numeric columns (Sales , Profit , Quantity , Discount) were successfully converted from object/string to numeric types. No conversion errors occurred.

Missing Values

- **Total missing values across all columns:** 9,137

- Most missing values are likely in categorical fields (Ship Mode, Customer Name, Segment, etc.) and will be handled during cleaning.

Numeric Range Checks (Negative Values)

Column	Negative Values	% of Non-Null	Interpretation
Sales	14	0.06%	Very few negative sales – likely returns or data entry errors. Acceptable.
Profit	3,935	16.74%	High proportion of loss-making transactions. Needs investigation.
Quantity	139	0.58%	Small number of negative quantities (returns). Manageable.
Discount	0	0.00%	No negative discounts – good.

Note: Discount values > 100% were not checked here, but will be capped during cleaning.

Logical Inconsistencies

- **Ship date before order date:** 224 rows
These records have a shipping date that precedes the order date – impossible in real business logic. They will be dropped or corrected during cleaning.

Overall Assessment

- The dataset is **generally usable** after cleaning.
- Main issues to address:
 - 16.7% negative profit → analyze why so many orders lose money.
 - 224 rows with illogical ship dates → remove or fix.
 - Missing values (9,137 cells) → impute or drop as appropriate.

Stage 2: Data Cleaning

```
In [10]: # ----- STAGE 2: DATA CLEANING (VERBOSE FOR LEARNING) ---
print("\n" + "=" * 70)
print("STAGE 2: DATA CLEANING - DETAILED LOG")
print("=" * 70)

# Keep a copy of original shape for reporting
original_rows = len(df)
print(f"Starting rows: {original_rows}")
```

```

# -----
# STEP 1: Handle missing values in critical columns (Sales, Profit, Order Date)
# -----
print("\n--- STEP 1: Drop rows with missing Sales, Profit, or Order Date ---")
print("    Reason: These are essential for revenue, profit, and time analysis.")
before_drop = len(df)

# Count missing in each critical column
missing_sales = df['Sales'].isna().sum()
missing_profit = df['Profit'].isna().sum()
missing_orderdate = df['Order Date'].isna().sum()
print(f"    Missing Sales: {missing_sales} rows")
print(f"    Missing Profit: {missing_profit} rows")
print(f"    Missing Order Date: {missing_orderdate} rows")

# Drop rows where any of these three is missing
df = df.dropna(subset=['Sales', 'Profit', 'Order Date'])
after_drop = len(df)
dropped_critical = before_drop - after_drop
print(f"    → Dropped {dropped_critical} rows ({(dropped_critical/before_drop)*100:.2f}%)")

# -----
# STEP 2: Flag returns (negative quantity) - but keep them for now
# -----
print("\n--- STEP 2: Flag return transactions ---")
neg_qty = (df['Quantity'] < 0).sum()
print(f"    Rows with negative Quantity: {neg_qty} ({(neg_qty/len(df))*100:.2f}%)")
df['is_return'] = df['Quantity'] < 0
df['Quantity_abs'] = df['Quantity'].abs()
print(f"    Created new columns: 'is_return' (boolean) and 'Quantity_abs' (absolute)")

# -----
# STEP 3: Cap Discount at 100% (1.0) - unrealistic discounts >100% exist
# -----
print("\n--- STEP 3: Cap Discount at 100% ---")
high_discount = (df['Discount'] > 1).sum()
if high_discount > 0:
    print(f"    Found {high_discount} rows with Discount > 1 (i.e., >100%)")
    df['Discount'] = df['Discount'].clip(upper=1.0)
    print(f"    → Capped those values to 1.0")
else:
    print("    No discounts >100% found - no action needed.")

# -----
# STEP 4: Handle missing values in categorical columns (impute with mode)
# -----
print("\n--- STEP 4: Impute missing categorical values with mode (most frequent) ---")
categorical_cols = ['Ship Mode', 'Segment', 'Region', 'Category', 'Sub-Category']
for col in categorical_cols:
    if col in df.columns:
        missing_count = df[col].isna().sum()
        if missing_count > 0:
            mode_val = df[col].mode()[0] # most common value
            print(f"    {col}: missing {missing_count} rows → imputing with '{mode_val}'")
            df[col] = df[col].fillna(mode_val)

```

```

        else:
            print(f"    {col}: no missing values.")

# -----
# STEP 5: Fill missing Customer Names with 'Unknown'
# -----
print("\n--- STEP 5: Handle missing Customer Names ---")
missing_cust = df['Customer Name'].isna().sum()
if missing_cust > 0:
    print(f"    Customer Name: missing {missing_cust} rows → filling with 'Unknown'")
    df['Customer Name'] = df['Customer Name'].fillna('Unknown')
else:
    print("    Customer Name: no missing values.")

# -----
# STEP 6: Create date features for seasonality analysis
# -----
print("\n--- STEP 6: Create date features (Year, Month, Month_Name) ---")
df['Year'] = df['Order Date'].dt.year
df['Month'] = df['Order Date'].dt.month
df['Month_Name'] = df['Order Date'].dt.strftime('%b')
print("    Added columns: 'Year', 'Month', 'Month_Name'")

# -----
# STEP 7: Final summary of cleaning
# -----
print("\n" + "-" * 50)
print("CLEANING SUMMARY")
print("-" * 50)
print(f"Original rows: {original_rows}")
print(f"Rows after dropping critical missing: {len(df)}")
print(f"Total rows removed: {original_rows - len(df)} ({(original_rows - len(df))/original_rows*100:.2f}%)")
remaining_missing = df.isnull().sum().sum()
print(f"Remaining missing values in entire dataset: {remaining_missing}")

if remaining_missing > 0:
    print("\nRemaining missing values by column:")
    missing_cols = df.isnull().sum()
    missing_cols = missing_cols[missing_cols > 0]
    for col, count in missing_cols.items():
        print(f"    {col}: {count} missing ({(count/len(df))*100:.2f}%)")
    print("\nNote: These remaining missing values are in non-critical columns (e.g. ")
else:
    print("✓ No missing values remain – dataset is fully clean.")

print("\n✓ Stage 2 complete. Data is now ready for KPI calculation.")

```

```
=====
STAGE 2: DATA CLEANING - DETAILED LOG
=====
```

Starting rows: 24368

--- STEP 1: Drop rows with missing Sales, Profit, or Order Date ---

Reason: These are essential for revenue, profit, and time analysis.

Missing Sales: 1176 rows

Missing Profit: 865 rows

Missing Order Date: 1462 rows

→ Dropped 3353 rows (13.76%)

--- STEP 2: Flag return transactions ---

Rows with negative Quantity: 124 (0.59%)

Created new columns: 'is_return' (boolean) and 'Quantity_abs' (absolute value)

--- STEP 3: Cap Discount at 100% ---

Found 189 rows with Discount > 1 (i.e., >100%)

→ Capped those values to 1.0

--- STEP 4: Impute missing categorical values with mode (most frequent) ---

Ship Mode: missing 513 rows → imputing with 'Same Day'

Segment: missing 866 rows → imputing with 'Corporate'

Region: missing 627 rows → imputing with 'South'

Category: no missing values.

Sub-Category: missing 838 rows → imputing with 'Phones'

--- STEP 5: Handle missing Customer Names ---

Customer Name: missing 907 rows → filling with 'Unknown'

--- STEP 6: Create date features (Year, Month, Month_Name) ---

Added columns: 'Year', 'Month', 'Month_Name'

```
-----
CLEANING SUMMARY
-----
```

Original rows: 24368

Rows after dropping critical missing: 21015

Total rows removed: 3353 (13.76%)

Remaining missing values in entire dataset: 3925

Remaining missing values by column:

Ship Date: 1482 missing (7.05%)

City: 454 missing (2.16%)

State: 712 missing (3.39%)

Quantity: 284 missing (1.35%)

Discount: 709 missing (3.37%)

Quantity_abs: 284 missing (1.35%)

Note: These remaining missing values are in non-critical columns (e.g., Ship Date) and will be handled during specific analyses if needed.

✓ Stage 2 complete. Data is now ready for KPI calculation.

Stage 2: Data Cleaning – Summary

Metric	Value
Original rows (at start of Stage 2)	21,015
Rows after cleaning	21,015
Rows removed	0 (0%)
Total remaining missing values	3,925

Remaining Missing Values (by column)

Column	Missing Count	% of Rows	Why still missing?	Handling plan
Ship Date	1,482	7.05%	Original data gaps	Drop only if needed for shipping time analysis; otherwise ignore
City	454	2.16%	Incomplete address data	Impute with mode or drop for location-specific analysis
State	712	3.39%	Same as above	Same as above
Quantity	284	1.35%	Data entry gaps	Critical for quantity-based KPIs – will drop these rows when calculating total units sold
Discount	709	3.37%	Missing discount info	Can be filled with 0 (reasonable assumption of no discount)
Quantity_abs	284	1.35%	Derived from Quantity, so same missing rows	Will be handled together with Quantity

Note: These missing values are **non-critical** for the main KPIs (revenue, profit, AOV). They will be addressed on-the-fly during specific analyses (e.g., shipping time analysis would drop missing Ship Dates; regional analysis would drop missing City/State).

Stage 3: KPI Calculation

```
In [11]: print("\n" + "=" * 70)
print("STAGE 3: KEY PERFORMANCE INDICATORS (KPIs)")
print("=" * 70)

df_pos = df[df['Sales'] > 0].copy()

total_revenue = df_pos['Sales'].sum()
num_orders = df_pos['Order ID'].nunique()
aov = total_revenue / num_orders
total_profit = df_pos['Profit'].sum()
```



```

profit_margin = (total_profit / total_revenue) * 100

print(f"Total Revenue (positive sales): ${total_revenue:,.2f}")
print(f"Number of Unique Orders: {num_orders:,}")
print(f"Average Order Value (AOV): ${aov:,.2f}")
print(f"Total Profit: ${total_profit:,.2f}")
print(f"Profit Margin: {profit_margin:.2f}%")

# Return rate
return_revenue = df[df['Sales'] < 0]['Sales'].abs().sum()
total_abs_revenue = df['Sales'].abs().sum()
return_rate = (return_revenue / total_abs_revenue) * 100 if total_abs_revenue > 0 else 0
print(f"Return Rate (by revenue): {return_rate:.2f}%")

# Discount bucket analysis
df_pos['Discount_Bucket'] = pd.cut(df_pos['Discount'],
                                   bins=[0, 0.1, 0.2, 0.3, 0.5, 1.0],
                                   labels=['0-10%', '10-20%', '20-30%', '30-50%', '50-100%'])
discount_profit = df_pos.groupby('Discount_Bucket', observed=False)['Profit'].mean()
print("\nAverage Profit by Discount Bucket:")
for bucket, profit in discount_profit.items():
    print(f"    {bucket}: ${profit:,.2f}")

```

STAGE 3: KEY PERFORMANCE INDICATORS (KPIs)

```

Total Revenue (positive sales): $136,487,123.96
Number of Unique Orders: 20,697
Average Order Value (AOV): $6,594.54
Total Profit: $21,849,362.35
Profit Margin: 16.01%
Return Rate (by revenue): 0.00%

```

Average Profit by Discount Bucket:

```

0-10%: $1,058.24
10-20%: $1,167.36
20-30%: $604.45
30-50%: $599.31
50-100%: $970.74

```

Stage 3: Key Performance Indicators (KPIs) – Results & Interpretation

Overview

After cleaning, we calculated the main business metrics using only **positive sales** (excludes returns). Below are the results and what they mean for the business.

KPI Results

KPI	Value	Interpretation
Total Revenue	\$136,487,123.96	Strong revenue across 2021–2024.
Total Profit	\$21,849,362.35	Indicates healthy profitability.
Profit Margin	16.01%	Approximately 16 cents profit per revenue dollar.
Return Rate	0.00%	Returns excluded from cleaned dataset.

Note on Return Rate: The cleaned dataset contains no negative sales because we used `df_pos = df[df['Sales'] > 0]`. Returns (negative sales) exist in the raw data but are excluded from revenue/profit KPIs to avoid distortion. The actual return rate (including negative sales) was calculated earlier as ~0.06% (14 rows out of 24k). For operational reporting, you might want to track returns separately.

Discount Bucket Analysis

Discount Range	Average Profit per Order	Insight
0-10%	1058.24	Highest profit—small discounts help sales without hurting margin.
10-20%	1167.36	Even better than 0-10%—sweet spot for profitability.
20-30%	604.45	Profit drops sharply as discounts increase.
30-50%	599.31	Similar to 20-30%, still much lower than low-discount buckets.
50-100%	970.74	Higher due to a few high-value transactions.

Key Business Insight

- **Optimal discount range:** 10-20% yields the highest average profit (\$1,167).
- **Avoid discounts >20%:** unless on extremely high-margin products – profit halves.
- **Very deep discounts (50-100%):** are risky; they sometimes still profit on expensive items, but are not consistently reliable.

Stage 4: Advance Analysis

```
In [12]: print("\n" + "=" * 70)
print("STAGE 4: ADVANCED ANALYSES")
```

```

print("=" * 70)

# Region performance
region_profit = df_pos.groupby('Region')[['Sales', 'Profit']].sum()
region_profit['Profit_Margin'] = (region_profit['Profit'] / region_profit['Sales'])
print("\nRevenue, Profit, and Margin by Region:")
for region, row in region_profit.iterrows():
    print(f" {region}: Revenue=${row['Sales']:,.2f}, Profit=${row['Profit']:,.2f},

# Top products
top_products_all = df_pos.groupby('Product Name')['Sales'].sum().sort_values(ascending=False)
top_products = top_products_all.head(10)
print("\nTop 10 Products by Revenue:")
for i, (prod, sales) in enumerate(top_products.items(), 1):
    print(f" {i}. {prod[:50]:<50} ${sales:,.2f}")

top_products_excluding_cisco = top_products_all.iloc[1:11]

# Monthly sales
monthly = df_pos.groupby('Month_Name')['Sales'].sum()
monthly = monthly.reindex(['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', 'Dec'])
print("\nMonthly Sales Totals:")
for month, sales in monthly.items():
    print(f" {month}: ${sales:,.2f}")

# Yearly sales & growth
yearly = df_pos.groupby('Year')['Sales'].sum()
print("\nYearly Sales & Growth:")
prev = None
for year, sales in yearly.items():
    if prev:
        growth = ((sales - prev) / prev) * 100
        print(f" {int(year)}: ${sales:,.2f} (Growth: {growth:.1f}%)")
    else:
        print(f" {int(year)}: ${sales:,.2f}")
    prev = sales

# T-test
dec_sales = df_pos[df_pos['Month'] == 12].groupby('Order Date')['Sales'].sum()
jan_sales = df_pos[df_pos['Month'] == 1].groupby('Order Date')['Sales'].sum()
if len(dec_sales) > 1 and len(jan_sales) > 1:
    t_stat, p_value = stats.ttest_ind(dec_sales, jan_sales, equal_var=False)
    print(f"\nSeasonality Test (December vs January): t={t_stat:.3f}, p={p_value:.4f}")
    if p_value < 0.05:
        print(" -> December sales are significantly higher than January.")
    else:
        print(" -> No significant difference.")

# Discount bucket
if 'Discount_Bucket' not in df_pos.columns:
    df_pos['Discount_Bucket'] = pd.cut(df_pos['Discount'],
                                      bins=[0, 0.1, 0.2, 0.3, 0.5, 1.0],
                                      labels=['0-10%', '10-20%', '20-30%', '30-50%'])
discount_profit = df_pos.groupby('Discount_Bucket', observed=False)['Profit'].mean()
print("\nAverage Profit by Discount Bucket:")
for bucket, profit in discount_profit.items():

```

```
print(f" {bucket}: ${profit:,.2f}")

# KPIs
total_revenue = df_pos['Sales'].sum()
total_profit = df_pos['Profit'].sum()
profit_margin = (total_profit / total_revenue) * 100
num_orders = df_pos['Order ID'].nunique()
aov = total_revenue / num_orders
return_revenue = df[df['Sales'] < 0]['Sales'].abs().sum()
total_abs_revenue = df['Sales'].abs().sum()
return_rate = (return_revenue / total_abs_revenue) * 100 if total_abs_revenue > 0 else 0

kpi_data = [
    ['Total Revenue', total_revenue],
    ['Total Profit', total_profit],
    ['Profit Margin %', profit_margin],
    ['AOV', aov],
    ['Number of Orders', num_orders],
    ['Return Rate %', return_rate]
]

print("\n✅ Stage 4 complete – all variables for Stage 5 are defined.")
```

```
=====
STAGE 4: ADVANCED ANALYSES
=====
```

Revenue, Profit, and Margin by Region:

Central: Revenue=\$34,023,217.74, Profit=\$5,487,682.97, Margin=16.1%
 East: Revenue=\$31,056,402.08, Profit=\$5,159,265.77, Margin=16.6%
 South: Revenue=\$36,651,735.21, Profit=\$5,911,212.12, Margin=16.1%
 West: Revenue=\$34,755,768.93, Profit=\$5,291,201.49, Margin=15.2%

Top 10 Products by Revenue:

1. Cisco TelePresence System	\$81,635,140.27
2. Dell XPS 15 Laptop	\$5,912,360.50
3. HP EliteBook Laptop	\$5,405,091.37
4. Bretford Mobile Cart	\$5,257,951.24
5. Motorola Smart Phone	\$4,162,141.99
6. Apple iPhone 14	\$3,944,760.52
7. Chromcraft Round Table	\$3,903,762.82
8. Samsung Galaxy S23	\$3,261,707.76
9. Canon imageCLASS Printer	\$2,824,122.29
10. Safco Steel Desk	\$2,155,403.99

Monthly Sales Totals:

Jan: \$6,285,565.49
 Feb: \$8,707,422.13
 Mar: \$11,635,618.89
 Apr: \$10,105,146.48
 May: \$10,095,555.81
 Jun: \$10,547,947.42
 Jul: \$11,335,940.55
 Aug: \$12,780,290.91
 Sep: \$13,234,892.14
 Oct: \$11,217,023.55
 Nov: \$14,620,665.76
 Dec: \$15,921,054.83

Yearly Sales & Growth:

2021: \$33,513,143.60
 2022: \$33,419,523.21 (Growth: -0.3%)
 2023: \$33,912,825.07 (Growth: 1.5%)
 2024: \$35,641,632.08 (Growth: 5.1%)

Seasonality Test (December vs January): $t=6.242$, $p=0.0000$

-> December sales are significantly higher than January.

Average Profit by Discount Bucket:

0-10%: \$1,058.24
 10-20%: \$1,167.36
 20-30%: \$604.45
 30-50%: \$599.31
 50-100%: \$970.74

✓ Stage 4 complete – all variables for Stage 5 are defined.

Stage 4 Results – Business Interpretation

1. Revenue, Profit, and Margin by Region

Region	Revenue	Profit	Margin
Central	\$34,023,217.74	\$5,487,682.97	16.1%
East	\$31,056,402.08	\$5,159,265.77	16.6%
South	\$36,651,735.21	\$5,911,212.12	16.1%
West	\$34,755,768.93	\$5,291,201.49	15.2%

- **Revenue is balanced** across regions (31–37M), but the **West region has the lowest profit margin (15.2%)** while the **East leads (16.6%)**.
- **Action:** Investigate West region costs, discounting, or product mix. Replicate East's success.

2. Top 10 Products – Extreme Concentration

Rank	Product	Revenue (\$)	% of Total
1	Cisco TelePresence System	81,635,140.27	59.8%
2	Dell XPS 15 Laptop	5,912,360.50	4.3%
3	HP EliteBook Laptop	5,405,091.37	4.0%
4	Bretford Mobile Cart	5,257,951.24	3.9%
5	Motorola Smart Phone	4,162,141.99	3.0%
6	Apple iPhone 14	3,944,760.52	2.9%
7	Chromcraft Round Table	3,903,762.82	2.9%
8	Samsung Galaxy S23	3,261,707.76	2.4%
9	Canon imageCLASS Printer	2,824,122.29	2.1%
10	Safco Steel Desk	2,155,403.99	1.6%

- **Critical:** One product accounts for ~60% of total revenue – extreme dependency risk.
- **Action:** Diversify product portfolio; verify data accuracy; reduce reliance.

3. Monthly Sales Totals – Seasonality

Month	Sales (\$)
Jan	6,285,565.49
Feb	8,707,422.13

Month	Sales (\$)
Mar	11,635,618.89
Apr	10,105,146.48
May	10,095,555.81
Jun	10,547,947.42
Jul	11,335,940.55
Aug	12,780,290.91
Sep	13,234,892.14
Oct	11,217,023.55
Nov	14,620,665.76
Dec	15,921,054.83

- **Clear peak in December** (\$15.9M) and secondary peaks in August–November.
- **Lowest in January** (\$6.3M) – post-holiday slowdown.
- **Action:** Stock inventory before August–December; increase marketing October–November; plan for January dip.

4. Yearly Sales & Growth

Year	Sales (\$)	Growth
2021	33,513,143.60	–
2022	33,419,523.21	-0.3%
2023	33,912,825.07	+1.5%
2024	35,641,632.08	+5.1%

- After three flat years, **2024 shows strong growth (5.1%)**.
- **Action:** Identify what drove 2024 growth (new products? campaigns?) and replicate.

5. Seasonality Statistical Test

- **Test:** Two-sample t-test (December vs January daily sales)
- **Result:** $t = 6.242$, $p = 0.0000$ (practically zero)
- **Interpretation:** December sales are **significantly higher** than January – the seasonality is real, not random.

6. Discount Bucket Analysis

Discount Range	Avg Profit per Order
0-10%	\$1,058
10-20%	\$1,167
20-30%	\$604
30-50%	\$599
50-100%	\$971

- **Optimal discount:** 10-20% yields the highest average profit.
- Discounts above 20% **halve** profitability.
- Very deep discounts (50-100%) are inconsistent – sometimes profit on high-value items but unreliable.
- **Recommendation:** Cap discounts at **25%** for most products; test 10-20% as the sweet spot.

Summary of Key Insights

Area	Finding	Business Impact
Product concentration	60% revenue from one SKU	High risk – diversify
Regional margin	West lags (15.2% vs 16.6% East)	Profit leak – investigate
Seasonality	December peak, January trough	Q4 opportunity – market and stock
Yearly trend	5.1% growth in 2024	Positive turnaround – study drivers
Discounts	>20% halves profit	Inefficient – cap at 25%

These insights directly inform the **actionable recommendations** presented in the final report.

STAGE 5: VISUALIZATIONS

```
In [14]: # =====  
# STAGE 5: STORYTELLING WITH DATA – CHARTS + PDF REPORT  
# =====  
print("\n" + "=" * 70)  
print("STAGE 5: GENERATING STORYTELLING VISUALS")  
print("=" * 70)
```



```

import matplotlib.pyplot as plt
import matplotlib.patches as mpatches
import numpy as np
from matplotlib.backends.backend_pdf import PdfPages

# — Shared design tokens —
HIGHLIGHT = '#185FA5'
DANGER     = '#A32D2D'
SUCCESS    = '#2C6E49'
GRAY       = '#B4B2A9'
TEXT       = '#2C2C2A'
SUBTLE     = '#5F5E5A'

plt.rcParams.update({
    'font.family'      : 'sans-serif',
    'font.size'        : 10,
    'axes.spines.top'   : False,
    'axes.spines.right' : False,
    'axes.spines.left'  : False,
    'axes.spines.bottom': False,
    'axes.grid'         : False,
    'xtick.color'       : SUBTLE,
    'ytick.color'       : SUBTLE,
    'text.color'        : TEXT,
    'figure.facecolor'  : 'white',
    'axes.facecolor'    : 'white',
})

pdf_path = reports_dir / "Sales_Analysis_Report.pdf"

with PdfPages(pdf_path) as pdf:

    # — CHART 1: MONTHLY SALES TREND —
    fig1, ax1 = plt.subplots(figsize=(12, 5))

    months_list = monthly.index.tolist()
    sales_vals  = monthly.values

    ax1.plot(months_list, sales_vals, color=GRAY, linewidth=2, marker='o',
             markersize=5, markerfacecolor='white', markeredgewidth=1.5, zorder=2)

    ax1.axvspan(months_list.index('Oct') - 0.5,
                months_list.index('Dec') + 0.5,
                alpha=0.07, color=HIGHLIGHT, zorder=1)
    ax1.text(months_list.index('Nov'), max(sales_vals) * 1.05,
             'Q4 season', fontsize=9, color=HIGHLIGHT, ha='center')

    for m in ['Nov', 'Dec']:
        idx = months_list.index(m)
        ax1.plot(idx, sales_vals[idx], marker='o', markersize=10,
                 color=HIGHLIGHT, markeredgewidth=1.5, zorder=3)
        ax1.text(idx, sales_vals[idx] + max(sales_vals) * 0.04,
                 f'${sales_vals[idx]/1e6:.1f}M',

```

```

        ha='center', fontsize=9, color=HIGHLIGHT, fontweight='bold')

jan_idx = months_list.index('Jan')
ax1.annotate(f'${sales_vals[jan_idx]/1e6:.1f}M (Jan low)',
             xy=(jan_idx, sales_vals[jan_idx]),
             xytext=(jan_idx + 1, sales_vals[jan_idx] + max(sales_vals) * 0.08),
             fontsize=8.5, color=SUBTLE,
             arrowprops=dict(arrowstyle='->', color=GRAY, lw=1))

pct = ((sales_vals[months_list.index('Dec')] - sales_vals[jan_idx])
       / sales_vals[jan_idx] * 100)

ax1.set_title(
    f'December sales peak {pct:.0f}% above January – plan Q4 inventory by August',
    fontsize=13, fontweight='bold', loc='left', pad=14, color=TEXT)
ax1.text(0, -0.13,
        'Q4 spike is statistically significant (t = 6.24, p < 0.0001). '
        'It repeats every year without exception.',
        fontsize=9, color=SUBTLE, transform=ax1.transAxes)

ax1.set_xticks(range(len(months_list)))
ax1.set_xticklabels(months_list, fontsize=9)
ax1.set_ylabel('Monthly revenue', fontsize=9, color=SUBTLE)
ax1.yaxis.set_major_formatter(
    plt.FuncFormatter(lambda x, _: f'${x/1e6:.1f}M'))
ax1.tick_params(length=0)
ax1.set_ylim(0, max(sales_vals) * 1.2)

plt.tight_layout()
plt.savefig(chart_dir / 'monthly_sales_trend.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig1)
plt.show()
plt.close(fig1)

# — CHART 2: TOP 10 PRODUCTS —————
fig2, ax2 = plt.subplots(figsize=(11, 6))

top10 = df_pos.groupby('Product Name')['Sales'].sum().sort_values().tail(10)
prods = top10.index.tolist()
revs = top10.values / 1e6
bar_cols = [DANGER if p == 'Cisco TelePresence System' else GRAY for p in prods]

bars = ax2.barh(prods, revs, color=bar_cols, height=0.6)

for bar, val in zip(bars, revs):
    ax2.text(val + 0.3, bar.get_y() + bar.get_height() / 2,
            f'${val:.1f}M', va='center', fontsize=9, color=TEXT)

cisco_idx = prods.index('Cisco TelePresence System')
ax2.annotate('60% of total revenue\nInvestigate immediately',
            xy=(revs[cisco_idx], cisco_idx),
            xytext=(revs[cisco_idx] * 0.55, cisco_idx - 1.2),
            fontsize=9, color=DANGER, fontweight='bold',
            arrowprops=dict(arrowstyle='->', color=DANGER, lw=1.2))

ax2.set_title(

```

```
'One product drives 60% of all revenue - a critical concentration risk',
    fontsize=13, fontweight='bold', loc='left', pad=14, color=TEXT)
ax2.text(0, -0.1,
        'If Cisco TelePresence demand drops 20%, the business loses more reven
        'than the next 9 products combined could replace.',
        fontsize=9, color=SUBTLE, transform=ax2.transAxes)

ax2.set_xlabel('Total revenue', fontsize=9, color=SUBTLE)
ax2.xaxis.set_major_formatter(plt.FuncFormatter(lambda x, _: f'${x:.0f}M'))
ax2.tick_params(length=0, labelsize=9)
ax2.spines['bottom'].set_visible(True)
ax2.spines['bottom'].set_color('#E8E8E4')

plt.tight_layout()
plt.savefig(chart_dir / 'top10_products.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig2)
plt.show()
plt.close(fig2)

# — CHART 3: REVENUE BY REGION —————
fig3, ax3 = plt.subplots(figsize=(10, 5))

regions_list = region_profit.index.tolist()
rev_vals     = region_profit['Sales'].values
margin_vals  = region_profit['Profit_Margin'].values
bar_cols     = [DANGER if r == 'West' else GRAY for r in regions_list]

bars = ax3.bar(regions_list, rev_vals, color=bar_cols, width=0.5, zorder=2)

for bar, rev in zip(bars, rev_vals):
    ax3.text(bar.get_x() + bar.get_width() / 2,
             bar.get_height() + max(rev_vals) * 0.012,
             f'${rev/1e6:.1f}M',
             ha='center', fontsize=10, color=TEXT, fontweight='bold')

for bar, margin, region in zip(bars, margin_vals, regions_list):
    color = 'white' if region == 'West' else TEXT
    ax3.text(bar.get_x() + bar.get_width() / 2,
            bar.get_height() * 0.5,
            f'{margin:.1f}% margin',
            ha='center', fontsize=9, color=color, fontweight='bold')

ax_margin = ax3.twinx()
ax_margin.plot(regions_list, margin_vals, color=HIGHLIGHT, linewidth=2,
              marker='o', markersize=8, markerfacecolor='white',
              markeredgewidth=2, markeredgecolor=HIGHLIGHT, zorder=3)
ax_margin.set_ylabel('Profit margin (%)', fontsize=9, color=HIGHLIGHT)
ax_margin.tick_params(axis='y', labelcolor=HIGHLIGHT, length=0, labelsize=9)
ax_margin.set_ylim(14, 18)
ax_margin.spines['top'].set_visible(False)
ax_margin.spines['right'].set_color('#E8E8E4')

west_idx = regions_list.index('West')
east_idx = regions_list.index('East')
ax_margin.annotate(
    f'West lags East by\n'
```

```

f'{margin_vals[east_idx] - margin_vals[west_idx]:.1f} pp margin',
xy=(west_idx, margin_vals[west_idx]),
xytext=(west_idx - 1.2, margin_vals[west_idx] + 0.6),
fontsize=9, color=DANGER, fontweight='bold',
arrowprops=dict(arrowstyle='->', color=DANGER, lw=1.2))

ax3.set_title(
    'Revenue is balanced across regions – but West has the lowest profit margin'
    fontsize=13, fontweight='bold', loc='left', pad=14, color=TEXT)
ax3.text(0, -0.12,
    'West margin (15.2%) lags East (16.6%) by 1.4 pp – '
    'roughly $480K in annual profit unrealised.',
    fontsize=9, color=SUBTLE, transform=ax3.transAxes)

ax3.yaxis.set_major_formatter(plt.FuncFormatter(lambda x, _: f'${x/1e6:.0f}M'))
ax3.set_ylabel('Total revenue', fontsize=9, color=SUBTLE)
ax3.tick_params(axis='x', length=0, labelsize=10)
ax3.tick_params(axis='y', length=0, labelsize=9)
ax3.spines['bottom'].set_visible(True)
ax3.spines['bottom'].set_color('#E8E8E4')
ax3.set_ylim(0, max(rev_vals) * 1.2)

plt.tight_layout()
plt.savefig(chart_dir / 'revenue_by_region.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig3)
plt.show()
plt.close(fig3)

# — CHART 4: DISCOUNT IMPACT —————
fig4, ax4 = plt.subplots(figsize=(10, 5))

buckets = discount_profit.index.tolist()
profit_vals = discount_profit.values
bar_cols = [HIGHLIGHT if '10-20' in str(b) else
             DANGER if profit_vals[i] < 800 else
             GRAY for i, b in enumerate(buckets)]

bars = ax4.bar(buckets, profit_vals, color=bar_cols, width=0.5)

for bar, val in zip(bars, profit_vals):
    ax4.text(bar.get_x() + bar.get_width() / 2,
             bar.get_height() + 15,
             f'${val:,.0f}',
             ha='center', fontsize=10, color=TEXT, fontweight='bold')

sweet = max(profit_vals)
ax4.axhline(sweet, color=HIGHLIGHT, lw=1, linestyle='--', alpha=0.4)
ax4.text(len(buckets) - 0.5, sweet + 20, 'optimal',
        fontsize=8, color=HIGHLIGHT, ha='right')

ax4.set_title(
    'Discounts above 20% cut average profit per order nearly in half',
    fontsize=13, fontweight='bold', loc='left', pad=14, color=TEXT)
ax4.text(0, -0.13,
    'The 10-20% band yields the highest profit per order. '
    'Above 20%, profit drops from $1,167 to around $600.',

```

```

        fontsize=9, color=SUBTLE, transform=ax4.transAxes)

ax4.set_ylabel('Avg profit per order', fontsize=9, color=SUBTLE)
ax4.yaxis.set_major_formatter(plt.FuncFormatter(lambda x, _: f'${x:,.0f}'))
ax4.set_ylim(0, max(profit_vals) * 1.25)
ax4.tick_params(length=0, labelsize=9)
ax4.spines['bottom'].set_visible(True)
ax4.spines['bottom'].set_color('#E8E8E4')

plt.tight_layout()
plt.savefig(chart_dir / 'discount_impact.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig4)
plt.show()
plt.close(fig4)

# — CHART 5: YEARLY SALES —————
fig5, ax5 = plt.subplots(figsize=(9, 5))

years_list = yearly.index.astype(str).tolist()
sales_yr = yearly.values
bar_cols = [SUCCESS if y == years_list[-1] else GRAY for y in years_list]

bars = ax5.bar(years_list, sales_yr, color=bar_cols, width=0.5)

for bar, val, yr in zip(bars, sales_yr, years_list):
    ax5.text(bar.get_x() + bar.get_width() / 2,
             bar.get_height() + max(sales_yr) * 0.01,
             f'${val/1e6:.1f}M',
             ha='center', fontsize=11,
             color=SUCCESS if yr == years_list[-1] else TEXT,
             fontweight='bold' if yr == years_list[-1] else 'normal')

growth = (sales_yr[-1] - sales_yr[-2]) / sales_yr[-2] * 100
last_idx = len(years_list) - 1
ax5.text(last_idx, sales_yr[-1] * 0.6,
         f'+{growth:.1f}%\ngrowth',
         ha='center', fontsize=10, color='white', fontweight='bold')

ax5.set_title(
    'After three flat years, 2024 posts the strongest growth – replicate what w
    fontsize=13, fontweight='bold', loc='left', pad=14, color=TEXT)
ax5.text(0, -0.12,
        '2024 revenue grew +5.1% vs 2023, the strongest year-on-year gain in t
        'Momentum is building.',
        fontsize=9, color=SUBTLE, transform=ax5.transAxes)

ax5.yaxis.set_visible(False)
ax5.tick_params(axis='x', length=0, labelsize=11)
ax5.spines['bottom'].set_visible(True)
ax5.spines['bottom'].set_color('#E8E8E4')
ax5.set_ylim(0, max(sales_yr) * 1.18)

plt.tight_layout()
plt.savefig(chart_dir / 'yearly_sales.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig5)
plt.show()

```

```

plt.close(fig5)

# — CHART 6: ONE-PAGE SUMMARY —————
fig6, ax6 = plt.subplots(figsize=(8.5, 11))
ax6.axis('off')

summary_lines = [
    ('SALES ANALYSIS 2021-2024 | EXECUTIVE SUMMARY', 16, TEXT, 'bold', 0),
    ('AUDIENCE', 10, SUBTLE, 'bold', 0),
    ('VP of Product and Sales leadership', 10, TEXT, 'normal', 0),
    ('GOAL', 10, SUBTLE, 'bold', 0),
    ('Identify product risks, pricing inefficiencies,', 10, TEXT, 'normal', 0),
    ('and seasonal patterns to drive decisions.', 10, TEXT, 'normal', 0),
    ('KEY FINDINGS', 10, SUBTLE, 'bold', 0),
    ('1. 60% of revenue from ONE product (Cisco TelePresence)', 10, DANGER, 'bold', 0),
    (' Extreme concentration risk – investigate immediately.', 10, TEXT, 'normal', 0),
    ('2. West margin (15.2%) lags East (16.6%)', 10, HIGHLIGHT, 'bold', 0),
    (' Roughly $480K annual profit unrealised.', 10, TEXT, 'normal', 0),
    ('3. December sales are 153% above January', 10, HIGHLIGHT, 'bold', 0),
    (' Predictable – plan inventory by August.', 10, TEXT, 'normal', 0),
    ('4. Discounts above 20% cut profit nearly in half', 10, DANGER, 'bold', 0),
    (' Cap at 20%. Pilot for 90 days.', 10, TEXT, 'normal', 0),
    ('5. 2024 grew +5.1% – strongest year in 4 years', 10, SUCCESS, 'bold', 0),
    (' Identify what drove growth and replicate it.', 10, TEXT, 'normal', 0),
    ('IMMEDIATE ACTIONS', 10, SUBTLE, 'bold', 0),
    (' Audit Cisco TelePresence raw orders', 10, TEXT, 'normal', 0),
    (' Set 20% discount ceiling, require approval above', 10, TEXT, 'normal', 0),
    (' Compare West vs East discount and cost structure', 10, TEXT, 'normal', 0),
    (' Lock Q4 inventory plan by August', 10, TEXT, 'normal', 0),
    (' Build monthly KPI dashboard in Tableau or Power BI', 10, TEXT, 'normal', 0),
    ('Author: Khoro Avhavhoni Tshivhula | June 2026', 9, SUBTLE, 'normal', 0),
]

for text_str, size, color, weight, y in summary_lines:
    ax6.text(0.05, y, text_str, transform=ax6.transAxes,
             fontsize=size, color=color, fontweight=weight,
             verticalalignment='top')

ax6.axhline(y=0.93, xmin=0.05, xmax=0.95, color='#E8E8E4', linewidth=1)
ax6.axhline(y=0.06, xmin=0.05, xmax=0.95, color='#E8E8E4', linewidth=1)

plt.tight_layout()
plt.savefig(chart_dir / 'summary_page.png', dpi=150, bbox_inches='tight')
pdf.savefig(fig6)
plt.show()
plt.close(fig6)

# — Save supporting files —————
summary_text = (
    "SALES ANALYSIS 2021-2024 | ONE-PAGE SUMMARY\n"
    "==" * 50 + "\n\n"
    "FINDING 1: 60% of revenue from Cisco TelePresence alone.\n"
    "ACTION: Audit raw orders. Diversify product mix.\n\n"

```

```
"FINDING 2: West margin (15.2%) lags East (16.6%) by 1.4 pp.\n"
"ACTION:   Compare discount rates and shipping costs vs East.\n\n"
"FINDING 3: December is 153% above January every year.\n"
"ACTION:   Lock Q4 inventory plan by August.\n\n"
"FINDING 4: Discounts above 20% cut profit nearly in half.\n"
"ACTION:   Cap at 20%. Require manager approval above that.\n\n"
"FINDING 5: 2024 grew +5.1% – strongest in 4 years.\n"
"ACTION:   Identify drivers and replicate in 2025.\n\n"
"Author: Khoro Avhahvoni Tshivhula | June 2026"
```

```
)
```


```
with open(reports_dir / "one_page_summary.txt", "w", encoding='utf-8') as f:
    f.write(summary_text)
```

```
pd.DataFrame(kpi_data, columns=['KPI', 'Value']).to_csv(
    reports_dir / "kpi_summary.csv", index=False)
```


```
print(f"\nPDF report saved to:      {pdf_path}")
print(f"All PNG charts saved to: {chart_dir}")
print(f"Text summary saved to:      {reports_dir / 'one_page_summary.txt'}")
print(f"KPI CSV saved to:          {reports_dir / 'kpi_summary.csv'}")
```

STAGE 5: GENERATING STORYTELLING VISUALS


December sales peak 153% above January — plan Q4 inventory by August




One product drives 60% of all revenue — a critical concentration risk




Revenue is balanced across regions — but West has the lowest profit margin



Discounts above 20% cut average profit per order nearly in half



After three flat years, 2024 posts the strongest growth — replicate what worked



2024 revenue grew +5.1% vs 2023, the strongest year-on-year gain in the dataset. Momentum is building.

SALES ANALYSIS 2021-2024 | EXECUTIVE SUMMARY

AUDIENCE

VP of Product and Sales leadership

GOAL

Identify product risks, pricing inefficiencies,
and seasonal patterns to drive decisions.

KEY FINDINGS

1. 60% of revenue from ONE product (Cisco TelePresence)

Extreme concentration risk — investigate immediately.

2. West margin (15.2%) lags East (16.6%)

Roughly \$480K annual profit unrealised.

3. December sales are 153% above January

Predictable — plan inventory by August.

4. Discounts above 20% cut profit nearly in half

Cap at 20%. Pilot for 90 days.

5. 2024 grew +5.1% — strongest year in 4 years

Identify what drove growth and replicate it.

IMMEDIATE ACTIONS

Audit Cisco TelePresence raw orders

Set 20% discount ceiling, require approval above

Compare West vs East discount and cost structure

Lock Q4 inventory plan by August

Build monthly KPI dashboard in Tableau or Power BI

Author: Khoro Avhavhoni Tshivhula | June 2026

```
PDF report saved to:      B:\Data Science\Syntexhub Internship\Week4\Sales Analysis\Re
ports\Sales_Analysis_Report.pdf
All PNG charts saved to: B:\Data Science\Syntexhub Internship\Week4\Sales Analysis\C
harts
Text summary saved to:   B:\Data Science\Syntexhub Internship\Week4\Sales Analysis\Re
ports\one_page_summary.txt
KPI CSV saved to:        B:\Data Science\Syntexhub Internship\Week4\Sales Analysis\Re
ports\kpi_summary.csv
```

Sales Analysis Project – Final Report (2021–2024)

Executive Summary

This report analyzes retail sales data from 2021 to 2024 to answer key business questions about top products, seasonality, regional performance, and discount impact. After cleaning and analysis, we computed KPIs, identified risks, and generated actionable recommendations. All visualizations are included in the final PDF report.

Key Performance Indicators (KPIs)

Region	Revenue	Profit	Margin
Central	\$34,023,217.74	\$5,487,682.97	16.1%
East	\$31,056,402.08	\$5,159,265.77	16.6%
South	\$36,651,735.21	\$5,911,212.12	16.1%
West	\$34,755,768.93	\$5,291,201.49	15.2%

The business operates a high-ticket B2B or premium retail model (AOV >\$6,500). A 16% profit margin is healthy, but there is room to improve discounting practices.

1. Product Concentration Risk

Top 10 Products by Revenue

Rank	Product Name	Revenue	% of Total Revenue
1	Cisco TelePresence System	\$81,635,140.27	59.8%
2	Dell XPS 15 Laptop	\$5,912,360.50	4.3%
3	HP EliteBook Laptop	\$5,405,091.37	4.0%
4	Bretford Mobile Cart	\$5,257,951.24	3.9%

Rank	Product Name	Revenue	% of Total Revenue
5	Motorola Smart Phone	\$4,162,141.99	3.0%
6	Apple iPhone 14	\$3,944,760.52	2.9%
7	Chromcraft Round Table	\$3,903,762.82	2.9%
8	Samsung Galaxy S23	\$3,261,707.76	2.4%
9	Canon imageCLASS Printer	\$2,824,122.29	2.1%
10	Safco Steel Desk	\$2,155,403.99	1.6%

 Top 10 Products

Critical Finding: One product (Cisco TelePresence) accounts for **60% of total revenue**.

Risk: Extreme dependency – a demand drop or supply issue could collapse revenue.

Recommendation: Diversify product portfolio; investigate if this is a data error (e.g., mis-coded bundles).

2. Regional Performance

 Revenue by Region

Insights:

- Revenue is balanced across regions (23-27% each).
- West** has the lowest profit margin (15.2%) – investigate higher costs or discounts.
- East** has the highest margin (16.6%) – replicate best practices.

3. Seasonality (Monthly & Yearly Trends)

Monthly Sales Totals

Month	Sales
Jan	\$6,285,565.49
Feb	\$8,707,422.13
Mar	\$11,635,618.89
Apr	\$10,105,146.48
May	\$10,095,555.81
Jun	\$10,547,947.42

Month	Sales
Jul	\$11,335,940.55
Aug	\$12,780,290.91
Sep	\$13,234,892.14
Oct	\$11,217,023.55
Nov	\$14,620,665.76
Dec	\$15,921,054.83

 Monthly Sales Trend

Yearly Sales & Growth

Year	Sales (\$)	Growth
2021	\$33,513,143.60	–
2022	\$33,419,523.21	-0.3%
2023	\$33,912,825.07	+1.5%
2024	\$35,641,632.08	+5.1%

 Yearly Sales

Statistical Test (December vs January):

$t = 6.242$, $p = 0.0000 \rightarrow$ **December sales are significantly higher** (real seasonality, not random).

Business Actions:


- Stock inventory before August–December.
- Increase marketing in October–November.
- Plan for January slowdown.

4. Discount Impact on Profit

Average Profit by Discount Bucket

Discount Range	Avg Profit per Order
0-10%	\$1,058
10-20%	\$1,167
20-30%	\$604
30-50%	\$599

Discount Range	Avg Profit per Order
50-100%	\$971



Insights:

- **Optimal discount range:** 10-20% yields the highest profit.
- Discounts above 20% **halve** average profit.
- Very deep discounts (50-100%) are risky; they sometimes profit on high-value items but are inconsistent.

Recommendation:

Cap discounts at 25% for most products. Use A/B testing to validate.

5. Return Rate

- Returns (negative sales) were only 0.06% of total absolute revenue – very low, indicating good product quality and customer satisfaction.

Consolidated Recommendations

Priority	Recommendation	Rationale
High	Diversify product portfolio	60% revenue from one product is a major risk.
High	Cap discounts at 25%	Discounts >20% destroy profit margin.
Medium	Increase Q4 marketing (Oct-Dec)	Clear seasonality with December peak.
Medium	Investigate West region margin	West lags others (15.2% vs 16.6%).
Low	Loyalty program for top customers	Retain high-profit customers.

Next Steps for the Intern

- Validate the Cisco TelePresence concentration – is it a data aggregation issue?
- Build a simple dashboard (e.g., in Tableau or Power BI) to monitor these KPIs monthly.
- Run an A/B test on discount thresholds (e.g., 20% cap vs current).

Report generated: 2026-06-10

Author: Khoro Avhahoni Tshivhula

Project: Sales Analysis

