
# seaborn\_3


November 22, 2020

# 1 Visualizing a Categorical and a Quantitative Variable

#### 1.0.1 Count plots and bar plots


```
[]: import matplotlib.pyplot as plt
   import seaborn as sns
   import pandas as pd
survey=pd.read_csv("/content/drive/MyDrive/data/young-people-survey-responses.
    ⇔csv")
[]: survey.head()
[]:
      Unnamed: 0
                  Music
                         Techno
                                 Movies
                                               Age Siblings Gender Village -
   town
   0
                    5.0
                            1.0
                                    5.0
                                         . . .
                                              20.0
                                                         1.0 female
   village
                                         ... 19.0
                    4.0
                            1.0
                                    5.0
                                                         2.0 female
   city
                                                         2.0 female
                    5.0
                            1.0
                                    5.0
                                         . . .
                                              20.0
   city
               3
                    5.0
                            2.0
                                    5.0
                                              22.0
                                                         1.0 female
                                         . . .
   city
                    5.0
                            2.0
                                    5.0 ... 20.0
                                                         1.0 female
   village
   [5 rows x 16 columns]
[]: #
   sns.countplot(x="Internet usage",data=survey)
   plt.show()
   sns.catplot(x="Internet usage",data=survey, kind="count")
   plt.show()
```






```
[]: # Bar plot kind .
sns.catplot(x="Internet usage", y="Age", data=survey, kind="bar")
plt.show()


# 95% . ci=None
sns.catplot(x="Internet usage", y="Age", data=survey, kind="bar", ci=None)
plt.show()
```






## 1.0.2 Creating a boxplot


```
[]: sns.catplot(x="Internet usage", y="Age", data=survey, kind="box") plt.show()
```



[]: # sym outlier
sns.catplot(x="Internet usage", y="Age", data=survey, kind="box", sym="")
plt.show()




```
[]: # 1.5*IQR whiskers .
sns.catplot(x="Internet usage", y="Age", data=survey, kind="box", whis=[0, 100])
plt.show()
```




### 1.0.3 Point plots


```
[]: # Point plots, line plots 95%
# point plots x categorical variable line plots quantitlative variable .


sns.catplot(x="Internet usage", y="Age", data=survey, kind="point", usage ", us
```






```
[]: # Median .
sns.catplot(x="Gender", y="Age", data=survey, kind="point")
plt.show()
import numpy as np
sns.catplot(x="Gender", y="Age", data=survey, kind="point", estimator=np.median)
plt.show()
```







#### [29]: | pip install nbconvert

Requirement already satisfied: nbconvert in /usr/local/lib/python3.6/dist-packages (5.6.1)

Requirement already satisfied: mistune<2,>=0.8.1 in /usr/local/lib/python3.6 /dist-packages (from nbconvert) (0.8.4)

Requirement already satisfied: traitlets>=4.2 in /usr/local/lib/python3.6/dist-packages (from nbconvert) (4.3.3)

Requirement already satisfied: jupyter-core in /usr/local/lib/python3.6/dist-packages (from nbconvert) (4.6.3)

Requirement already satisfied: testpath in /usr/local/lib/python3.6/dist-packages (from nbconvert) (0.4.4)

Requirement already satisfied: nbformat>=4.4 in /usr/local/lib/python3.6/dist-packages (from nbconvert) (5.0.8)

Requirement already satisfied: bleach in /usr/local/lib/python3.6/dist-packages (from nbconvert) (3.2.1)

Requirement already satisfied: pygments in /usr/local/lib/python3.6/dist-packages (from nbconvert) (2.6.1)

```
Requirement already satisfied: defusedxml in /usr/local/lib/python3.6/dist-
packages (from nbconvert) (0.6.0)
Requirement already satisfied: pandocfilters>=1.4.1 in /usr/local/lib/python3.6
/dist-packages (from nbconvert) (1.4.3)
Requirement already satisfied: entrypoints>=0.2.2 in /usr/local/lib/python3.6
/dist-packages (from nbconvert) (0.3)
Requirement already satisfied: jinja2>=2.4 in /usr/local/lib/python3.6/dist-
packages (from nbconvert) (2.11.2)
Requirement already satisfied: ipython-genutils in /usr/local/lib/python3.6
/dist-packages (from traitlets>=4.2->nbconvert) (0.2.0)
Requirement already satisfied: six in /usr/local/lib/python3.6/dist-packages
(from traitlets>=4.2->nbconvert) (1.15.0)
Requirement already satisfied: decorator in /usr/local/lib/python3.6/dist-
packages (from traitlets>=4.2->nbconvert) (4.4.2)
Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in
/usr/local/lib/python3.6/dist-packages (from nbformat>=4.4->nbconvert) (2.6.0)
Requirement already satisfied: packaging in /usr/local/lib/python3.6/dist-
packages (from bleach->nbconvert) (20.4)
Requirement already satisfied: webencodings in /usr/local/lib/python3.6/dist-
packages (from bleach->nbconvert) (0.5.1)
Requirement already satisfied: MarkupSafe>=0.23 in /usr/local/lib/python3.6
/dist-packages (from jinja2>=2.4->nbconvert) (1.1.1)
Requirement already satisfied: pyparsing>=2.0.2 in /usr/local/lib/python3.6
/dist-packages (from packaging->bleach->nbconvert) (2.4.7)
!pip install pypando
Reading package lists... Done
```

[31]: | apt-get install texlive texlive-xetex texlive-latex-extra pandoc

```
Building dependency tree
Reading state information... Done
pandoc is already the newest version (1.19.2.4~dfsg-1build4).
pandoc set to manually installed.
The following additional packages will be installed:
  fonts-droid-fallback fonts-lato fonts-lmodern fonts-noto-mono fonts-texgyre
  javascript-common libcupsfilters1 libcupsimage2 libgs9 libgs9-common
 libijs-0.35 libjbig2dec0 libjs-jquery libkpathsea6 libpotrace0 libptexenc1
 libruby2.5 libsynctex1 libtexlua52 libtexluajit2 libzzip-0-13 lmodern
 poppler-data preview-latex-style rake ruby ruby-did-you-mean ruby-minitest
 ruby-net-telnet ruby-power-assert ruby-test-unit ruby2.5
 rubygems-integration t1utils tex-common tex-gyre texlive-base
  texlive-binaries texlive-fonts-recommended texlive-latex-base
  texlive-latex-recommended texlive-pictures texlive-plain-generic tipa
Suggested packages:
  fonts-noto apache2 | lighttpd | httpd poppler-utils ghostscript
  fonts-japanese-mincho | fonts-ipafont-mincho fonts-japanese-gothic
  | fonts-ipafont-gothic fonts-arphic-ukai fonts-arphic-uming fonts-nanum ri
```

ruby-dev bundler debhelper gv | postscript-viewer perl-tk xpdf-reader | pdf-viewer texlive-fonts-recommended-doc texlive-latex-base-doc python-pygments icc-profiles libfile-which-perl libspreadsheet-parseexcel-perl texlive-latex-extra-doc texlive-latex-recommended-doc texlive-pstricks dot2tex prerex ruby-tcltk | libtcltk-ruby texlive-pictures-doc vprerex The following NEW packages will be installed: fonts-droid-fallback fonts-lato fonts-lmodern fonts-noto-mono fonts-texgyre javascript-common libcupsfilters1 libcupsimage2 libgs9 libgs9-common libijs-0.35 libjbig2dec0 libjs-jquery libkpathsea6 libpotrace0 libptexenc1 libruby2.5 libsynctex1 libtexlua52 libtexluajit2 libzzip-0-13 lmodern poppler-data preview-latex-style rake ruby ruby-did-you-mean ruby-minitest ruby-net-telnet ruby-power-assert ruby-test-unit ruby2.5 rubygems-integration t1utils tex-common tex-gyre texlive texlive-base texlive-binaries texlive-fonts-recommended texlive-latex-base texlive-latex-extra texlive-latex-recommended texlive-pictures texlive-plain-generic texlive-xetex tipa 0 upgraded, 47 newly installed, 0 to remove and 14 not upgraded. Need to get 146 MB of archives. After this operation, 460 MB of additional disk space will be used. Get:1 http://archive.ubuntu.com/ubuntu bionic/main amd64 fonts-droid-fallback all 1:6.0.1r16-1.1 [1,805 kB] Get:2 http://archive.ubuntu.com/ubuntu bionic/main amd64 fonts-lato all 2.0-2 [2,698 kB] Get:3 http://archive.ubuntu.com/ubuntu bionic/main amd64 poppler-data all 0.4.8-2 [1,479 kB] Get:4 http://archive.ubuntu.com/ubuntu bionic/main amd64 tex-common all 6.09 [33.0 kB] Get:5 http://archive.ubuntu.com/ubuntu bionic/main amd64 fonts-lmodern all 2.004.5-3 [4,551 kB] Get:6 http://archive.ubuntu.com/ubuntu bionic/main amd64 fonts-noto-mono all 20171026-2 [75.5 kB] Get:7 http://archive.ubuntu.com/ubuntu bionic/universe amd64 fonts-texgyre all 20160520-1 [8,761 kB] Get:8 http://archive.ubuntu.com/ubuntu bionic/main amd64 javascript-common all 11 [6,066 B] Get:9 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libcupsfilters1 amd64 1.20.2-Oubuntu3.1 [108 kB] Get:10 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libcupsimage2 amd64 2.2.7-1ubuntu2.8 [18.6 kB] Get:11 http://archive.ubuntu.com/ubuntu bionic/main amd64 libijs-0.35 amd64 0.35-13 [15.5 kB] Get:12 http://archive.ubuntu.com/ubuntu bionic/main amd64 libjbig2dec0 amd64 0.13-6 [55.9 kB] Get:13 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libgs9-common all 9.26~dfsg+0-0ubuntu0.18.04.13 [5,092 kB] Get:14 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libgs9 amd64

9.26~dfsg+0-0ubuntu0.18.04.13 [2,263 kB]

- Get:15 http://archive.ubuntu.com/ubuntu bionic/main amd64 libjs-jquery all 3.2.1-1 [152 kB]
- Get:16 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libkpathsea6 amd64 2017.20170613.44572-8ubuntu0.1 [54.9 kB]
- Get:17 http://archive.ubuntu.com/ubuntu bionic/main amd64 libpotrace0 amd64 1.14-2 [17.4 kB]
- Get:18 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libptexenc1 amd64 2017.20170613.44572-8ubuntu0.1 [34.5 kB]
- Get:19 http://archive.ubuntu.com/ubuntu bionic/main amd64 rubygems-integration all 1.11 [4,994 B]
- Get:20 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 ruby2.5 amd64
  2.5.1-1ubuntu1.6 [48.6 kB]
- Get:21 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby amd64 1:2.5.1
  [5,712 B]
- Get:22 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 rake all
  12.3.1-1ubuntu0.1 [44.9 kB]
- Get:23 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby-did-you-mean all
  1.2.0-2 [9,700 B]
- Get:24 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby-minitest all 5.10.3-1 [38.6 kB]
- Get:25 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby-net-telnet all 0.1.1-2 [12.6 kB]
- Get:26 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby-power-assert all 0.3.0-1 [7,952 B]
- Get:27 http://archive.ubuntu.com/ubuntu bionic/main amd64 ruby-test-unit all 3.2.5-1 [61.1 kB]
- Get:28 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libruby2.5 amd64 2.5.1-1ubuntu1.6 [3,069 kB]
- Get:29 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libsynctex1 amd64 2017.20170613.44572-8ubuntu0.1 [41.4 kB]
- Get:30 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libtexlua52 amd64 2017.20170613.44572-8ubuntu0.1 [91.2 kB]
- Get:31 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libtexluajit2 amd64 2017.20170613.44572-8ubuntu0.1 [230 kB]
- Get:32 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 libzzip-0-13 amd64 0.13.62-3.1ubuntu0.18.04.1 [26.0 kB]
- Get:33 http://archive.ubuntu.com/ubuntu bionic/main amd64 lmodern all 2.004.5-3
  [9,631 kB]
- Get:34 http://archive.ubuntu.com/ubuntu bionic/main amd64 preview-latex-style all 11.91-1ubuntu1 [185 kB]
- Get:35 http://archive.ubuntu.com/ubuntu bionic/main amd64 t1utils amd64 1.41-2
  [56.0 kB]
- Get:36 http://archive.ubuntu.com/ubuntu bionic/universe amd64 tex-gyre all 20160520-1 [4,998 kB]
- Get:37 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 texlive-binaries amd64 2017.20170613.44572-8ubuntu0.1 [8,179 kB]
- Get:38 http://archive.ubuntu.com/ubuntu bionic/main amd64 texlive-base all 2017.20180305-1 [18.7 MB]

```
Get:39 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive-fonts-
recommended all 2017.20180305-1 [5,262 kB]
Get:40 http://archive.ubuntu.com/ubuntu bionic/main amd64 texlive-latex-base all
2017.20180305-1 [951 kB]
Get:41 http://archive.ubuntu.com/ubuntu bionic/main amd64 texlive-latex-
recommended all 2017.20180305-1 [14.9 MB]
Get:42 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive all
2017.20180305-1 [14.4 kB]
Get:43 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive-pictures
all 2017.20180305-1 [4,026 kB]
Get:44 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive-latex-
extra all 2017.20180305-2 [10.6 MB]
Get:45 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive-plain-
generic all 2017.20180305-2 [23.6 MB]
Get:46 http://archive.ubuntu.com/ubuntu bionic/universe amd64 tipa all 2:1.3-20
[2,978 kB]
Get:47 http://archive.ubuntu.com/ubuntu bionic/universe amd64 texlive-xetex all
2017.20180305-1 [10.7 MB]
Fetched 146 MB in 14s (10.1 MB/s)
Extracting templates from packages: 100%
Preconfiguring packages ...
Selecting previously unselected package fonts-droid-fallback.
(Reading database ... 144793 files and directories currently installed.)
Preparing to unpack .../00-fonts-droid-fallback_1%3a6.0.1r16-1.1_all.deb ...
Unpacking fonts-droid-fallback (1:6.0.1r16-1.1) ...
Selecting previously unselected package fonts-lato.
Preparing to unpack .../01-fonts-lato_2.0-2_all.deb ...
Unpacking fonts-lato (2.0-2) ...
Selecting previously unselected package poppler-data.
Preparing to unpack .../02-poppler-data_0.4.8-2_all.deb ...
Unpacking poppler-data (0.4.8-2) ...
Selecting previously unselected package tex-common.
Preparing to unpack .../03-tex-common_6.09_all.deb ...
Unpacking tex-common (6.09) ...
Selecting previously unselected package fonts-lmodern.
Preparing to unpack .../04-fonts-lmodern 2.004.5-3 all.deb ...
Unpacking fonts-Imodern (2.004.5-3) ...
Selecting previously unselected package fonts-noto-mono.
Preparing to unpack .../05-fonts-noto-mono_20171026-2_all.deb ...
Unpacking fonts-noto-mono (20171026-2) ...
Selecting previously unselected package fonts-texgyre.
Preparing to unpack .../06-fonts-texgyre_20160520-1_all.deb ...
Unpacking fonts-texgyre (20160520-1) ...
Selecting previously unselected package javascript-common.
Preparing to unpack .../07-javascript-common_11_all.deb ...
Unpacking javascript-common (11) ...
Selecting previously unselected package libcupsfilters1:amd64.
Preparing to unpack .../08-libcupsfilters1_1.20.2-Oubuntu3.1_amd64.deb ...
```

```
Unpacking libcupsfilters1:amd64 (1.20.2-Oubuntu3.1) ...
Selecting previously unselected package libcupsimage2:amd64.
Preparing to unpack .../09-libcupsimage2_2.2.7-1ubuntu2.8_amd64.deb ...
Unpacking libcupsimage2:amd64 (2.2.7-1ubuntu2.8) ...
Selecting previously unselected package libijs-0.35:amd64.
Preparing to unpack .../10-libijs-0.35_0.35-13_amd64.deb ...
Unpacking libijs-0.35:amd64 (0.35-13) ...
Selecting previously unselected package libjbig2dec0:amd64.
Preparing to unpack .../11-libjbig2dec0 0.13-6 amd64.deb ...
Unpacking libjbig2dec0:amd64 (0.13-6) ...
Selecting previously unselected package libgs9-common.
Preparing to unpack .../12-libgs9-common_9.26~dfsg+0-0ubuntu0.18.04.13_all.deb
Unpacking libgs9-common (9.26~dfsg+0-0ubuntu0.18.04.13) ...
Selecting previously unselected package libgs9:amd64.
Preparing to unpack .../13-libgs9_9.26~dfsg+0-0ubuntu0.18.04.13 amd64.deb ...
Unpacking libgs9:amd64 (9.26~dfsg+0-0ubuntu0.18.04.13) ...
Selecting previously unselected package libjs-jquery.
Preparing to unpack .../14-libjs-jquery_3.2.1-1_all.deb ...
Unpacking libjs-jquery (3.2.1-1) ...
Selecting previously unselected package libkpathsea6:amd64.
Preparing to unpack .../15-libkpathsea6 2017.20170613.44572-8ubuntu0.1 amd64.deb
Unpacking libkpathsea6:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package libpotrace0.
Preparing to unpack .../16-libpotrace0_1.14-2_amd64.deb ...
Unpacking libpotrace0 (1.14-2) ...
Selecting previously unselected package libptexenc1:amd64.
Preparing to unpack .../17-libptexenc1_2017.20170613.44572-8ubuntu0.1_amd64.deb
Unpacking libptexenc1:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package rubygems-integration.
Preparing to unpack .../18-rubygems-integration_1.11_all.deb ...
Unpacking rubygems-integration (1.11) ...
Selecting previously unselected package ruby2.5.
Preparing to unpack .../19-ruby2.5_2.5.1-1ubuntu1.6_amd64.deb ...
Unpacking ruby2.5 (2.5.1-1ubuntu1.6) ...
Selecting previously unselected package ruby.
Preparing to unpack .../20-ruby_1%3a2.5.1_amd64.deb ...
Unpacking ruby (1:2.5.1) ...
Selecting previously unselected package rake.
Preparing to unpack .../21-rake_12.3.1-1ubuntu0.1_all.deb ...
Unpacking rake (12.3.1-1ubuntu0.1) ...
Selecting previously unselected package ruby-did-you-mean.
Preparing to unpack .../22-ruby-did-you-mean_1.2.0-2_all.deb ...
Unpacking ruby-did-you-mean (1.2.0-2) ...
Selecting previously unselected package ruby-minitest.
Preparing to unpack .../23-ruby-minitest 5.10.3-1 all.deb ...
```

```
Unpacking ruby-minitest (5.10.3-1) ...
Selecting previously unselected package ruby-net-telnet.
Preparing to unpack .../24-ruby-net-telnet_0.1.1-2_all.deb ...
Unpacking ruby-net-telnet (0.1.1-2) ...
Selecting previously unselected package ruby-power-assert.
Preparing to unpack .../25-ruby-power-assert_0.3.0-1_all.deb ...
Unpacking ruby-power-assert (0.3.0-1) ...
Selecting previously unselected package ruby-test-unit.
Preparing to unpack .../26-ruby-test-unit_3.2.5-1_all.deb ...
Unpacking ruby-test-unit (3.2.5-1) ...
Selecting previously unselected package libruby2.5:amd64.
Preparing to unpack .../27-libruby2.5 2.5.1-1ubuntu1.6 amd64.deb ...
Unpacking libruby2.5:amd64 (2.5.1-1ubuntu1.6) ...
Selecting previously unselected package libsynctex1:amd64.
Preparing to unpack .../28-libsynctex1_2017.20170613.44572-8ubuntu0.1_amd64.deb
Unpacking libsynctex1:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package libtexlua52:amd64.
Preparing to unpack .../29-libtexlua52_2017.20170613.44572-8ubuntu0.1_amd64.deb
Unpacking libtexlua52:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package libtexluajit2:amd64.
Preparing to unpack
.../30-libtexluajit2_2017.20170613.44572-8ubuntu0.1_amd64.deb ...
Unpacking libtexluajit2:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package libzzip-0-13:amd64.
Preparing to unpack .../31-libzzip-0-13_0.13.62-3.1ubuntu0.18.04.1_amd64.deb ...
Unpacking libzzip-0-13:amd64 (0.13.62-3.1ubuntu0.18.04.1) ...
Selecting previously unselected package lmodern.
Preparing to unpack .../32-lmodern_2.004.5-3_all.deb ...
Unpacking lmodern (2.004.5-3) ...
Selecting previously unselected package preview-latex-style.
Preparing to unpack .../33-preview-latex-style 11.91-1ubuntu1_all.deb ...
Unpacking preview-latex-style (11.91-1ubuntu1) ...
Selecting previously unselected package tlutils.
Preparing to unpack .../34-t1utils_1.41-2_amd64.deb ...
Unpacking tlutils (1.41-2) ...
Selecting previously unselected package tex-gyre.
Preparing to unpack .../35-tex-gyre_20160520-1_all.deb ...
Unpacking tex-gyre (20160520-1) ...
Selecting previously unselected package texlive-binaries.
Preparing to unpack .../36-texlive-
binaries_2017.20170613.44572-8ubuntu0.1_amd64.deb ...
Unpacking texlive-binaries (2017.20170613.44572-8ubuntu0.1) ...
Selecting previously unselected package texlive-base.
Preparing to unpack .../37-texlive-base 2017.20180305-1 all.deb ...
Unpacking texlive-base (2017.20180305-1) ...
Selecting previously unselected package texlive-fonts-recommended.
```

```
Preparing to unpack .../38-texlive-fonts-recommended 2017.20180305-1_all.deb ...
Unpacking texlive-fonts-recommended (2017.20180305-1) ...
Selecting previously unselected package texlive-latex-base.
Preparing to unpack .../39-texlive-latex-base_2017.20180305-1_all.deb ...
Unpacking texlive-latex-base (2017.20180305-1) ...
Selecting previously unselected package texlive-latex-recommended.
Preparing to unpack .../40-texlive-latex-recommended 2017.20180305-1 all.deb ...
Unpacking texlive-latex-recommended (2017.20180305-1) ...
Selecting previously unselected package texlive.
Preparing to unpack .../41-texlive_2017.20180305-1_all.deb ...
Unpacking texlive (2017.20180305-1) ...
Selecting previously unselected package texlive-pictures.
Preparing to unpack .../42-texlive-pictures 2017.20180305-1_all.deb ...
Unpacking texlive-pictures (2017.20180305-1) ...
Selecting previously unselected package texlive-latex-extra.
Preparing to unpack .../43-texlive-latex-extra_2017.20180305-2_all.deb ...
Unpacking texlive-latex-extra (2017.20180305-2) ...
Selecting previously unselected package texlive-plain-generic.
Preparing to unpack .../44-texlive-plain-generic_2017.20180305-2_all.deb ...
Unpacking texlive-plain-generic (2017.20180305-2) ...
Selecting previously unselected package tipa.
Preparing to unpack .../45-tipa 2%3a1.3-20 all.deb ...
Unpacking tipa (2:1.3-20) ...
Selecting previously unselected package texlive-xetex.
Preparing to unpack .../46-texlive-xetex_2017.20180305-1_all.deb ...
Unpacking texlive-xetex (2017.20180305-1) ...
Setting up libgs9-common (9.26~dfsg+0-OubuntuO.18.04.13) ...
Setting up libkpathsea6:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Setting up libjs-jquery (3.2.1-1) ...
Setting up libtexlua52:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Setting up fonts-droid-fallback (1:6.0.1r16-1.1) ...
Setting up libsynctex1:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Setting up libptexenc1:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Setting up tex-common (6.09) ...
update-language: texlive-base not installed and configured, doing nothing!
Setting up poppler-data (0.4.8-2) ...
Setting up tex-gyre (20160520-1) ...
Setting up preview-latex-style (11.91-1ubuntu1) ...
Setting up fonts-texgyre (20160520-1) ...
Setting up fonts-noto-mono (20171026-2) ...
Setting up fonts-lato (2.0-2) ...
Setting up libcupsfilters1:amd64 (1.20.2-Oubuntu3.1) ...
Setting up libcupsimage2:amd64 (2.2.7-1ubuntu2.8) ...
Setting up libjbig2dec0:amd64 (0.13-6) ...
Setting up ruby-did-you-mean (1.2.0-2) ...
Setting up t1utils (1.41-2) ...
Setting up ruby-net-telnet (0.1.1-2) ...
Setting up libijs-0.35:amd64 (0.35-13) ...
```

```
Setting up rubygems-integration (1.11) ...
Setting up libpotrace0 (1.14-2) ...
Setting up javascript-common (11) ...
Setting up ruby-minitest (5.10.3-1) ...
Setting up libzzip-0-13:amd64 (0.13.62-3.1ubuntu0.18.04.1) ...
Setting up libgs9:amd64 (9.26~dfsg+0-0ubuntu0.18.04.13) ...
Setting up libtexluajit2:amd64 (2017.20170613.44572-8ubuntu0.1) ...
Setting up fonts-lmodern (2.004.5-3) ...
Setting up ruby-power-assert (0.3.0-1) ...
Setting up texlive-binaries (2017.20170613.44572-8ubuntu0.1) ...
update-alternatives: using /usr/bin/xdvi-xaw to provide /usr/bin/xdvi.bin
(xdvi.bin) in auto mode
update-alternatives: using /usr/bin/bibtex.original to provide /usr/bin/bibtex
(bibtex) in auto mode
Setting up texlive-base (2017.20180305-1) ...
mktexlsr: Updating /var/lib/texmf/ls-R-TEXLIVEDIST...
mktexlsr: Updating /var/lib/texmf/ls-R-TEXMFMAIN...
mktexlsr: Updating /var/lib/texmf/ls-R...
mktexlsr: Done.
tl-paper: setting paper size for dvips to a4: /var/lib/texmf/dvips/config
/config-paper.ps
tl-paper: setting paper size for dvipdfmx to a4: /var/lib/texmf/dvipdfmx
/dvipdfmx-paper.cfg
tl-paper: setting paper size for xdvi to a4: /var/lib/texmf/xdvi/XDvi-paper
tl-paper: setting paper size for pdftex to a4:
/var/lib/texmf/tex/generic/config/pdftexconfig.tex
Setting up texlive-fonts-recommended (2017.20180305-1) ...
Setting up texlive-plain-generic (2017.20180305-2) ...
Setting up texlive-latex-base (2017.20180305-1) ...
Setting up lmodern (2.004.5-3) ...
Setting up texlive-latex-recommended (2017.20180305-1) ...
Setting up texlive-pictures (2017.20180305-1) ...
Setting up tipa (2:1.3-20) ...
Regenerating '/var/lib/texmf/fmtutil.cnf-DEBIAN'... done.
Regenerating '/var/lib/texmf/fmtutil.cnf-TEXLIVEDIST'... done.
update-fmtutil has updated the following file(s):
        /var/lib/texmf/fmtutil.cnf-DEBIAN
        /var/lib/texmf/fmtutil.cnf-TEXLIVEDIST
If you want to activate the changes in the above file(s),
you should run fmtutil-sys or fmtutil.
Setting up texlive (2017.20180305-1) ...
Setting up texlive-latex-extra (2017.20180305-2) ...
Setting up texlive-xetex (2017.20180305-1) ...
Setting up ruby2.5 (2.5.1-1ubuntu1.6) ...
Setting up ruby (1:2.5.1) ...
Setting up ruby-test-unit (3.2.5-1) ...
Setting up rake (12.3.1-1ubuntu0.1) ...
Setting up libruby2.5:amd64 (2.5.1-1ubuntu1.6) ...
```

```
Processing triggers for mime-support (3.60ubuntu1) ...
    Processing triggers for libc-bin (2.27-3ubuntu1.2) ...
    /sbin/ldconfig.real: /usr/local/lib/python3.6/dist-
    packages/ideep4py/lib/libmkldnn.so.0 is not a symbolic link
    Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
    Processing triggers for fontconfig (2.12.6-Oubuntu2) ...
    Processing triggers for tex-common (6.09) ...
    Running updmap-sys. This may take some time... done.
    Running mktexlsr /var/lib/texmf ... done.
    Building format(s) --all.
            This may take some time... done.
    ERROR: Could not find a version that satisfies the requirement pypando
    (from versions: none)
    ERROR: No matching distribution found for pypando
[30]: !jupyter nbconvert --to pdf "/content/drive/MyDrive/Colab Notebooks/seaborn 3.
      \hookrightarrowipynb"
    [NbConvertApp] Converting notebook /content/drive/MyDrive/Colab
    Notebooks/seaborn_3.ipynb to pdf
    [NbConvertApp] Support files will be in seaborn_3_files/
    [NbConvertApp] Making directory ./seaborn_3_files
    [NbConvertApp] Making directory ./seaborn 3 files
    [NbConvertApp] Making directory ./seaborn_3_files
    [NbConvertApp] Making directory ./seaborn_3_files
    [NbConvertApp] Writing 40427 bytes to ./notebook.tex
    [NbConvertApp] Building PDF
    Traceback (most recent call last):
      File "/usr/local/bin/jupyter-nbconvert", line 8, in <module>
        sys.exit(main())
      File "/usr/local/lib/python2.7/dist-packages/jupyter_core/application.py",
    line 267, in launch_instance
        return super(JupyterApp, cls).launch instance(argv=argv, **kwargs)
      File "/usr/local/lib/python2.7/dist-packages/traitlets/config/application.py",
    line 658, in launch_instance
        app.start()
      File "/usr/local/lib/python2.7/dist-packages/nbconvert/nbconvertapp.py", line
    338, in start
```

```
self.convert_notebooks()
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/nbconvertapp.py", line
508, in convert_notebooks
   self.convert_single_notebook(notebook_filename)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/nbconvertapp.py", line
479, in convert single notebook
   output, resources = self.export single notebook(notebook filename,
resources, input buffer=input buffer)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/nbconvertapp.py", line
408, in export_single_notebook
   output, resources = self.exporter.from_filename(notebook_filename,
resources=resources)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/exporters/exporter.py",
line 179, in from_filename
   return self.from_file(f, resources=resources, **kw)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/exporters/exporter.py",
line 197, in from_file
   return self.from_notebook_node(nbformat.read(file_stream, as_version=4),
resources=resources, **kw)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/exporters/pdf.py", line
178, in from notebook node
   rc = self.run latex(tex file)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/exporters/pdf.py", line
149, in run_latex
   self.latex_count, log_error)
 File "/usr/local/lib/python2.7/dist-packages/nbconvert/exporters/pdf.py", line
111, in run_command
    "at {link}.".format(formatter=command_list[0], link=link))
OSError: xelatex not found on PATH, if you have not installed xelatex you may
need to do so. Find further instructions at
```

https://nbconvert.readthedocs.io/en/latest/install.html#installing-tex.