KUFIM ERD v0.4 | ALL TABLES | teal=active amber=new purple=deferred

festival ACTIVE

column	type	key
id	BIGINT	PK
name	VARCHAR(100)	NN
description	TEXT	
start_at	DATETIME(3)	NN
end_at	DATETIME(3)	NN
status	VARCHAR(20)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

translation_cache DEFERRED

column	type	key
id	BIGINT	PK
source_hash	CHAR(64)	UQ NN
lang	VARCHAR(5)	UQ NN
source_text	TEXT	NN
translated_text	TEXT	
status	VARCHAR(20)	NN
manual_override	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

stage ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
description	VARCHAR(255)	
entry_status	VARCHAR(20)	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_floorplan ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
image_url	VARCHAR(500)	NN
width	INT	NN
height	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

facility ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
type	VARCHAR(20)	NN
name	VARCHAR(100)	NN
description	VARCHAR(255)	
place	VARCHAR(100)	NN
operating_hours	VARCHAR(100)	
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

booth ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
organizer_type	VARCHAR(20)	NN
period	VARCHAR(10)	NN
place	VARCHAR(100)	NN
description	TEXT	
operating_hours	VARCHAR(100)	
booth_code	CHAR(12)	UQ
qr_issued_at	DATETIME(3)	
waiting_enabled	BOOLEAN	NN
accepting_status	VARCHAR(20)	NN
estimate_minutes_per_team	INT	NN
auto_cancel_minutes	INT	NN
waiting_seq	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_account ACTIVE

column	type	key
id	BIGINT	PK
login_id	VARCHAR(50)	UQ NN
password_hash	VARCHAR(100)	NN
name	VARCHAR(50)	NN
role	VARCHAR(20)	NN
active	BOOLEAN	NN
last_login_at	DATETIME(3)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notice ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
category	VARCHAR(20)	NN
title	VARCHAR(200)	NN
content	TEXT	NN
published_at	DATETIME(3)	NN
created_by	BIGINT	FK
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

performance ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
stage_id	BIGINT	FK NN
title	VARCHAR(200)	NN
type	VARCHAR(20)	NN
description	TEXT	
additional_description	TEXT	
cast	TEXT	
setlist	TEXT	
start_at	DATETIME(3)	NN
end_at	DATETIME(3)	NN
display_order	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

stage_zone DEFERRED

column	type	key
id	BIGINT	PK
stage_id	BIGINT	FK NN
name	VARCHAR(100)	NN
latest_congestion_log_id	BIGINT	FK
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_calibration_point DEFERRED

column	type	key
id	BIGINT	PK
floorplan_id	BIGINT	FK NN
lat	DECIMAL(10,7)	NN
lng	DECIMAL(10,7)	NN
x	INT	NN
y	INT	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_pin ACTIVE

column	type	key
id	BIGINT	PK
floorplan_id	BIGINT	FK NN
target_type	VARCHAR(20)	NN
target_id	BIGINT	LOGICAL
x_percent	DECIMAL(5,2)	NN
y_percent	DECIMAL(5,2)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

booth_image DEFERRED

column	type	key
id	BIGINT	PK
booth_id	BIGINT	FK NN
image_url	VARCHAR(500)	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_booth ACTIVE

column	type	key
id	BIGINT	PK
admin_account_id	BIGINT	FK NN
booth_id	BIGINT	FK NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

BOOTH FACILITY

waiting ACTIVE

column	type	key
id	BIGINT	PK
public_id	CHAR(36)	UQ NN
booth_id	BIGINT	FK NN
client_token	CHAR(36)	NN
student_number	CHAR(9)	NN
phone_number	CHAR(11)	NN
waiting_number	INT	NN
party_size	TINYINT	NN
status	VARCHAR(20)	NN
privacy_consent	BOOLEAN	NN
registered_at	DATETIME(3)	NN
called_at	DATETIME(3)	
closed_at	DATETIME(3)	
called_by	BIGINT	FK
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

audit_log ACTIVE

column	type	key
id	BIGINT	PK
admin_account_id	BIGINT	FK
action	VARCHAR(50)	NN
target_type	VARCHAR(30)	
target_id	VARCHAR(64)	
detail	TEXT	
ip	VARCHAR(45)	
occurred_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

ADMIN actor

privacy_purge_log ACTIVE

column	type	key
id	BIGINT	PK
executed_by	BIGINT	FK NN
target_type	VARCHAR(30)	NN
target_count	INT	NN
executed_at	DATETIME(3)	NN
note	VARCHAR(255)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification NEW

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
type	VARCHAR(20)	NN
notice_id	BIGINT	FK
waiting_id	BIGINT	FK
recipient_client_token	CHAR(36)	
title	VARCHAR(200)	NN
body	TEXT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

congestion_log DEFERRED

column	type	key
id	BIGINT	PK
stage_zone_id	BIGINT	FK NN
level	VARCHAR(20)	NN
estimated_people	INT	
recorded_by	BIGINT	FK
recorded_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

waiting_event ACTIVE

column	type	key
id	BIGINT	PK
waiting_id	BIGINT	FK NN
from_status	VARCHAR(20)	
to_status	VARCHAR(20)	NN
actor_type	VARCHAR(10)	NN
actor_id	BIGINT	LOGICAL
occurred_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

sms_send_log ACTIVE

column	type	key
id	BIGINT	PK
waiting_id	BIGINT	FK NN
message_type	VARCHAR(20)	NN
status	VARCHAR(20)	NN
provider_id	VARCHAR(64)	
error_code	VARCHAR(40)	
cost	INT	
requested_by	BIGINT	FK
sent_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification_read NEW

column	type	key
id	BIGINT	PK
notification_id	BIGINT	FK NN
client_token	CHAR(36)	NN
read_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

KUFIM ERD v0.4 | CONTENT, MAP & NOTIFICATIONS

festival ACTIVE

column	type	key
id	BIGINT	PK
name	VARCHAR(100)	NN
description	TEXT	
start_at	DATETIME(3)	NN
end_at	DATETIME(3)	NN
status	VARCHAR(20)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_account ACTIVE

column	type	key
id	BIGINT	PK
login_id	VARCHAR(50)	UQ NN
password_hash	VARCHAR(100)	NN
name	VARCHAR(50)	NN
role	VARCHAR(20)	NN
active	BOOLEAN	NN
last_login_at	DATETIME(3)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

booth ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
organizer_type	VARCHAR(20)	NN
period	VARCHAR(10)	NN
place	VARCHAR(100)	NN
description	TEXT	
operating_hours	VARCHAR(100)	
booth_code	CHAR(12)	UQ
qr_issued_at	DATETIME(3)	
waiting_enabled	BOOLEAN	NN
accepting_status	VARCHAR(20)	NN
estimate_minutes_per_team	INT	NN
auto_cancel_minutes	INT	NN
waiting_seq	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

facility ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
type	VARCHAR(20)	NN
name	VARCHAR(100)	NN
description	VARCHAR(255)	
place	VARCHAR(100)	NN
operating_hours	VARCHAR(100)	
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_floorplan ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
image_url	VARCHAR(500)	NN
width	INT	NN
height	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

stage ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
description	VARCHAR(255)	
entry_status	VARCHAR(20)	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notice ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
category	VARCHAR(20)	NN
title	VARCHAR(200)	NN
content	TEXT	NN
published_at	DATETIME(3)	NN
created_by	BIGINT	FK
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

BOOTH

FACILITY

performance ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
stage_id	BIGINT	FK NN
title	VARCHAR(200)	NN
type	VARCHAR(20)	NN
description	TEXT	
additional_description	TEXT	
cast	TEXT	
setlist	TEXT	
start_at	DATETIME(3)	NN
end_at	DATETIME(3)	NN
display_order	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification NEW

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
type	VARCHAR(20)	NN
notice_id	BIGINT	FK
waiting_id	BIGINT	FK
recipient_client_token	CHAR(36)	
title	VARCHAR(200)	NN
body	TEXT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_pin ACTIVE

column	type	key
id	BIGINT	PK
floorplan_id	BIGINT	FK NN
target_type	VARCHAR(20)	NN
target_id	BIGINT	LOGICAL
x_percent	DECIMAL(5,2)	NN
y_percent	DECIMAL(5,2)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification_read NEW

column	type	key
id	BIGINT	PK
notification_id	BIGINT	FK NN
client_token	CHAR(36)	NN
read_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

KUFIM ERD v0.4 | WAITING & OPERATIONS

booth ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
organizer_type	VARCHAR(20)	NN
period	VARCHAR(10)	NN
place	VARCHAR(100)	NN
description	TEXT	
operating_hours	VARCHAR(100)	
booth_code	CHAR(12)	UQ
qr_issued_at	DATETIME(3)	
waiting_enabled	BOOLEAN	NN
accepting_status	VARCHAR(20)	NN
estimate_minutes_per_team	INT	NN
auto_cancel_minutes	INT	NN
waiting_seq	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_account ACTIVE

column	type	key
id	BIGINT	PK
login_id	VARCHAR(50)	UQ NN
password_hash	VARCHAR(100)	NN
name	VARCHAR(50)	NN
role	VARCHAR(20)	NN
active	BOOLEAN	NN
last_login_at	DATETIME(3)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_booth ACTIVE

column	type	key
id	BIGINT	PK
admin_account_id	BIGINT	FK NN
booth_id	BIGINT	FK NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

ADMIN actor

waiting ACTIVE

column	type	key
id	BIGINT	PK
public_id	CHAR(36)	UQ NN
booth_id	BIGINT	FK NN
client_token	CHAR(36)	NN
student_number	CHAR(9)	NN
phone_number	CHAR(11)	NN
waiting_number	INT	NN
party_size	TINYINT	NN
status	VARCHAR(20)	NN
privacy_consent	BOOLEAN	NN
registered_at	DATETIME(3)	NN
called_at	DATETIME(3)	
closed_at	DATETIME(3)	
called_by	BIGINT	FK
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

privacy_purge_log ACTIVE

column	type	key
id	BIGINT	PK
executed_by	BIGINT	FK NN
target_type	VARCHAR(30)	NN
target_count	INT	NN
executed_at	DATETIME(3)	NN
note	VARCHAR(255)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notice ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
category	VARCHAR(20)	NN
title	VARCHAR(200)	NN
content	TEXT	NN
published_at	DATETIME(3)	NN
created_by	BIGINT	FK
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

audit_log ACTIVE

column	type	key
id	BIGINT	PK
admin_account_id	BIGINT	FK
action	VARCHAR(50)	NN
target_type	VARCHAR(30)	
target_id	VARCHAR(64)	
detail	TEXT	
ip	VARCHAR(45)	
occurred_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

sms_send_log ACTIVE

column	type	key
id	BIGINT	PK
waiting_id	BIGINT	FK NN
message_type	VARCHAR(20)	NN
status	VARCHAR(20)	NN
provider_id	VARCHAR(64)	
error_code	VARCHAR(40)	
cost	INT	
requested_by	BIGINT	FK
sent_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

waiting_event ACTIVE

column	type	key
id	BIGINT	PK
waiting_id	BIGINT	FK NN
from_status	VARCHAR(20)	
to_status	VARCHAR(20)	NN
actor_type	VARCHAR(10)	NN
actor_id	BIGINT	LOGICAL
occurred_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification NEW

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
type	VARCHAR(20)	NN
notice_id	BIGINT	FK
waiting_id	BIGINT	FK
recipient_client_token	CHAR(36)	
title	VARCHAR(200)	NN
body	TEXT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

notification_read NEW

column	type	key
id	BIGINT	PK
notification_id	BIGINT	FK NN
client_token	CHAR(36)	NN
read_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

KUFIM ERD v0.4 | DEFERRED TABLES & CONNECTIONS

stage ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
description	VARCHAR(255)	
entry_status	VARCHAR(20)	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

booth ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
name	VARCHAR(100)	NN
organizer_type	VARCHAR(20)	NN
period	VARCHAR(10)	NN
place	VARCHAR(100)	NN
description	TEXT	
operating_hours	VARCHAR(100)	
booth_code	CHAR(12)	UQ
qr_issued_at	DATETIME(3)	
waiting_enabled	BOOLEAN	NN
accepting_status	VARCHAR(20)	NN
estimate_minutes_per_team	INT	NN
auto_cancel_minutes	INT	NN
waiting_seq	INT	NN
deleted	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_floorplan ACTIVE

column	type	key
id	BIGINT	PK
festival_id	BIGINT	FK NN
image_url	VARCHAR(500)	NN
width	INT	NN
height	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

translation_cache DEFERRED

column	type	key
id	BIGINT	PK
source_hash	CHAR(64)	UQ NN
lang	VARCHAR(5)	UQ NN
source_text	TEXT	NN
translated_text	TEXT	
status	VARCHAR(20)	NN
manual_override	BOOLEAN	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

admin_account ACTIVE

column	type	key
id	BIGINT	PK
login_id	VARCHAR(50)	UQ NN
password_hash	VARCHAR(100)	NN
name	VARCHAR(50)	NN
role	VARCHAR(20)	NN
active	BOOLEAN	NN
last_login_at	DATETIME(3)	
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

stage_zone DEFERRED

column	type	key
id	BIGINT	PK
stage_id	BIGINT	FK NN
name	VARCHAR(100)	NN
latest_congestion_log_id	BIGINT	FK
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

booth_image DEFERRED

column	type	key
id	BIGINT	PK
booth_id	BIGINT	FK NN
image_url	VARCHAR(500)	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

map_calibration_point DEFERRED

column	type	key
id	BIGINT	PK
floorplan_id	BIGINT	FK NN
lat	DECIMAL(10,7)	NN
lng	DECIMAL(10,7)	NN
x	INT	NN
y	INT	NN
display_order	INT	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	

congestion_log DEFERRED

column	type	key
id	BIGINT	PK
stage_zone_id	BIGINT	FK NN
level	VARCHAR(20)	NN
estimated_people	INT	
recorded_by	BIGINT	FK
recorded_at	DATETIME(3)	NN
created_at	DATETIME(3)	
updated_at	DATETIME(3)	