

SEO Implementation Report

Extracted the SEO architecture from the reference build, analysed it, and implemented an equivalent — adapted to the Finaccru Infotech stack — across metadata, structured data, sitemap, and robots.

Project	Stack	Date	Status
Finaccru Infotech	TanStack Start · React 19 · Vercel/Nitro	20 June 2026	Implemented & verified

1 · Executive summary

The reference project ([clone/](#) , a TanStack Start app) ships a mature SEO + LLMO setup: a typed JSON-LD helper library, a single site-config source of truth, per-route metadata with Open Graph / Twitter cards and canonicals, a dynamic `sitemap.xml` , and a `robots.txt` . None of this existed in Finaccru Infotech beyond a bare title + description on the root route.

I ported the *architecture* — not the content — rewiring every helper to read from one config object, stripping the reference build's Sanity/Cloudflare/i18n coupling (which this project doesn't use), and upgrading the JSON-LD to a linked `@id` graph. All seven pages now emit unique titles, descriptions, canonicals, social cards, and rich structured data. The work is metadata-only: **no visual or behavioural change to any page**.

2 · What was extracted from the reference build

Reference artifact	Role	Ported as
<code>src/lib/seo.ts</code>	JSON-LD builders (Organization, Article, WebPage, Breadcrumb, Product, SoftwareApplication, FAQ, Collection...) + <code>createLLMOMeta()</code> for OG/Twitter arrays	Rewritten, config-driven (§3)
<code>src/lib/site-config.ts</code>	Site identity constants (name, title template, url, locale, handle)	Expanded source of truth
<code>src/routes/__root.tsx</code>	Global head defaults: title, description, keywords, theme-color, full OG block, Twitter card, favicon + apple-touch-icon, dns-prefetch	Merged into existing root head
<code>routes/*.tsx → head:</code>	Per-route metadata via <code>createLLMOMeta()</code> + canonical link + JSON-LD <code>scripts</code>	Applied to all 7 routes
<code>src/routes/sitemap[.].xml.ts</code>	Dynamic sitemap (static pages + i18n variants + Sanity articles)	Static, dependency-free version
<code>public/robots.txt</code>	Crawl policy + sitemap reference	Adapted 1:1

3 · Analysis & adaptation decisions

Dropped what didn't apply

The reference sitemap pulls article slugs from Sanity over a Cloudflare Workers binding and fans out 6 i18n locales. Finaccru has no CMS, no Workers, and is single-locale — so the sitemap is now pure and synchronous, deriving its URL list from the route map + the service catalogue in `src/data/site.ts`.

One source of truth

The reference hard-codes `https://zapify.pro` and the brand name across many files. Every value here resolves from `siteConfig` + `absoluteUrl()` / `pageTitle()` helpers, so changing the domain or share image is a one-line edit.

Upgraded the JSON-LD graph

The reference emits standalone schema blocks. I linked them with stable `@ids` (`#organization` , `#website`) and referenced those ids from every page node (`publisher` , `provider` , `isPartOf`) — a cleaner knowledge graph for Google & LLM crawlers.

Real OG image, not a CDN URL

The reference points `og:image` at an external CMS upload. I generated an on-brand 1200×630 share card (and a 180×180 apple-touch-icon) rendered from the project's own colours and logomark, served from `/public`.

4 • Files delivered

File		What it does
<code>src/lib/site-config.ts</code>	NEW	Site identity + <code>absoluteUrl()</code> / <code>pageTitle()</code> helpers. The one place to edit domain, OG image, handles.
<code>src/lib/seo.ts</code>	NEW	<code>seo()</code> (meta + canonical) and 8 JSON-LD builders — all config-driven.
<code>src/routes/sitemap[.].xml.ts</code>	NEW	Server route serving <code>/sitemap.xml</code> with correct content-type + cache headers.
<code>public/robots.txt</code>	NEW	Allows all, references the sitemap.
<code>public/og-image.png</code>	NEW	Branded 1200×630 social share card.
<code>public/apple-touch-icon.png</code>	NEW	180×180 iOS home-screen icon.
<code>src/routes/__root.tsx</code>	MOD	Global head defaults + site-wide Organization & WebSite JSON-LD.
<code>src/routes/index.tsx</code>	MOD	Home metadata + WebPage schema.
<code>src/routes/services.index.tsx</code>	MOD	Services metadata + CollectionPage/ItemList + Breadcrumb.
<code>src/routes/services.\$slug.tsx</code>	MOD	Per-service metadata from catalogue data + Service + Breadcrumb; unknown slug → noindex.
<code>src/routes/about.tsx</code>	MOD	About metadata + AboutPage + Breadcrumb.
<code>src/routes/contact.tsx</code>	MOD	Contact metadata + ContactPage + Breadcrumb.
<code>src/routes/pricing.tsx</code>	MOD	Pricing metadata + OfferCatalog (from plans) + FAQPage (from FAQs) + Breadcrumb.

5 · Structured-data coverage

Every page carries the global Organization + WebSite nodes; each route adds its own page-level schema on top.

Page	Title	JSON-LD on the page
/	Finaccru Infotech — Custom Software, Cloud & AI Engineering	Organization · WebSite · WebPage
/services	Services Finaccru Infotech	+ CollectionPage (ItemList) · BreadcrumbList
/services/\$slug	e.g. Cybersecurity Services Finaccru Infotech	+ Service · BreadcrumbList
/about	About Finaccru Infotech	+ AboutPage · BreadcrumbList
/contact	Contact Finaccru Infotech	+ ContactPage · BreadcrumbList
/pricing	Pricing Finaccru Infotech	+ OfferCatalog (3 Offers) · FAQPage (4 Q&A) · BreadcrumbList

6 · Verification

Verified against a production build (`vite build`) served locally — checks read the real server-rendered HTML, not the source.

Check	Result
TypeScript <code>tsc --noEmit</code>	PASS — 0 errors
Production build + route-tree generation	PASS — built in ~5s, <code>/sitemap.xml</code> route registered
Unique <code><title></code> + <code>rel=canonical</code> on all 7 pages	PASS
Open Graph + Twitter card tags (incl. <code>og:image</code> 1200×630)	PASS — present on every route
JSON-LD renders in SSR HTML (Org, WebSite, page schema)	PASS — incl. FAQPage & OfferCatalog on /pricing
<code>/sitemap.xml</code> serves valid XML	PASS — 9 URLs, <code>application/xml</code> , cached 1h
<code>/robots.txt</code> serves + references sitemap	PASS
Unknown service slug	PASS — emits <code>noindex</code> , <code>nofollow</code>

7 · Notes & recommended follow-ups

- Canonical domain.** All canonical/OG/sitemap URLs point to `https://finaccruinfotech.com` (the intended production domain). The current Vercel deployment therefore tells crawlers the canonical host is `finaccruinfotech.com` — correct once DNS is pointed. To index the `*.vercel.app` URL instead, change the single `siteConfig.url` value.
- Social profiles are intentionally empty.** `siteConfig.twitterHandle` and `siteConfig.sameAs` are blank, so the related tags auto-omit rather than emit fake data. Fill them in when the real LinkedIn/X/etc. profiles exist — the Organization schema and Twitter tags will pick them up automatically.
- Share image is editable.** The OG card and apple-touch-icon are generated PNGs in `/public` . Replace either by overwriting the file — no code change needed.

Optional next steps:

- Add a `LocalBusiness` / `PostalAddress` block once a public street address is confirmed (HQ is Dubai).
- Wire Google Search Console + submit the sitemap after the domain goes live.
- If a blog/case-studies section is added later, reuse the `seo()` + `breadcrumbSchema()` helpers and add an `Article` builder (one already exists in the reference for copy-paste).