

```
student@DESKTOP-G9TV0EG MINGW64 ~
$ mkdir test

student@DESKTOP-G9TV0EG MINGW64 ~
$ cd test

student@DESKTOP-G9TV0EG MINGW64 ~/test
$ git init
Initialized empty Git repository in C:/Users/student/test/.git/

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ ^C

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ cd test
bash: cd: test: No such file or directory

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      demo.txt.txt

nothing added to commit but untracked files present (use "git add" to track)
```

```
student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git add demo.txt.txt

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git add demo.txt

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git commit -m "first commit"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'student@DESKTOP-G9TV0EG.(none)')

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git config --global user.Akashkeni

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git config --global user.username Akashkeni

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git config --global user.email keniakash07@gmail.com
```

```

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git config --global user.email keniakash07@gmail.com

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git commit -m "first commit"
[master (root-commit) e9fdabe] first commit
2 files changed, 4 insertions(+)
create mode 100644 demo.txt
create mode 100644 demo.txt.txt

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git diff
diff --git a/demo.txt b/demo.txt
index c84c8e7..f00f984 100644
--- a/demo.txt
+++ b/demo.txt
@@ -1,2 +1 @@
-Devops 3rd EXP
-My name is Akash
+I study at vcet
diff --git a/demo.txt.txt b/demo.txt.txt
deleted file mode 100644
index c84c8e7..0000000
--- a/demo.txt.txt
+++ /dev/null
@@ -1,2 +0,0 @@
-Devops 3rd EXP
-My name is Akash

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git remote add origin https://github.com/Akashkeni/DEMO0.git

```

```

student@DESKTOP-G9TV0EG MINGW64 ~/test (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 248 bytes | 248.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Akashkeni/DEMO0.git
 * [new branch]      master -> master

```

