

LAB PRACTICE ASSIGNMENT: 3

Title: DML Commands – INSERT, SELECT

Aim: To perform INSERT and SELECT operations using SQL.

Questions:

1. Populate all the five tables with your own data.
2. View all the records from the five tables.

1- CREATE DATABASE StudentDB;

```
mysql> CREATE DATABASE StudentDB;  
Query OK, 1 row affected (0.02 sec)
```

USE StudentDB;

```
mysql>  
mysql> CREATE TABLE Department(  
-> DeptID INT,  
-> DeptName VARCHAR(20)  
-> );  
Query OK, 0 rows affected (0.07 sec)  
  
mysql>  
mysql> CREATE TABLE Student(  
-> StuID INT,  
-> StuName VARCHAR(20),  
-> DeptID INT  
-> );  
Query OK, 0 rows affected (0.03 sec)  
  
mysql>  
mysql> CREATE TABLE Faculty(  
-> FacID INT,  
-> FacName VARCHAR(20)  
-> );  
Query OK, 0 rows affected (0.03 sec)  
  
mysql>  
mysql> CREATE TABLE Course(  
-> CourseID INT,  
-> CourseName VARCHAR(20)  
-> );  
Query OK, 0 rows affected (0.02 sec)  
  
mysql>  
mysql> CREATE TABLE Marks(  
-> StuID INT,  
-> Marks INT  
-> );  
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> INSERT INTO Department VALUES
-> (1,'CSE'),
-> (2,'ECE'),
-> (3,'MECH');
Query OK, 3 rows affected (0.02 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> INSERT INTO Student VALUES
-> (101,'Rahul',1),
-> (102,'Priya',2),
-> (103,'Kiran',3);
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> INSERT INTO Faculty VALUES
-> (201,'Kumar'),
-> (202,'Rani'),
-> (203,'Rao');
Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> INSERT INTO Course VALUES
-> (301,'DBMS'),
-> (302,'Python'),
-> (303,'Java');
Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> INSERT INTO Marks VALUES
-> (101,90),
-> (102,85),
-> (103,88);
Query OK, 3 rows affected (0.01 sec)
```

```
mysql> SELECT * FROM Department;
+-----+-----+
| DeptID | DeptName |
+-----+-----+
|      1 | CSE      |
|      2 | ECE      |
|      3 | MECH     |
+-----+-----+
3 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM Student;
+-----+-----+-----+
| StuID | StuName | DeptID |
+-----+-----+-----+
|    101 | Rahul   |      1 |
|    102 | Priya   |      2 |
|    103 | Kiran   |      3 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Faculty;
+-----+-----+
| FacID | FacName |
+-----+-----+
|    201 | Kumar   |
|    202 | Rani    |
|    203 | Rao     |
+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Faculty;
```

FacID	FacName
201	Kumar
202	Rani
203	Rao

```
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Course;
```

CourseID	CourseName
301	DBMS
302	Python
303	Java

```
3 rows in set (0.00 sec)
```