

# Sealed Experiment Record

Sealed 2026-10-07 · Signed by the K-Veritas server  
Session fe2c7bce · Data hash b984...6972

## Abstract

This record seals 1 run (kv\_run.sh) executed on Intel(R) Xeon(R) W-2145 CPU @ 3.70GHz between 2026-10-07 17:35 and 17:37 UTC. Reported results: pp512\_tokens\_per\_second 3769.77, tg128\_tokens\_per\_second 78.0879, wikitext2\_ppl 8.3197. 1 invocation in total, 0 failed. Produced with K-Veritas [1].

### What this record proves

These numbers came from the sealed code at this time, unchanged since. Whether the experiment is sound is for the reader to judge.

Verify: kveritas verify <this file> or kveritas.org/verify

## 1 Setup

| Item               | Value                                                            |
|--------------------|------------------------------------------------------------------|
| Session            | fe2c7bce-cce4-4f0f-8611-33249efcb327                             |
| Initialized        | 2026-10-07T17:35:03Z                                             |
| Machine            | 167ec0d6dc9a8170                                                 |
| Operating system   | linux / amd64                                                    |
| CPU                | Intel(R) Xeon(R) W-2145 CPU @ 3.70GHz, 16 cores                  |
| Memory             | 31.0 GB                                                          |
| GPU                | NVIDIA GeForce RTX 5060 Ti, 16311 MiB                            |
| Environment, run 1 | 2d079d310a3777c78784d14a6d98ea3b079170f2dcfb96c5205284e683ebb9e8 |
| Disclosure         | open                                                             |
| Source code, run 1 | b5d7cae0815de6b2a03fe94704ee49df40a0b258a3c56224d7dfb8957f814e44 |

## 2 Runs

| # | Command        | Duration             | Exit | Anchored   |
|---|----------------|----------------------|------|------------|
| 1 | bash kv_run.sh | 2 minutes 11 seconds | 0    | at run end |

1 invocation in total: 1 kept in this record, 0 failed, 0 interrupted. Every invocation is recorded by the server, including the ones not kept.

## 3 Results

### Run 1: kv\_run.sh

| Metric                  | Final value | Step | Source   |
|-------------------------|-------------|------|----------|
| pp512_tokens_per_second | 3769.77     |      | explicit |
| pp512_stddev            | 103.741     |      | explicit |
| tg128_tokens_per_second | 78.0879     |      | explicit |

| Metric                  | Final value | Step              | Source      |
|-------------------------|-------------|-------------------|-------------|
| tg128_stddev            | 0.061352    | 580 (29 readings) | explicit    |
| perplexity              | 0.93        |                   | heuristic   |
| running_ppl             | 8.3223      |                   | explicit    |
| ppl_stderr              | 0.06128     |                   | explicit    |
| Inline claim            | Value       | Phase             | Output line |
| pp512_tokens_per_second | 3769.77     |                   | 98          |
| tg128_tokens_per_second | 78.0879     |                   | 101         |
| wikitext2_ppl           | 8.3197      |                   | 144         |

## 4 Execution evidence

### Coherence

Coherent (0.30): the telemetry channels move together, as one process.

### Telemetry

| Run | Samples | CPU time | Peak memory | Peak GPU |
|-----|---------|----------|-------------|----------|
| 1   | 1300    | 302.2 s  | 5.02 GB     | 99%      |

## 5 Provenance

### Run 1: kv\_run.sh

Disclosure open. 2021 tracked files, 4 snapshots. Every snapshot is bound into the signature.

| # | Snapshot  | Time     | Root             | Changed |
|---|-----------|----------|------------------|---------|
| 0 | run_start | 17:35:04 | 2962fb1dcca6b0db | 2021    |
| 3 | run_end   | 17:37:14 | 2962fb1dcca6b0db | 0       |

2 snapshots with no file change omitted here; full timeline in Appendix B.

| Withheld by .kveritasignore           | Size | Hash                      |
|---------------------------------------|------|---------------------------|
| vendor/cpp-http/lib/http/lib.cpp      | <1MB | 7d7c8338f19b645f3a2d88a8  |
| vendor/cpp-http/lib/http/lib.h        | <1MB | 8b917c685edf452b2de4d33b  |
| vendor/hash/hash.cpp                  | <1KB | d36503cd75513b9331630789  |
| vendor/hash/hash.h                    | <1KB | f613a0b65dea6b264d75fc55  |
| vendor/hash/rotate-bits/rotate-bits.h | <1KB | e2720367cc70afdbc9e1ebfc  |
| vendor/hash/sha1/sha1.c               | <1MB | 05a5092c788d0a15a10617eb  |
| vendor/hash/sha1/sha1.h               | <1KB | 42f280ae85f34e277b84f7a3  |
| vendor/hash/sha256/sha256.c           | <1MB | a62e76e46dce756e3ee946f4  |
| vendor/hash/sha256/sha256.h           | <1KB | 17df67baf899cdb9d3d9495   |
| vendor/hash/xxhash/xxhash.c           | <1MB | becba4fe3b740bb8411588ff  |
| vendor/hash/xxhash/xxhash.h           | <1MB | 07ebe6fbc3107ebdfe2854f   |
| vendor/miniaudio/miniaudio.h          | <1GB | 9c8c2446d8c64e159dc8c937  |
| vendor/nlohmann/json.hpp              | <1MB | 85bbddc9ff54b89e83b1e3e7  |
| vendor/nlohmann/json_fwd.hpp          | <1MB | 4c7c0512b92ae9145c8f8f79  |
| vendor/sheredom/subprocess.h          | <1MB | 83c72c3c7dc7d4fb778b9d96  |
| vendor/stb/stb_image.h                | <1MB | c78f7a459dc87bfff28b860ab |

Activity: 2024 files read, 0 files written, 4 subprocesses. Full list in Appendix B.

## 6 Verification

| Field            | Value                                                            |
|------------------|------------------------------------------------------------------|
| Signer           | Signed by the K-Veritas server                                   |
| Signed at        | 2026-10-07T17:37:18.093006+00:00                                 |
| Algorithm        | RSA-PSS-SHA256, 4096-bit key                                     |
| Key fingerprint  | eeac81653cf44ac029c4069cf2a06d9f                                 |
| Data hash        | b984556d40a3984d6689ad4afa528098bf4626b887cada3a059b5bfa54876972 |
| Code bundle hash | d44e81d34d7ff1761a08a4ed7a7e39928e6dc88af32b46abc4b4d3e3c6c639f8 |

Run anchors: 1 invocations were anchored at the server when they ended.

### Checks a verifier runs

1. The stored canonical data hashes to the data hash above, and the signature verifies over data\_hash:nonce:signed\_at.
2. The signing key is the K-Veritas server key, not one supplied by the author.
3. Nothing was appended after the seal, and these pages hash to the value bound in the seal.
4. Each run matches the digest the server received when it ended.
5. A supplied code bundle hashes to the code bundle hash above.

## References

- [1] M. K. Keita and C. Homan. Computer Science Conferences Should Require Nonrepudiable Experimental Results. NeurIPS 2026 Position Paper Track. arXiv:2605.08586.

# Appendix

## A Full metric series

### Run 1: kv\_run.sh

| Metric                  | Value    | Step | Line | Source    |
|-------------------------|----------|------|------|-----------|
| pp512_tokens_per_second | 3769.77  |      | 96   | explicit  |
| pp512_stddev            | 103.741  |      | 97   | explicit  |
| tg128_tokens_per_second | 78.0879  |      | 99   | explicit  |
| tg128_stddev            | 0.061352 |      | 100  | explicit  |
| perplexity              | 0.93     |      | 110  | heuristic |
| running_ppl             | 7.7863   | 20   | 114  | explicit  |
| running_ppl             | 6.9235   | 40   | 115  | explicit  |
| running_ppl             | 7.5896   | 60   | 116  | explicit  |
| running_ppl             | 8.068    | 80   | 117  | explicit  |
| running_ppl             | 8.1958   | 100  | 118  | explicit  |
| running_ppl             | 8.3943   | 120  | 119  | explicit  |
| running_ppl             | 8.0043   | 140  | 120  | explicit  |
| running_ppl             | 7.6914   | 160  | 121  | explicit  |
| running_ppl             | 7.9352   | 180  | 122  | explicit  |
| running_ppl             | 8.0718   | 200  | 123  | explicit  |
| running_ppl             | 8.0991   | 220  | 124  | explicit  |
| running_ppl             | 7.9283   | 240  | 125  | explicit  |
| running_ppl             | 8.0156   | 260  | 126  | explicit  |
| running_ppl             | 7.9825   | 280  | 127  | explicit  |
| running_ppl             | 8.0241   | 300  | 128  | explicit  |
| running_ppl             | 8.0321   | 320  | 129  | explicit  |
| running_ppl             | 8.0182   | 340  | 130  | explicit  |
| running_ppl             | 7.9961   | 360  | 131  | explicit  |
| running_ppl             | 8.2656   | 380  | 132  | explicit  |
| running_ppl             | 8.3935   | 400  | 133  | explicit  |
| running_ppl             | 8.3155   | 420  | 134  | explicit  |
| running_ppl             | 8.2991   | 440  | 135  | explicit  |
| running_ppl             | 8.2825   | 460  | 136  | explicit  |
| running_ppl             | 8.3246   | 480  | 137  | explicit  |
| running_ppl             | 8.3083   | 500  | 138  | explicit  |
| running_ppl             | 8.3251   | 520  | 139  | explicit  |
| running_ppl             | 8.3382   | 540  | 140  | explicit  |
| running_ppl             | 8.2677   | 560  | 141  | explicit  |
| running_ppl             | 8.3223   | 580  | 142  | explicit  |
| ppl_stderr              | 0.06128  |      | 143  | explicit  |

  

| Phase      | Line | Time     | CPU time | Memory  | GPU         |
|------------|------|----------|----------|---------|-------------|
| bench      | 1    | 17:35:04 | 0.8 s    | 5.02 GB | 5%, 4298 MB |
| perplexity | 102  | 17:35:14 | 0.0 s    | 0.13 GB |             |

## B Provenance timeline and activity map

### Run 1: kv\_run.sh

| # | Snapshot         | Time     | Root             | Changed |
|---|------------------|----------|------------------|---------|
| 0 | run_start        | 17:35:04 | 2962fb1dcca6b0db | 2021    |
| 1 | phase bench      | 17:35:05 | 2962fb1dcca6b0db | 0       |
| 2 | phase perplexity | 17:35:15 | 2962fb1dcca6b0db | 0       |
| 3 | run_end          | 17:37:14 | 2962fb1dcca6b0db | 0       |

| Event | Path or command                                   | Hash |
|-------|---------------------------------------------------|------|
| read  | kv_run.sh                                         |      |
| read  | build/bin/llama-bench                             |      |
| read  | .kveritasignore                                   |      |
| read  | .devops/tools.sh                                  |      |
| read  | .gemini/settings.json                             |      |
| read  | .github/ISSUE_TEMPLATE/010-bug-compilation.yml    |      |
| read  | .github/ISSUE_TEMPLATE/011-bug-results.yml        |      |
| read  | .github/ISSUE_TEMPLATE/019-bug-misc.yml           |      |
| read  | .github/ISSUE_TEMPLATE/020-enhancement.yml        |      |
| read  | .github/ISSUE_TEMPLATE/030-research.yml           |      |
| read  | .github/ISSUE_TEMPLATE/040-refactor.yml           |      |
| read  | .github/ISSUE_TEMPLATE/config.yml                 |      |
| read  | .github/actions/ccache-buckets/action.yml         |      |
| read  | .github/actions/ccache-clear/action.yml           |      |
| read  | .github/actions/get-tag-name/action.yml           |      |
| read  | .github/actions/install-exe/action.yml            |      |
| read  | .github/actions/linux-setup-openvino/action.yml   |      |
| read  | .github/actions/linux-setup-spacemit/action.yml   |      |
| read  | .github/actions/unarchive-tar/action.yml          |      |
| read  | .github/actions/windows-setup-cuda/action.yml     |      |
| read  | .github/actions/windows-setup-openvino/action.yml |      |
| read  | .github/actions/windows-setup-rocm/action.yml     |      |
| read  | .github/labeler.yml                               |      |
| read  | .github/workflows/ai-issues.yml                   |      |
| read  | .github/workflows/build-3rd-party.yml             |      |
| read  | .github/workflows/build-and-test-snapdragon.yml   |      |
| read  | .github/workflows/build-android.yml               |      |
| read  | .github/workflows/build-apple.yml                 |      |
| read  | .github/workflows/build-cache.yml                 |      |
| read  | .github/workflows/build-cann.yml                  |      |
| read  | .github/workflows/build-cmake-pkg.yml             |      |
| read  | .github/workflows/build-cpu.yml                   |      |
| read  | .github/workflows/build-cross.yml                 |      |
| read  | .github/workflows/build-cuda-ubuntu.yml           |      |
| read  | .github/workflows/build-cuda-windows.yml          |      |
| read  | .github/workflows/build-ibm.yml                   |      |
| read  | .github/workflows/build-msys.yml                  |      |
| read  | .github/workflows/build-opencl.yml                |      |
| read  | .github/workflows/build-openvino.yml              |      |
| read  | .github/workflows/build-riscv.yml                 |      |

| Event | Path or command                                                         | Hash |
|-------|-------------------------------------------------------------------------|------|
| read  | .github/workflows/build-sanitize.yml                                    |      |
| read  | .github/workflows/build-sycl.yml                                        |      |
| read  | .github/workflows/build-virtgpu.yml                                     |      |
| read  | .github/workflows/build-vulkan.yml                                      |      |
| read  | .github/workflows/build-wasm.yml                                        |      |
| read  | .github/workflows/build-webgpu.yml                                      |      |
| read  | .github/workflows/check-vendor.yml                                      |      |
| read  | .github/workflows/ci-self-hosted-cpu.yml                                |      |
| read  | .github/workflows/ci-self-hosted-cuda.yml                               |      |
| read  | .github/workflows/ci-self-hosted-kleidiai.yml                           |      |
| read  | .github/workflows/ci-self-hosted-metal.yml                              |      |
| read  | .github/workflows/ci-self-hosted-openvino.yml                           |      |
| read  | .github/workflows/ci-self-hosted-vulkan.yml                             |      |
| read  | .github/workflows/ci-self-hosted-webgpu.yml                             |      |
| read  | .github/workflows/close-issue.yml                                       |      |
| read  | .github/workflows/code-style.yml                                        |      |
| read  | .github/workflows/copilot-setup-steps.yml                               |      |
| read  | .github/workflows/docker.yml                                            |      |
| read  | .github/workflows/editorconfig.yml                                      |      |
| read  | .github/workflows/gguf-publish.yml                                      |      |
| read  | .github/workflows/hip-quality-check.yml                                 |      |
| read  | .github/workflows/labeler.yml                                           |      |
| read  | .github/workflows/make-release.yml                                      |      |
| read  | .github/workflows/models-check.yml                                      |      |
| read  | .github/workflows/pr-draft-label.yml                                    |      |
| read  | .github/workflows/pre-tokenizer-hashes.yml                              |      |
| read  | .github/workflows/python-check-requirements.yml                         |      |
| read  | .github/workflows/python-lint.yml                                       |      |
| read  | .github/workflows/python-type-check.yml                                 |      |
| read  | .github/workflows/release-publish.yml                                   |      |
| read  | .github/workflows/release.yml                                           |      |
| read  | .github/workflows/server-sanitize.yml                                   |      |
| read  | .github/workflows/server-self-hosted.yml                                |      |
| read  | .github/workflows/server.yml                                            |      |
| read  | .github/workflows/ui-build-self-hosted.yml                              |      |
| read  | .github/workflows/ui-build.yml                                          |      |
| read  | .github/workflows/ui-publish.yml                                        |      |
| read  | .github/workflows/ui-self-hosted.yml                                    |      |
| read  | .github/workflows/ui.yml                                                |      |
| read  | .github/workflows/update-ops-docs.yml                                   |      |
| read  | .github/workflows/winget.yml                                            |      |
| read  | .pre-commit-config.yaml                                                 |      |
| read  | CMakePresets.json                                                       |      |
| read  | app/download.cpp                                                        |      |
| read  | app/llama.cpp                                                           |      |
| read  | benches/dgx-spark/aime25_openai__gpt-oss-120b-high_temp1.0_20251109_... |      |
| read  | benches/dgx-spark/aime25_openai__gpt-oss-120b-high_temp1.0_20251109_... |      |
| read  | build-xcframework.sh                                                    |      |
| read  | ci/run.sh                                                               |      |
| read  | common/arg.cpp                                                          |      |

| Event | Path or command                       | Hash |
|-------|---------------------------------------|------|
| read  | common/arg.h                          |      |
| read  | common/base64.hpp                     |      |
| read  | common/build-info.h                   |      |
| read  | common/chat-auto-parser-generator.cpp |      |
| read  | common/chat-auto-parser-helpers.cpp   |      |
| read  | common/chat-auto-parser-helpers.h     |      |
| read  | common/chat-auto-parser.h             |      |
| read  | common/chat-diff-analyzer.cpp         |      |
| read  | common/chat-peg-parser.cpp            |      |
| read  | common/chat-peg-parser.h              |      |
| read  | common/chat.cpp                       |      |
| read  | common/chat.h                         |      |
| read  | common/common.cpp                     |      |
| read  | common/common.h                       |      |
| read  | common/console.cpp                    |      |
| read  | common/console.h                      |      |
| read  | common/debug.cpp                      |      |
| read  | common/debug.h                        |      |
| read  | common/download.cpp                   |      |
| read  | common/download.h                     |      |
| read  | common/fit.cpp                        |      |
| read  | common/fit.h                          |      |
| read  | common/hf-cache.cpp                   |      |
| read  | common/hf-cache.h                     |      |
| read  | common/http.h                         |      |
| read  | common/imatrix-loader.cpp             |      |
| read  | common/imatrix-loader.h               |      |
| read  | common/jinja/caps.cpp                 |      |
| read  | common/jinja/caps.h                   |      |
| read  | common/jinja/lexer.cpp                |      |
| read  | common/jinja/lexer.h                  |      |
| read  | common/jinja/parser.cpp               |      |
| read  | common/jinja/parser.h                 |      |
| read  | common/jinja/runtime.cpp              |      |
| read  | common/jinja/runtime.h                |      |
| read  | common/jinja/string.cpp               |      |
| read  | common/jinja/string.h                 |      |
| read  | common/jinja/utils.h                  |      |
| read  | common/jinja/value.cpp                |      |
| read  | common/jinja/value.h                  |      |
| read  | common/json-schema-to-grammar.cpp     |      |
| read  | common/json-schema-to-grammar.h       |      |
| read  | common/json-schema.cpp                |      |
| read  | common/json-schema.h                  |      |
| read  | common/json.cpp                       |      |
| read  | common/json.h                         |      |
| read  | common/lguidance.cpp                  |      |
| read  | common/log.cpp                        |      |
| read  | common/log.h                          |      |
| read  | common/ngram-cache.cpp                |      |

| Event | Path or command                     | Hash |
|-------|-------------------------------------|------|
| read  | common/ngram-cache.h                |      |
| read  | common/ngram-map.cpp                |      |
| read  | common/ngram-map.h                  |      |
| read  | common/ngram-mod.cpp                |      |
| read  | common/ngram-mod.h                  |      |
| read  | common/parsers/cohere2moe.cpp       |      |
| read  | common/parsers/deepseek.cpp         |      |
| read  | common/parsers/functionary-v3-2.cpp |      |
| read  | common/parsers/gemma4.cpp           |      |
| read  | common/parsers/gigachat-v3.cpp      |      |
| read  | common/parsers/gpt-oss.cpp          |      |
| read  | common/parsers/k2-horizon.cpp       |      |
| read  | common/parsers/kimi-k2.cpp          |      |
| read  | common/parsers/kimi-k3.cpp          |      |
| read  | common/parsers/lfm2.cpp             |      |
| read  | common/parsers/ling3.cpp            |      |
| read  | common/parsers/llm-jp-harmony.cpp   |      |
| read  | common/parsers/minicpm5.cpp         |      |
| read  | common/parsers/minimax-m3.cpp       |      |
| read  | common/parsers/ministral3.cpp       |      |
| read  | common/parsers/muse-glimmer.cpp     |      |
| read  | common/parsers/parsers.cpp          |      |
| read  | common/parsers/parsers.h            |      |
| read  | common/parsers/qwen3-coder.cpp      |      |
| read  | common/peg-parser.cpp               |      |
| read  | common/peg-parser.h                 |      |
| read  | common/preset.cpp                   |      |
| read  | common/preset.h                     |      |
| read  | common/reasoning-budget.cpp         |      |
| read  | common/reasoning-budget.h           |      |
| read  | common/sampling.cpp                 |      |
| read  | common/sampling.h                   |      |
| read  | common/speculative.cpp              |      |
| read  | common/speculative.h                |      |
| read  | common/subproc.cpp                  |      |
| read  | common/subproc.h                    |      |
| read  | common/trie.cpp                     |      |
| read  | common/trie.h                       |      |
| read  | common/unicode.cpp                  |      |
| read  | common/unicode.h                    |      |
| read  | conversion/__init__.py              |      |
| read  | conversion/afmoe.py                 |      |
| read  | conversion/arctic.py                |      |
| read  | conversion/baichuan.py              |      |
| read  | conversion/bailingmoe.py            |      |
| read  | conversion/bailingmoe3.py           |      |
| read  | conversion/base.py                  |      |
| read  | conversion/bert.py                  |      |
| read  | conversion/bitnet.py                |      |
| read  | conversion/bloom.py                 |      |

| Event | Path or command           | Hash |
|-------|---------------------------|------|
| read  | conversion/chameleon.py   |      |
| read  | conversion/chatglm.py     |      |
| read  | conversion/clef.py        |      |
| read  | conversion/codeshell.py   |      |
| read  | conversion/cogvlm.py      |      |
| read  | conversion/command_r.py   |      |
| read  | conversion/dbrx.py        |      |
| read  | conversion/decim.py       |      |
| read  | conversion/deepseek.py    |      |
| read  | conversion/dots1.py       |      |
| read  | conversion/dots3.py       |      |
| read  | conversion/dotsocr.py     |      |
| read  | conversion/dream.py       |      |
| read  | conversion/ernie.py       |      |
| read  | conversion/exasone.py     |      |
| read  | conversion/falcon.py      |      |
| read  | conversion/falcon_h1.py   |      |
| read  | conversion/gemma.py       |      |
| read  | conversion/glm.py         |      |
| read  | conversion/gpt2.py        |      |
| read  | conversion/gpt_oss.py     |      |
| read  | conversion/gptneox.py     |      |
| read  | conversion/granite.py     |      |
| read  | conversion/grok.py        |      |
| read  | conversion/grovermoe.py   |      |
| read  | conversion/hrm_text.py    |      |
| read  | conversion/hunyuan.py     |      |
| read  | conversion/hy_v4.py       |      |
| read  | conversion/internlm.py    |      |
| read  | conversion/internvl.py    |      |
| read  | conversion/jais.py        |      |
| read  | conversion/jamba.py       |      |
| read  | conversion/januspro.py    |      |
| read  | conversion/k2_horizon.py  |      |
| read  | conversion/kimi_k3.py     |      |
| read  | conversion/kimi_linear.py |      |
| read  | conversion/kimivl.py      |      |
| read  | conversion/laguna.py      |      |
| read  | conversion/lev.py         |      |
| read  | conversion/lfm2.py        |      |
| read  | conversion/lighton_ocr.py |      |
| read  | conversion/llada.py       |      |
| read  | conversion/llama.py       |      |
| read  | conversion/llama4.py      |      |
| read  | conversion/llava.py       |      |
| read  | conversion/maincoder.py   |      |
| read  | conversion/mamba.py       |      |
| read  | conversion/maple.py       |      |
| read  | conversion/mellum.py      |      |
| read  | conversion/mimo.py        |      |

| Event | Path or command                                              | Hash |
|-------|--------------------------------------------------------------|------|
| read  | conversion/minicpm.py                                        |      |
| read  | conversion/minimax.py                                        |      |
| read  | conversion/mistral.py                                        |      |
| read  | conversion/mistral3.py                                       |      |
| read  | conversion/mpt.py                                            |      |
| read  | conversion/muse_glimmer.py                                   |      |
| read  | conversion/nanbeige.py                                       |      |
| read  | conversion/nemotron.py                                       |      |
| read  | conversion/olmo.py                                           |      |
| read  | conversion/openelm.py                                        |      |
| read  | conversion/orion.py                                          |      |
| read  | conversion/pangu.py                                          |      |
| read  | conversion/phi.py                                            |      |
| read  | conversion/pixtral.py                                        |      |
| read  | conversion/plamo.py                                          |      |
| read  | conversion/plm.py                                            |      |
| read  | conversion/pocketts.py                                       |      |
| read  | conversion/pplx_decider.py                                   |      |
| read  | conversion/qwen.py                                           |      |
| read  | conversion/qwen3tts.py                                       |      |
| read  | conversion/qwen3vl.py                                        |      |
| read  | conversion/qwen4exp.py                                       |      |
| read  | conversion/qwenvl.py                                         |      |
| read  | conversion/refact.py                                         |      |
| read  | conversion/rwkv.py                                           |      |
| read  | conversion/sarashina2.py                                     |      |
| read  | conversion/smallthinker.py                                   |      |
| read  | conversion/smolvlm.py                                        |      |
| read  | conversion/spark2_5.py                                       |      |
| read  | conversion/stablelm.py                                       |      |
| read  | conversion/starcoder.py                                      |      |
| read  | conversion/step3.py                                          |      |
| read  | conversion/t5.py                                             |      |
| read  | conversion/talkie.py                                         |      |
| read  | conversion/ultravox.py                                       |      |
| read  | conversion/wavtokenizer.py                                   |      |
| read  | conversion/xverse.py                                         |      |
| read  | conversion/youtuvl.py                                        |      |
| read  | convert_hf_to_gguf.py                                        |      |
| read  | convert_hf_to_gguf_update.py                                 |      |
| read  | convert_llama_ggml_to_gguf.py                                |      |
| read  | convert_lora_to_gguf.py                                      |      |
| read  | docs/backend/snapdragon/CMakeUserPresets.json                |      |
| read  | examples/batched/batched.cpp                                 |      |
| read  | examples/convert-llama2c-to-ggml/convert-llama2c-to-ggml.cpp |      |
| read  | examples/convert_legacy_llama.py                             |      |
| read  | examples/debug/debug.cpp                                     |      |
| read  | examples/deprecation-warning/deprecation-warning.cpp         |      |
| read  | examples/diffusion/diffusion-cli.cpp                         |      |
| read  | examples/diffusion/diffusion.cpp                             |      |

| Event | Path or command                                                               | Hash |
|-------|-------------------------------------------------------------------------------|------|
| read  | examples/diffusion/diffusion.h                                                |      |
| read  | examples/embedding/embedding.cpp                                              |      |
| read  | examples/eval-callback/eval-callback.cpp                                      |      |
| read  | examples/gen-docs/gen-docs.cpp                                                |      |
| read  | examples/gguf-hash/gguf-hash.cpp                                              |      |
| read  | examples/gguf/gguf.cpp                                                        |      |
| read  | examples/idle/idle.cpp                                                        |      |
| read  | examples/json_schema_pydantic_example.py                                      |      |
| read  | examples/llama-eval/llama-eval.py                                             |      |
| read  | examples/llama-eval/llama-server-simulator.py                                 |      |
| read  | examples/llama-eval/test-simulator.sh                                         |      |
| read  | examples/llama.android/gradle/libs.versions.toml                              |      |
| read  | examples/llama.android/lib/src/main/cpp/ai_chat.cpp                           |      |
| read  | examples/llama.android/lib/src/main/cpp/logging.h                             |      |
| read  | examples/llama.swiftui/llama.swiftui/Assets.xcassets/AppIcon.appiconset/Co... |      |
| read  | examples/llama.swiftui/llama.swiftui/Assets.xcassets/Contents.json            |      |
| read  | examples/lookahead/lookahead.cpp                                              |      |
| read  | examples/lookup/lookup-create.cpp                                             |      |
| read  | examples/lookup/lookup-merge.cpp                                              |      |
| read  | examples/lookup/lookup-stats.cpp                                              |      |
| read  | examples/lookup/lookup.cpp                                                    |      |
| read  | examples/model-conversion/scripts/causal/compare-embeddings-logits.sh         |      |
| read  | examples/model-conversion/scripts/causal/compare-logits.py                    |      |
| read  | examples/model-conversion/scripts/causal/convert-model.sh                     |      |
| read  | examples/model-conversion/scripts/causal/run-casual-gen-embeddings-org.py     |      |
| read  | examples/model-conversion/scripts/causal/run-converted-model-embeddings-...   |      |
| read  | examples/model-conversion/scripts/causal/run-converted-model.sh               |      |
| read  | examples/model-conversion/scripts/causal/run-org-model.py                     |      |
| read  | examples/model-conversion/scripts/embedding/compare-embeddings-logits.sh      |      |
| read  | examples/model-conversion/scripts/embedding/convert-model.sh                  |      |
| read  | examples/model-conversion/scripts/embedding/run-converted-model.sh            |      |
| read  | examples/model-conversion/scripts/embedding/run-original-model.py             |      |
| read  | examples/model-conversion/scripts/utis/__init__.py                            |      |
| read  | examples/model-conversion/scripts/utis/check-nmse.py                          |      |
| read  | examples/model-conversion/scripts/utis/common.py                              |      |
| read  | examples/model-conversion/scripts/utis/compare_tokens.py                      |      |
| read  | examples/model-conversion/scripts/utis/create-collection-add-model.sh         |      |
| read  | examples/model-conversion/scripts/utis/curl-embedding-server.sh               |      |
| read  | examples/model-conversion/scripts/utis/hf-add-model-to-collection.py          |      |
| read  | examples/model-conversion/scripts/utis/hf-create-collection.py                |      |
| read  | examples/model-conversion/scripts/utis/hf-create-model.py                     |      |
| read  | examples/model-conversion/scripts/utis/hf-upload-gguf-model.py                |      |
| read  | examples/model-conversion/scripts/utis/inspect-converted-model.sh             |      |
| read  | examples/model-conversion/scripts/utis/inspect-org-model.py                   |      |
| read  | examples/model-conversion/scripts/utis/perplexity-gen.sh                      |      |
| read  | examples/model-conversion/scripts/utis/perplexity-run-simple.sh               |      |
| read  | examples/model-conversion/scripts/utis/perplexity-run.sh                      |      |
| read  | examples/model-conversion/scripts/utis/quantize.sh                            |      |
| read  | examples/model-conversion/scripts/utis/run-embedding-server.sh                |      |
| read  | examples/model-conversion/scripts/utis/semantic_check.py                      |      |

| Event | Path or command                                    | Hash |
|-------|----------------------------------------------------|------|
| read  | examples/parallel/parallel.cpp                     |      |
| read  | examples/passkey/passkey.cpp                       |      |
| read  | examples/pydantic_models_to_grammar.py             |      |
| read  | examples/pydantic_models_to_grammar_examples.py    |      |
| read  | examples/reason-act.sh                             |      |
| read  | examples/retrieval/retrieval.cpp                   |      |
| read  | examples/server-llama2-13B.sh                      |      |
| read  | examples/server_embd.py                            |      |
| read  | examples/simple-chat/simple-chat.cpp               |      |
| read  | examples/simple/simple.cpp                         |      |
| read  | examples/speculative-simple/speculative-simple.cpp |      |
| read  | examples/speculative/speculative.cpp               |      |
| read  | examples/sycl/build.sh                             |      |
| read  | examples/sycl/ls-sycl-device.cpp                   |      |
| read  | examples/sycl/run-llama2.sh                        |      |
| read  | examples/sycl/start-svr.sh                         |      |
| read  | examples/sycl/test.sh                              |      |
| read  | examples/sycl/update-ops-doc.sh                    |      |
| read  | examples/test-cmake/build-install.sh               |      |
| read  | examples/test-cmake/build.sh                       |      |
| read  | examples/test-cmake/test-cmake.cpp                 |      |
| read  | examples/training/finetune.cpp                     |      |
| read  | ggml/include/ggml-alloc.h                          |      |
| read  | ggml/include/ggml-backend.h                        |      |
| read  | ggml/include/ggml-blas.h                           |      |
| read  | ggml/include/ggml-cann.h                           |      |
| read  | ggml/include/ggml-cpp.h                            |      |
| read  | ggml/include/ggml-cpu.h                            |      |
| read  | ggml/include/ggml-cuda.h                           |      |
| read  | ggml/include/ggml-et.h                             |      |
| read  | ggml/include/ggml-hexagon.h                        |      |
| read  | ggml/include/ggml-metal.h                          |      |
| read  | ggml/include/ggml-opencl.h                         |      |
| read  | ggml/include/ggml-openvino.h                       |      |
| read  | ggml/include/ggml-opt.h                            |      |
| read  | ggml/include/ggml-rpc.h                            |      |
| read  | ggml/include/ggml-sycl.h                           |      |
| read  | ggml/include/ggml-virtgpu.h                        |      |
| read  | ggml/include/ggml-vulkan.h                         |      |
| read  | ggml/include/ggml-webgpu.h                         |      |
| read  | ggml/include/ggml-zdnn.h                           |      |
| read  | ggml/include/ggml-zendnn.h                         |      |
| read  | ggml/include/ggml.h                                |      |
| read  | ggml/include/gguf.h                                |      |
| read  | ggml/src/ggml-alloc.c                              |      |
| read  | ggml/src/ggml-backend-dl.cpp                       |      |
| read  | ggml/src/ggml-backend-dl.h                         |      |
| read  | ggml/src/ggml-backend-impl.h                       |      |
| read  | ggml/src/ggml-backend-meta.cpp                     |      |
| read  | ggml/src/ggml-backend-reg.cpp                      |      |

| Event | Path or command                              | Hash |
|-------|----------------------------------------------|------|
| read  | ggml/src/ggml-backend.cpp                    |      |
| read  | ggml/src/ggml-blas/ggml-blas.cpp             |      |
| read  | ggml/src/ggml-cann/acl_tensor.cpp            |      |
| read  | ggml/src/ggml-cann/acl_tensor.h              |      |
| read  | ggml/src/ggml-cann/aclnn_ops.cpp             |      |
| read  | ggml/src/ggml-cann/aclnn_ops.h               |      |
| read  | ggml/src/ggml-cann/common.h                  |      |
| read  | ggml/src/ggml-cann/ggml-cann.cpp             |      |
| read  | ggml/src/ggml-common.h                       |      |
| read  | ggml/src/ggml-cpu/amx/amx.cpp                |      |
| read  | ggml/src/ggml-cpu/amx/amx.h                  |      |
| read  | ggml/src/ggml-cpu/amx/common.h               |      |
| read  | ggml/src/ggml-cpu/amx/mmq.cpp                |      |
| read  | ggml/src/ggml-cpu/amx/mmq.h                  |      |
| read  | ggml/src/ggml-cpu/arch-fallback.h            |      |
| read  | ggml/src/ggml-cpu/arch/arm/cpu-feats.cpp     |      |
| read  | ggml/src/ggml-cpu/arch/arm/quants.c          |      |
| read  | ggml/src/ggml-cpu/arch/arm/repack.cpp        |      |
| read  | ggml/src/ggml-cpu/arch/loongarch/quants.c    |      |
| read  | ggml/src/ggml-cpu/arch/powerpc/cpu-feats.cpp |      |
| read  | ggml/src/ggml-cpu/arch/powerpc/quants.c      |      |
| read  | ggml/src/ggml-cpu/arch/riscv/cpu-feats.cpp   |      |
| read  | ggml/src/ggml-cpu/arch/riscv/quants.c        |      |
| read  | ggml/src/ggml-cpu/arch/riscv/repack.cpp      |      |
| read  | ggml/src/ggml-cpu/arch/s390/cpu-feats.cpp    |      |
| read  | ggml/src/ggml-cpu/arch/s390/quants.c         |      |
| read  | ggml/src/ggml-cpu/arch/s390/repack.cpp       |      |
| read  | ggml/src/ggml-cpu/arch/wasm/quants.c         |      |
| read  | ggml/src/ggml-cpu/arch/x86/cpu-feats.cpp     |      |
| read  | ggml/src/ggml-cpu/arch/x86/quants.c          |      |
| read  | ggml/src/ggml-cpu/arch/x86/repack.cpp        |      |
| read  | ggml/src/ggml-cpu/binary-ops.cpp             |      |
| read  | ggml/src/ggml-cpu/binary-ops.h               |      |
| read  | ggml/src/ggml-cpu/common.h                   |      |
| read  | ggml/src/ggml-cpu/ggml-cpu-impl.h            |      |
| read  | ggml/src/ggml-cpu/ggml-cpu.c                 |      |
| read  | ggml/src/ggml-cpu/ggml-cpu.cpp               |      |
| read  | ggml/src/ggml-cpu/hbm.cpp                    |      |
| read  | ggml/src/ggml-cpu/hbm.h                      |      |
| read  | ggml/src/ggml-cpu/kleidi.ai/kernels.cpp      |      |
| read  | ggml/src/ggml-cpu/kleidi.ai/kernels.h        |      |
| read  | ggml/src/ggml-cpu/kleidi.ai/kleidi.ai.cpp    |      |
| read  | ggml/src/ggml-cpu/kleidi.ai/kleidi.ai.h      |      |
| read  | ggml/src/ggml-cpu/llamafile/sgemm.cpp        |      |
| read  | ggml/src/ggml-cpu/llamafile/sgemm.h          |      |
| read  | ggml/src/ggml-cpu/ops.cpp                    |      |
| read  | ggml/src/ggml-cpu/ops.h                      |      |
| read  | ggml/src/ggml-cpu/quants.c                   |      |
| read  | ggml/src/ggml-cpu/quants.h                   |      |
| read  | ggml/src/ggml-cpu/repack.cpp                 |      |

| Event | Path or command                                                         | Hash |
|-------|-------------------------------------------------------------------------|------|
| read  | ggml/src/ggml-cpu/repack.h                                              |      |
| read  | ggml/src/ggml-cpu/simd-gemm.h                                           |      |
| read  | ggml/src/ggml-cpu/simd-mappings.h                                       |      |
| read  | ggml/src/ggml-cpu/spacemit/ime.cpp                                      |      |
| read  | ggml/src/ggml-cpu/spacemit/ime.h                                        |      |
| read  | ggml/src/ggml-cpu/spacemit/ime1_kernels.cpp                             |      |
| read  | ggml/src/ggml-cpu/spacemit/ime2_kernels.cpp                             |      |
| read  | ggml/src/ggml-cpu/spacemit/ime_env.cpp                                  |      |
| read  | ggml/src/ggml-cpu/spacemit/ime_env.h                                    |      |
| read  | ggml/src/ggml-cpu/spacemit/ime_kernels.h                                |      |
| read  | ggml/src/ggml-cpu/spacemit/repack.cpp                                   |      |
| read  | ggml/src/ggml-cpu/spacemit/repack.h                                     |      |
| read  | ggml/src/ggml-cpu/spacemit/rvv_kernels.cpp                              |      |
| read  | ggml/src/ggml-cpu/spacemit/rvv_kernels.h                                |      |
| read  | ggml/src/ggml-cpu/spacemit/spine_barrier.h                              |      |
| read  | ggml/src/ggml-cpu/spacemit/spine_mem_pool.cpp                           |      |
| read  | ggml/src/ggml-cpu/spacemit/spine_mem_pool.h                             |      |
| read  | ggml/src/ggml-cpu/spacemit/spine_tcm.h                                  |      |
| read  | ggml/src/ggml-cpu/tiled/tiled-kernel.cpp                                |      |
| read  | ggml/src/ggml-cpu/tiled/tiled-kernel.h                                  |      |
| read  | ggml/src/ggml-cpu/tiled/tiled.cpp                                       |      |
| read  | ggml/src/ggml-cpu/tiled/tiled.h                                         |      |
| read  | ggml/src/ggml-cpu/traits.cpp                                            |      |
| read  | ggml/src/ggml-cpu/traits.h                                              |      |
| read  | ggml/src/ggml-cpu/unary-ops.cpp                                         |      |
| read  | ggml/src/ggml-cpu/unary-ops.h                                           |      |
| read  | ggml/src/ggml-cpu/vec.cpp                                               |      |
| read  | ggml/src/ggml-cpu/vec.h                                                 |      |
| read  | ggml/src/ggml-cuda/template-instances/generate_cu_files.py              |      |
| read  | ggml/src/ggml-cuda/vendors/cuda.h                                       |      |
| read  | ggml/src/ggml-cuda/vendors/hip.h                                        |      |
| read  | ggml/src/ggml-cuda/vendors/musa.h                                       |      |
| read  | ggml/src/ggml-et/et-kernels/scripts/check_unimplemented_instructions.sh |      |
| read  | ggml/src/ggml-et/et-kernels/src/RunBackend.sh                           |      |
| read  | ggml/src/ggml-et/et-kernels/src/block_ops.h                             |      |
| read  | ggml/src/ggml-et/et-kernels/src/clamp_f32.c                             |      |
| read  | ggml/src/ggml-et/et-kernels/src/concat_f32.c                            |      |
| read  | ggml/src/ggml-et/et-kernels/src/cont_f16.c                              |      |
| read  | ggml/src/ggml-et/et-kernels/src/cont_f32.c                              |      |
| read  | ggml/src/ggml-et/et-kernels/src/conv_2d_f32_me.c                        |      |
| read  | ggml/src/ggml-et/et-kernels/src/cpy_f32_f16.c                           |      |
| read  | ggml/src/ggml-et/et-kernels/src/cumsum_f32.c                            |      |
| read  | ggml/src/ggml-et/et-kernels/src/diag_f32.c                              |      |
| read  | ggml/src/ggml-et/et-kernels/src/el_map_f32.c                            |      |
| read  | ggml/src/ggml-et/et-kernels/src/fill_f32.c                              |      |
| read  | ggml/src/ggml-et/et-kernels/src/flash_attn_ext_f16_me.c                 |      |
| read  | ggml/src/ggml-et/et-kernels/src/flash_attn_ext_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/gated_delta_net_f32.c                   |      |
| read  | ggml/src/ggml-et/et-kernels/src/get_rows_f32.c                          |      |
| read  | ggml/src/ggml-et/et-kernels/src/ggml_tensor.h                           |      |

| Event | Path or command                                              | Hash |
|-------|--------------------------------------------------------------|------|
| read  | ggml/src/ggml-et/et-kernels/src/glu_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/group_norm_f32.c             |      |
| read  | ggml/src/ggml-et/et-kernels/src/im2col.c                     |      |
| read  | ggml/src/ggml-et/et-kernels/src/l2_norm_f32.c                |      |
| read  | ggml/src/ggml-et/et-kernels/src/math_fp.h                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/mean_f32.c                   |      |
| read  | ggml/src/ggml-et/et-kernels/src/memops.c                     |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_Q4_0.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_Q4_0_matrix_engine.c |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_Q8_0.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_f16.c                |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_f16_matrix_engine.c  |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_f32.c                |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_f32_matrix_engine.c  |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_id_Q4_0.c            |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_id_Q8_0.c            |      |
| read  | ggml/src/ggml-et/et-kernels/src/mul_mat_id_f32.c             |      |
| read  | ggml/src/ggml-et/et-kernels/src/norm_f32.c                   |      |
| read  | ggml/src/ggml-et/et-kernels/src/pad_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/platform.h                   |      |
| read  | ggml/src/ggml-et/et-kernels/src/quants.h                     |      |
| read  | ggml/src/ggml-et/et-kernels/src/repeat_f32.c                 |      |
| read  | ggml/src/ggml-et/et-kernels/src/rms_norm_f32.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/rms_norm_mul_f32.c           |      |
| read  | ggml/src/ggml-et/et-kernels/src/rope_f32.c                   |      |
| read  | ggml/src/ggml-et/et-kernels/src/rwkv_wkv6_f32.c              |      |
| read  | ggml/src/ggml-et/et-kernels/src/rwkv_wkv7_f32.c              |      |
| read  | ggml/src/ggml-et/et-kernels/src/scale_f32.c                  |      |
| read  | ggml/src/ggml-et/et-kernels/src/set_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/set_rows_f32.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/softmax_f32.c                |      |
| read  | ggml/src/ggml-et/et-kernels/src/solve_tri_f32.c              |      |
| read  | ggml/src/ggml-et/et-kernels/src/sqr_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/ssm_conv_f32.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/ssm_scan_f32.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/sum_rows_f32.c               |      |
| read  | ggml/src/ggml-et/et-kernels/src/tensor.h                     |      |
| read  | ggml/src/ggml-et/et-kernels/src/tri_f32.c                    |      |
| read  | ggml/src/ggml-et/et-kernels/src/uberkernel.c                 |      |
| read  | ggml/src/ggml-et/et-kernels/src/unary_f32.c                  |      |
| read  | ggml/src/ggml-et/ggml-et-common.h                            |      |
| read  | ggml/src/ggml-et/ggml-et-cpu-compare.cpp                     |      |
| read  | ggml/src/ggml-et/ggml-et-cpu-compare.h                       |      |
| read  | ggml/src/ggml-et/ggml-et-kernels.cpp                         |      |
| read  | ggml/src/ggml-et/ggml-et-kernels.h                           |      |
| read  | ggml/src/ggml-et/ggml-et-memops.cpp                          |      |
| read  | ggml/src/ggml-et/ggml-et-memops.h                            |      |
| read  | ggml/src/ggml-et/ggml-et-ops.cpp                             |      |
| read  | ggml/src/ggml-et/ggml-et-ops.h                               |      |
| read  | ggml/src/ggml-et/ggml-et-uberkernel-common.h                 |      |

| Event | Path or command                                   | Hash |
|-------|---------------------------------------------------|------|
| read  | ggml/src/ggml-et/ggml-et.cpp                      |      |
| read  | ggml/src/ggml-feats.h                             |      |
| read  | ggml/src/ggml-hexagon/ggml-hexagon.cpp            |      |
| read  | ggml/src/ggml-hexagon/http-drv.cpp                |      |
| read  | ggml/src/ggml-hexagon/http-drv.h                  |      |
| read  | ggml/src/ggml-hexagon/http-opnode.h               |      |
| read  | ggml/src/ggml-hexagon/http/act-ops.c              |      |
| read  | ggml/src/ggml-hexagon/http/allreduce-ops.c        |      |
| read  | ggml/src/ggml-hexagon/http/allreduce-ops.h        |      |
| read  | ggml/src/ggml-hexagon/http/argsort-ops.c          |      |
| read  | ggml/src/ggml-hexagon/http/argsort-ops.h          |      |
| read  | ggml/src/ggml-hexagon/http/binary-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/binary-ops.h           |      |
| read  | ggml/src/ggml-hexagon/http/concat-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/concat-ops.h           |      |
| read  | ggml/src/ggml-hexagon/http/cpy-ops.c              |      |
| read  | ggml/src/ggml-hexagon/http/cpy-ops.h              |      |
| read  | ggml/src/ggml-hexagon/http/cumsum-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/diag-ops.c             |      |
| read  | ggml/src/ggml-hexagon/http/dma-copy.h             |      |
| read  | ggml/src/ggml-hexagon/http/dma-queue.c            |      |
| read  | ggml/src/ggml-hexagon/http/dma-queue.h            |      |
| read  | ggml/src/ggml-hexagon/http/fill-ops.c             |      |
| read  | ggml/src/ggml-hexagon/http/flash-attn-ops.c       |      |
| read  | ggml/src/ggml-hexagon/http/flash-attn-ops.h       |      |
| read  | ggml/src/ggml-hexagon/http/gated-delta-net-ops.c  |      |
| read  | ggml/src/ggml-hexagon/http/gated-delta-net-ops.h  |      |
| read  | ggml/src/ggml-hexagon/http/get-rows-ops.c         |      |
| read  | ggml/src/ggml-hexagon/http/get-rows-ops.h         |      |
| read  | ggml/src/ggml-hexagon/http/hex-bitmap.h           |      |
| read  | ggml/src/ggml-hexagon/http/hex-common.h           |      |
| read  | ggml/src/ggml-hexagon/http/hex-dump.h             |      |
| read  | ggml/src/ggml-hexagon/http/hex-fastdiv.h          |      |
| read  | ggml/src/ggml-hexagon/http/hex-profile.h          |      |
| read  | ggml/src/ggml-hexagon/http/hex-utils.h            |      |
| read  | ggml/src/ggml-hexagon/http/hmx-fa-kernels.h       |      |
| read  | ggml/src/ggml-hexagon/http/hmx-mm-kernels-tiled.h |      |
| read  | ggml/src/ggml-hexagon/http/hmx-queue.c            |      |
| read  | ggml/src/ggml-hexagon/http/hmx-queue.h            |      |
| read  | ggml/src/ggml-hexagon/http/hmx-utils.h            |      |
| read  | ggml/src/ggml-hexagon/http/http-ctx.h             |      |
| read  | ggml/src/ggml-hexagon/http/http-fence.h           |      |
| read  | ggml/src/ggml-hexagon/http/http-ops.h             |      |
| read  | ggml/src/ggml-hexagon/http/http-tensor.c          |      |
| read  | ggml/src/ggml-hexagon/http/http-tensor.h          |      |
| read  | ggml/src/ggml-hexagon/http/http-vtcm.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-arith.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-base.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-copy.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-div.h              |      |

| Event | Path or command                                   | Hash |
|-------|---------------------------------------------------|------|
| read  | ggml/src/ggml-hexagon/http/hvx-dump.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-erf.h              |      |
| read  | ggml/src/ggml-hexagon/http/hvx-exp.h              |      |
| read  | ggml/src/ggml-hexagon/http/hvx-fa-kernels.h       |      |
| read  | ggml/src/ggml-hexagon/http/hvx-flash-attn.h       |      |
| read  | ggml/src/ggml-hexagon/http/hvx-floor.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-inverse.h          |      |
| read  | ggml/src/ggml-hexagon/http/hvx-log.h              |      |
| read  | ggml/src/ggml-hexagon/http/hvx-mm-kernels-float.h |      |
| read  | ggml/src/ggml-hexagon/http/hvx-mm-kernels-tiled.h |      |
| read  | ggml/src/ggml-hexagon/http/hvx-norm.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-pow.h              |      |
| read  | ggml/src/ggml-hexagon/http/hvx-quant.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-reduce.h           |      |
| read  | ggml/src/ggml-hexagon/http/hvx-repl.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-scale.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-sigmoid.h          |      |
| read  | ggml/src/ggml-hexagon/http/hvx-sin-cos.h          |      |
| read  | ggml/src/ggml-hexagon/http/hvx-sqrt.h             |      |
| read  | ggml/src/ggml-hexagon/http/hvx-types.h            |      |
| read  | ggml/src/ggml-hexagon/http/hvx-utils.h            |      |
| read  | ggml/src/ggml-hexagon/http/im2col-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/main.c                 |      |
| read  | ggml/src/ggml-hexagon/http/matmul-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/matmul-ops.h           |      |
| read  | ggml/src/ggml-hexagon/http/pad-ops.c              |      |
| read  | ggml/src/ggml-hexagon/http/pool-ops.c             |      |
| read  | ggml/src/ggml-hexagon/http/pool-ops.h             |      |
| read  | ggml/src/ggml-hexagon/http/repeat-ops.c           |      |
| read  | ggml/src/ggml-hexagon/http/roll-ops.c             |      |
| read  | ggml/src/ggml-hexagon/http/rope-ops.c             |      |
| read  | ggml/src/ggml-hexagon/http/rope-ops.h             |      |
| read  | ggml/src/ggml-hexagon/http/set-rows-ops.c         |      |
| read  | ggml/src/ggml-hexagon/http/set-rows-ops.h         |      |
| read  | ggml/src/ggml-hexagon/http/softmax-ops.c          |      |
| read  | ggml/src/ggml-hexagon/http/softmax-ops.h          |      |
| read  | ggml/src/ggml-hexagon/http/solve-tri-ops.c        |      |
| read  | ggml/src/ggml-hexagon/http/ssm-conv.c             |      |
| read  | ggml/src/ggml-hexagon/http/ssm-conv.h             |      |
| read  | ggml/src/ggml-hexagon/http/sum-rows-ops.c         |      |
| read  | ggml/src/ggml-hexagon/http/unary-ops.c            |      |
| read  | ggml/src/ggml-hexagon/http/unary-ops.h            |      |
| read  | ggml/src/ggml-hexagon/http/work-queue.c           |      |
| read  | ggml/src/ggml-hexagon/http/work-queue.h           |      |
| read  | ggml/src/ggml-hexagon/libdl.h                     |      |
| read  | ggml/src/ggml-impl.h                              |      |
| read  | ggml/src/ggml-metal/ggml-metal-common.cpp         |      |
| read  | ggml/src/ggml-metal/ggml-metal-common.h           |      |
| read  | ggml/src/ggml-metal/ggml-metal-context.h          |      |
| read  | ggml/src/ggml-metal/ggml-metal-context.m          |      |

| Event | Path or command                                        | Hash |
|-------|--------------------------------------------------------|------|
| read  | ggml/src/ggml-metal/ggml-metal-device.cpp              |      |
| read  | ggml/src/ggml-metal/ggml-metal-device.h                |      |
| read  | ggml/src/ggml-metal/ggml-metal-device.m                |      |
| read  | ggml/src/ggml-metal/ggml-metal-fusion.cpp              |      |
| read  | ggml/src/ggml-metal/ggml-metal-fusion.h                |      |
| read  | ggml/src/ggml-metal/ggml-metal-impl.h                  |      |
| read  | ggml/src/ggml-metal/ggml-metal-ops.cpp                 |      |
| read  | ggml/src/ggml-metal/ggml-metal-ops.h                   |      |
| read  | ggml/src/ggml-metal/ggml-metal-tuning.cpp              |      |
| read  | ggml/src/ggml-metal/ggml-metal-tuning.h                |      |
| read  | ggml/src/ggml-metal/ggml-metal.cpp                     |      |
| read  | ggml/src/ggml-metal/kernels/common.h                   |      |
| read  | ggml/src/ggml-metal/kernels/dequantize.h               |      |
| read  | ggml/src/ggml-metal/kernels/quantize.h                 |      |
| read  | ggml/src/ggml-opencl/cl-program-cache.cpp              |      |
| read  | ggml/src/ggml-opencl/cl-program-cache.h                |      |
| read  | ggml/src/ggml-opencl/fa_tune.h                         |      |
| read  | ggml/src/ggml-opencl/ggml-opencl.cpp                   |      |
| read  | ggml/src/ggml-opencl/kernels/embed_kernel.py           |      |
| read  | ggml/src/ggml-opencl/libdl.h                           |      |
| read  | ggml/src/ggml-openvino/ggml-decoder.cpp                |      |
| read  | ggml/src/ggml-openvino/ggml-decoder.h                  |      |
| read  | ggml/src/ggml-openvino/ggml-openvino-extra.cpp         |      |
| read  | ggml/src/ggml-openvino/ggml-openvino-extra.h           |      |
| read  | ggml/src/ggml-openvino/ggml-openvino.cpp               |      |
| read  | ggml/src/ggml-openvino/ggml-quants.cpp                 |      |
| read  | ggml/src/ggml-openvino/ggml-quants.h                   |      |
| read  | ggml/src/ggml-openvino/model-cache.cpp                 |      |
| read  | ggml/src/ggml-openvino/model-cache.h                   |      |
| read  | ggml/src/ggml-openvino/openvino/decoder.h              |      |
| read  | ggml/src/ggml-openvino/openvino/frontend.cpp           |      |
| read  | ggml/src/ggml-openvino/openvino/frontend.h             |      |
| read  | ggml/src/ggml-openvino/openvino/input_model.cpp        |      |
| read  | ggml/src/ggml-openvino/openvino/input_model.h          |      |
| read  | ggml/src/ggml-openvino/openvino/node_context.h         |      |
| read  | ggml/src/ggml-openvino/openvino/op/add.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/add_id.cpp          |      |
| read  | ggml/src/ggml-openvino/openvino/op/argsort.cpp         |      |
| read  | ggml/src/ggml-openvino/openvino/op/clamp.cpp           |      |
| read  | ggml/src/ggml-openvino/openvino/op/concat.cpp          |      |
| read  | ggml/src/ggml-openvino/openvino/op/cont.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/conv.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/cpy.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/cumsum.cpp          |      |
| read  | ggml/src/ggml-openvino/openvino/op/diag.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/div.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/fill.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/flash_attn_ext.cpp  |      |
| read  | ggml/src/ggml-openvino/openvino/op/gated_delta_net.cpp |      |
| read  | ggml/src/ggml-openvino/openvino/op/gated_delta_net.hpp |      |

| Event | Path or command                                              | Hash |
|-------|--------------------------------------------------------------|------|
| read  | ggml/src/ggml-openvino/openvino/op/gather_matmul.hpp         |      |
| read  | ggml/src/ggml-openvino/openvino/op/get_rows.cpp              |      |
| read  | ggml/src/ggml-openvino/openvino/op/glu_geglu.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/glu_geglu_quick.cpp       |      |
| read  | ggml/src/ggml-openvino/openvino/op/glu_swiglu.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/im2col.cpp                |      |
| read  | ggml/src/ggml-openvino/openvino/op/l2_norm.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/mean.cpp                  |      |
| read  | ggml/src/ggml-openvino/openvino/op/moe_compressed.hpp        |      |
| read  | ggml/src/ggml-openvino/openvino/op/mul_mat_id.cpp            |      |
| read  | ggml/src/ggml-openvino/openvino/op/mulmat.cpp                |      |
| read  | ggml/src/ggml-openvino/openvino/op/norm.cpp                  |      |
| read  | ggml/src/ggml-openvino/openvino/op/pad.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/op/permute.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/pool_2d.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/repeat.cpp                |      |
| read  | ggml/src/ggml-openvino/openvino/op/reshape.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/rms_norm.cpp              |      |
| read  | ggml/src/ggml-openvino/openvino/op/roll.cpp                  |      |
| read  | ggml/src/ggml-openvino/openvino/op/rope.cpp                  |      |
| read  | ggml/src/ggml-openvino/openvino/op/scale.cpp                 |      |
| read  | ggml/src/ggml-openvino/openvino/op/set.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/op/set_rows.cpp              |      |
| read  | ggml/src/ggml-openvino/openvino/op/softmax.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/solve_tri.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/sqr.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/op/ssm_conv.cpp              |      |
| read  | ggml/src/ggml-openvino/openvino/op/sum.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/op/sum_rows.cpp              |      |
| read  | ggml/src/ggml-openvino/openvino/op/transpose.cpp             |      |
| read  | ggml/src/ggml-openvino/openvino/op/tri.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/op/unary.cpp                 |      |
| read  | ggml/src/ggml-openvino/openvino/op/upscale.cpp               |      |
| read  | ggml/src/ggml-openvino/openvino/op/view.cpp                  |      |
| read  | ggml/src/ggml-openvino/openvino/op_table.cpp                 |      |
| read  | ggml/src/ggml-openvino/openvino/op_table.h                   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/align_eltwise_ranks.cpp |      |
| read  | ggml/src/ggml-openvino/openvino/pass/align_eltwise_ranks.h   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_argsort_topk.cpp   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_argsort_topk.h     |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_moe_compressed.cpp |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_moe_compressed.h   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_moe_router.cpp     |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_moe_router.h       |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_to_conv.cpp        |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_to_conv.h          |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_to_sdpa.cpp        |      |
| read  | ggml/src/ggml-openvino/openvino/pass/fuse_to_sdpa.h          |      |
| read  | ggml/src/ggml-openvino/openvino/pass/kv_state_seq_axis.cpp   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/kv_state_seq_axis.h     |      |

| Event | Path or command                                                           | Hash |
|-------|---------------------------------------------------------------------------|------|
| read  | ggml/src/ggml-openvino/openvino/pass/mark_decompression_convert_consta... |      |
| read  | ggml/src/ggml-openvino/openvino/pass/mark_dequantization_subgraph.h       |      |
| read  | ggml/src/ggml-openvino/openvino/pass/squeeze_matmul.cpp                   |      |
| read  | ggml/src/ggml-openvino/openvino/pass/squeeze_matmul.h                     |      |
| read  | ggml/src/ggml-openvino/openvino/rt_info/weightless_caching_attributes.hpp |      |
| read  | ggml/src/ggml-openvino/openvino/translate_session.cpp                     |      |
| read  | ggml/src/ggml-openvino/openvino/translate_session.h                       |      |
| read  | ggml/src/ggml-openvino/openvino/utils.cpp                                 |      |
| read  | ggml/src/ggml-openvino/openvino/utils.h                                   |      |
| read  | ggml/src/ggml-openvino/utils.cpp                                          |      |
| read  | ggml/src/ggml-openvino/utils.h                                            |      |
| read  | ggml/src/ggml-opt.cpp                                                     |      |
| read  | ggml/src/ggml-quants.c                                                    |      |
| read  | ggml/src/ggml-quants.h                                                    |      |
| read  | ggml/src/ggml-rpc/ggml-rpc.cpp                                            |      |
| read  | ggml/src/ggml-rpc/transport-apple.cpp                                     |      |
| read  | ggml/src/ggml-rpc/transport-apple.h                                       |      |
| read  | ggml/src/ggml-rpc/transport.cpp                                           |      |
| read  | ggml/src/ggml-rpc/transport.h                                             |      |
| read  | ggml/src/ggml-sycl/add-id.cpp                                             |      |
| read  | ggml/src/ggml-sycl/add-id.hpp                                             |      |
| read  | ggml/src/ggml-sycl/backend.hpp                                            |      |
| read  | ggml/src/ggml-sycl/base.hpp                                               |      |
| read  | ggml/src/ggml-sycl/binbcast.cpp                                           |      |
| read  | ggml/src/ggml-sycl/binbcast.hpp                                           |      |
| read  | ggml/src/ggml-sycl/col2im-1d.cpp                                          |      |
| read  | ggml/src/ggml-sycl/col2im-1d.hpp                                          |      |
| read  | ggml/src/ggml-sycl/common.cpp                                             |      |
| read  | ggml/src/ggml-sycl/common.hpp                                             |      |
| read  | ggml/src/ggml-sycl/concat.cpp                                             |      |
| read  | ggml/src/ggml-sycl/concat.hpp                                             |      |
| read  | ggml/src/ggml-sycl/conv.cpp                                               |      |
| read  | ggml/src/ggml-sycl/conv.hpp                                               |      |
| read  | ggml/src/ggml-sycl/conv2d-dw.cpp                                          |      |
| read  | ggml/src/ggml-sycl/conv2d-dw.hpp                                          |      |
| read  | ggml/src/ggml-sycl/conv2d-transpose.cpp                                   |      |
| read  | ggml/src/ggml-sycl/conv2d-transpose.hpp                                   |      |
| read  | ggml/src/ggml-sycl/conv2d.cpp                                             |      |
| read  | ggml/src/ggml-sycl/conv2d.hpp                                             |      |
| read  | ggml/src/ggml-sycl/conv3d.cpp                                             |      |
| read  | ggml/src/ggml-sycl/conv3d.hpp                                             |      |
| read  | ggml/src/ggml-sycl/convert.cpp                                            |      |
| read  | ggml/src/ggml-sycl/convert.hpp                                            |      |
| read  | ggml/src/ggml-sycl/count-equal.cpp                                        |      |
| read  | ggml/src/ggml-sycl/count-equal.hpp                                        |      |
| read  | ggml/src/ggml-sycl/cpy.cpp                                                |      |
| read  | ggml/src/ggml-sycl/cpy.hpp                                                |      |
| read  | ggml/src/ggml-sycl/cross_entropy_loss.cpp                                 |      |
| read  | ggml/src/ggml-sycl/cross_entropy_loss.hpp                                 |      |
| read  | ggml/src/ggml-sycl/cumsum.cpp                                             |      |

| Event | Path or command                          | Hash |
|-------|------------------------------------------|------|
| read  | ggml/src/ggml-sycl/cumsum.hpp            |      |
| read  | ggml/src/ggml-sycl/dequantize.hpp        |      |
| read  | ggml/src/ggml-sycl/diag.cpp              |      |
| read  | ggml/src/ggml-sycl/diag.hpp              |      |
| read  | ggml/src/ggml-sycl/dmmv.cpp              |      |
| read  | ggml/src/ggml-sycl/dmmv.hpp              |      |
| read  | ggml/src/ggml-sycl/dpct/helper.hpp       |      |
| read  | ggml/src/ggml-sycl/dsv4-hc.cpp           |      |
| read  | ggml/src/ggml-sycl/dsv4-hc.hpp           |      |
| read  | ggml/src/ggml-sycl/element_wise.cpp      |      |
| read  | ggml/src/ggml-sycl/element_wise.hpp      |      |
| read  | ggml/src/ggml-sycl/esimd.hpp             |      |
| read  | ggml/src/ggml-sycl/fattn-common.hpp      |      |
| read  | ggml/src/ggml-sycl/fattn-mkl.cpp         |      |
| read  | ggml/src/ggml-sycl/fattn-onednn.cpp      |      |
| read  | ggml/src/ggml-sycl/fattn-onednn.hpp      |      |
| read  | ggml/src/ggml-sycl/fattn-sparse.cpp      |      |
| read  | ggml/src/ggml-sycl/fattn-sparse.hpp      |      |
| read  | ggml/src/ggml-sycl/fattn-tile.cpp        |      |
| read  | ggml/src/ggml-sycl/fattn-tile.hpp        |      |
| read  | ggml/src/ggml-sycl/fattn-vec.hpp         |      |
| read  | ggml/src/ggml-sycl/fattn.cpp             |      |
| read  | ggml/src/ggml-sycl/fattn.hpp             |      |
| read  | ggml/src/ggml-sycl/fill.cpp              |      |
| read  | ggml/src/ggml-sycl/fill.hpp              |      |
| read  | ggml/src/ggml-sycl/fusion.cpp            |      |
| read  | ggml/src/ggml-sycl/fusion.hpp            |      |
| read  | ggml/src/ggml-sycl/fwht.cpp              |      |
| read  | ggml/src/ggml-sycl/fwht.hpp              |      |
| read  | ggml/src/ggml-sycl/gated_delta_net.cpp   |      |
| read  | ggml/src/ggml-sycl/gated_delta_net.hpp   |      |
| read  | ggml/src/ggml-sycl/gemm.hpp              |      |
| read  | ggml/src/ggml-sycl/getrows.cpp           |      |
| read  | ggml/src/ggml-sycl/getrows.hpp           |      |
| read  | ggml/src/ggml-sycl/ggml-sycl.cpp         |      |
| read  | ggml/src/ggml-sycl/gla.cpp               |      |
| read  | ggml/src/ggml-sycl/gla.hpp               |      |
| read  | ggml/src/ggml-sycl/im2col.cpp            |      |
| read  | ggml/src/ggml-sycl/im2col.hpp            |      |
| read  | ggml/src/ggml-sycl/lightning-indexer.cpp |      |
| read  | ggml/src/ggml-sycl/lightning-indexer.hpp |      |
| read  | ggml/src/ggml-sycl/mem.cpp               |      |
| read  | ggml/src/ggml-sycl/mem.hpp               |      |
| read  | ggml/src/ggml-sycl/memtrace.cpp          |      |
| read  | ggml/src/ggml-sycl/memtrace.hpp          |      |
| read  | ggml/src/ggml-sycl/mmqr.cpp              |      |
| read  | ggml/src/ggml-sycl/mmqr.hpp              |      |
| read  | ggml/src/ggml-sycl/mmvr.cpp              |      |
| read  | ggml/src/ggml-sycl/mmvr.hpp              |      |
| read  | ggml/src/ggml-sycl/norm.cpp              |      |

| Event | Path or command                                                            | Hash |
|-------|----------------------------------------------------------------------------|------|
| read  | ggml/src/ggml-sycl/norm.hpp                                                |      |
| read  | ggml/src/ggml-sycl/opt-step.cpp                                            |      |
| read  | ggml/src/ggml-sycl/opt-step.hpp                                            |      |
| read  | ggml/src/ggml-sycl/outprod.cpp                                             |      |
| read  | ggml/src/ggml-sycl/outprod.hpp                                             |      |
| read  | ggml/src/ggml-sycl/pad.cpp                                                 |      |
| read  | ggml/src/ggml-sycl/pad.hpp                                                 |      |
| read  | ggml/src/ggml-sycl/pad_reflect_1d.cpp                                      |      |
| read  | ggml/src/ggml-sycl/pad_reflect_1d.hpp                                      |      |
| read  | ggml/src/ggml-sycl/pool.cpp                                                |      |
| read  | ggml/src/ggml-sycl/pool.hpp                                                |      |
| read  | ggml/src/ggml-sycl/presets.hpp                                             |      |
| read  | ggml/src/ggml-sycl/quantize.hpp                                            |      |
| read  | ggml/src/ggml-sycl/quants.hpp                                              |      |
| read  | ggml/src/ggml-sycl/repeat_back.cpp                                         |      |
| read  | ggml/src/ggml-sycl/repeat_back.hpp                                         |      |
| read  | ggml/src/ggml-sycl/roll.cpp                                                |      |
| read  | ggml/src/ggml-sycl/roll.hpp                                                |      |
| read  | ggml/src/ggml-sycl/rope.cpp                                                |      |
| read  | ggml/src/ggml-sycl/rope.hpp                                                |      |
| read  | ggml/src/ggml-sycl/set.cpp                                                 |      |
| read  | ggml/src/ggml-sycl/set.hpp                                                 |      |
| read  | ggml/src/ggml-sycl/set_rows.cpp                                            |      |
| read  | ggml/src/ggml-sycl/set_rows.hpp                                            |      |
| read  | ggml/src/ggml-sycl/softmax.cpp                                             |      |
| read  | ggml/src/ggml-sycl/softmax.hpp                                             |      |
| read  | ggml/src/ggml-sycl/solve_tri.cpp                                           |      |
| read  | ggml/src/ggml-sycl/solve_tri.hpp                                           |      |
| read  | ggml/src/ggml-sycl/ssm_conv.cpp                                            |      |
| read  | ggml/src/ggml-sycl/ssm_conv.hpp                                            |      |
| read  | ggml/src/ggml-sycl/ssm_scan.cpp                                            |      |
| read  | ggml/src/ggml-sycl/ssm_scan.hpp                                            |      |
| read  | ggml/src/ggml-sycl/sycl_hw.cpp                                             |      |
| read  | ggml/src/ggml-sycl/sycl_hw.hpp                                             |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq112-dv112.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq128-dv128.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq256-dv256.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq40-dv40.cpp   |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq512-dv512.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq576-dv512.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq64-dv64.cpp   |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq72-dv72.cpp   |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq80-dv80.cpp   |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-tile-instance-dkq96-dv96.cpp   |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-f16.cpp       |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-q4_0.cpp      |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-q4_1.cpp      |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-q5_0.cpp      |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-q5_1.cpp      |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-f16-q8_0.cpp      |      |

| Event | Path or command                                                        | Hash |
|-------|------------------------------------------------------------------------|------|
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-f16.cpp  |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-q4_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-q4_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-q5_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-q5_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_0-q8_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-f16.cpp  |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-q4_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-q4_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-q5_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-q5_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q4_1-q8_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-f16.cpp  |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-q4_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-q4_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-q5_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-q5_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_0-q8_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-f16.cpp  |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-q4_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-q4_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-q5_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-q5_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q5_1-q8_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-f16.cpp  |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-q4_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-q4_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-q5_0.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-q5_1.cpp |      |
| read  | ggml/src/ggml-sycl/template-instances/fattn-vec-instance-q8_0-q8_0.cpp |      |
| read  | ggml/src/ggml-sycl/topk-moe.cpp                                        |      |
| read  | ggml/src/ggml-sycl/topk-moe.hpp                                        |      |
| read  | ggml/src/ggml-sycl/topk-radix.cpp                                      |      |
| read  | ggml/src/ggml-sycl/topk-radix.hpp                                      |      |
| read  | ggml/src/ggml-sycl/tsembd.cpp                                          |      |
| read  | ggml/src/ggml-sycl/tsembd.hpp                                          |      |
| read  | ggml/src/ggml-sycl/type.hpp                                            |      |
| read  | ggml/src/ggml-sycl/upscale.cpp                                         |      |
| read  | ggml/src/ggml-sycl/upscale.hpp                                         |      |
| read  | ggml/src/ggml-sycl/vecdotq.hpp                                         |      |
| read  | ggml/src/ggml-sycl/wkv.cpp                                             |      |
| read  | ggml/src/ggml-sycl/wkv.hpp                                             |      |
| read  | ggml/src/ggml-threading.cpp                                            |      |
| read  | ggml/src/ggml-threading.h                                              |      |
| read  | ggml/src/ggml-virtgpu/apir_cs_ggml-rpc-front.cpp                       |      |
| read  | ggml/src/ggml-virtgpu/backend/apir_cs_ggml-rpc-back.cpp                |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-convert.h                        |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched-backend.cpp           |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched-buffer-type.cpp       |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched-buffer.cpp            |      |

| Event | Path or command                                             | Hash |
|-------|-------------------------------------------------------------|------|
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched-device.cpp |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched.cpp        |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched.gen.h      |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-dispatched.h          |      |
| read  | ggml/src/ggml-virtgpu/backend/backend-virgl-apir.h          |      |
| read  | ggml/src/ggml-virtgpu/backend/backend.cpp                   |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/api_remoting.h         |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/apir_backend.gen.h     |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/apir_backend.h         |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/apir_cs.h              |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/apir_cs_ggml.h         |      |
| read  | ggml/src/ggml-virtgpu/backend/shared/apir_cs_rpc.h          |      |
| read  | ggml/src/ggml-virtgpu/ggml-backend-buffer-type.cpp          |      |
| read  | ggml/src/ggml-virtgpu/ggml-backend-buffer.cpp               |      |
| read  | ggml/src/ggml-virtgpu/ggml-backend-device.cpp               |      |
| read  | ggml/src/ggml-virtgpu/ggml-backend-reg.cpp                  |      |
| read  | ggml/src/ggml-virtgpu/ggml-backend.cpp                      |      |
| read  | ggml/src/ggml-virtgpu/ggml-remoting.h                       |      |
| read  | ggml/src/ggml-virtgpu/ggmlremoting_functions.yaml           |      |
| read  | ggml/src/ggml-virtgpu/include/apir_hw.h                     |      |
| read  | ggml/src/ggml-virtgpu/regenerate_remoting.py                |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-apir.h                        |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward-backend.cpp           |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward-buffer-type.cpp       |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward-buffer.cpp            |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward-device.cpp            |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward-impl.h                |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-forward.gen.h                 |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-shm.cpp                       |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-shm.h                         |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-utils.cpp                     |      |
| read  | ggml/src/ggml-virtgpu/virtgpu-utils.h                       |      |
| read  | ggml/src/ggml-virtgpu/virtgpu.cpp                           |      |
| read  | ggml/src/ggml-virtgpu/virtgpu.h                             |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan-buffers.cpp                |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan-common.h                   |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan-debug.cpp                  |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan-push-constants.h           |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan-types.h                    |      |
| read  | ggml/src/ggml-vulkan/ggml-vulkan.cpp                        |      |
| read  | ggml/src/ggml-vulkan/vulkan-shaders/vulkan-shaders-gen.cpp  |      |
| read  | ggml/src/ggml-webgpu/ggml-webgpu-shader-lib.hpp             |      |
| read  | ggml/src/ggml-webgpu/ggml-webgpu.cpp                        |      |
| read  | ggml/src/ggml-webgpu/pre_wgsl.hpp                           |      |
| read  | ggml/src/ggml-webgpu/wgsl-shaders/embed_wgsl.py             |      |
| read  | ggml/src/ggml-zdnn/common.hpp                               |      |
| read  | ggml/src/ggml-zdnn/ggml-zdnn.cpp                            |      |
| read  | ggml/src/ggml-zdnn/mmf.cpp                                  |      |
| read  | ggml/src/ggml-zdnn/mmf.hpp                                  |      |
| read  | ggml/src/ggml-zdnn/Utils.cpp                                |      |

| Event | Path or command                              | Hash |
|-------|----------------------------------------------|------|
| read  | ggml/src/ggml-zdnn/utils.hpp                 |      |
| read  | ggml/src/ggml-zendnn/ggml-zendnn.cpp         |      |
| read  | ggml/src/ggml.c                              |      |
| read  | ggml/src/ggml.cpp                            |      |
| read  | ggml/src/gguf.cpp                            |      |
| read  | gguf-py/examples/reader.py                   |      |
| read  | gguf-py/examples/writer.py                   |      |
| read  | gguf-py/gguf/__init__.py                     |      |
| read  | gguf-py/gguf/constants.py                    |      |
| read  | gguf-py/gguf/gguf.py                         |      |
| read  | gguf-py/gguf/gguf_reader.py                  |      |
| read  | gguf-py/gguf/gguf_writer.py                  |      |
| read  | gguf-py/gguf/lazy.py                         |      |
| read  | gguf-py/gguf/metadata.py                     |      |
| read  | gguf-py/gguf/quants.py                       |      |
| read  | gguf-py/gguf/scripts/gguf_convert_endian.py  |      |
| read  | gguf-py/gguf/scripts/gguf_dump.py            |      |
| read  | gguf-py/gguf/scripts/gguf_editor_gui.py      |      |
| read  | gguf-py/gguf/scripts/gguf_hash.py            |      |
| read  | gguf-py/gguf/scripts/gguf_new_metadata.py    |      |
| read  | gguf-py/gguf/scripts/gguf_set_metadata.py    |      |
| read  | gguf-py/gguf/tensor_mapping.py               |      |
| read  | gguf-py/gguf/utility.py                      |      |
| read  | gguf-py/gguf/vocab.py                        |      |
| read  | gguf-py/pyproject.toml                       |      |
| read  | gguf-py/tests/__init__.py                    |      |
| read  | gguf-py/tests/test_gguf_reader_validation.py |      |
| read  | gguf-py/tests/test_metadata.py               |      |
| read  | gguf-py/tests/test_quants.py                 |      |
| read  | include/llama-cpp.h                          |      |
| read  | include/llama.h                              |      |
| read  | mypy.ini                                     |      |
| read  | pocs/vdot/q8dot.cpp                          |      |
| read  | pocs/vdot/vdot.cpp                           |      |
| read  | pyproject.toml                               |      |
| read  | pyrightconfig.json                           |      |
| read  | scripts/apple/validate-apps.sh               |      |
| read  | scripts/apple/validate-ios.sh                |      |
| read  | scripts/apple/validate-macos.sh              |      |
| read  | scripts/apple/validate-tvos.sh               |      |
| read  | scripts/apple/validate-visionos.sh           |      |
| read  | scripts/bench-models.sh                      |      |
| read  | scripts/build-info.sh                        |      |
| read  | scripts/build-profile.sh                     |      |
| read  | scripts/ccache-clear.sh                      |      |
| read  | scripts/check-apiabi-compat.sh               |      |
| read  | scripts/check-release-apiabi.sh              |      |
| read  | scripts/check-requirements.sh                |      |
| read  | scripts/compare-commits.sh                   |      |
| read  | scripts/compare-llama-bench.py               |      |

| Event | Path or command                                       | Hash |
|-------|-------------------------------------------------------|------|
| read  | scripts/compare-logprobs.py                           |      |
| read  | scripts/create_ops_docs.py                            |      |
| read  | scripts/debug-test.sh                                 |      |
| read  | scripts/gen-authors.sh                                |      |
| read  | scripts/gen-unicode-data.py                           |      |
| read  | scripts/get-hellaswag.sh                              |      |
| read  | scripts/get-pg.sh                                     |      |
| read  | scripts/get-wikitext-2.sh                             |      |
| read  | scripts/get-winogrande.sh                             |      |
| read  | scripts/get_chat_template.py                          |      |
| read  | scripts/git-bisect-run.sh                             |      |
| read  | scripts/git-bisect.sh                                 |      |
| read  | scripts/hf.sh                                         |      |
| read  | scripts/hip/gcn-cdna-vgpr-check.py                    |      |
| read  | scripts/jinja/jinja-tester.py                         |      |
| read  | scripts/make-release-checks.sh                        |      |
| read  | scripts/make-release-desc.sh                          |      |
| read  | scripts/pr2wt.sh                                      |      |
| read  | scripts/release.sh                                    |      |
| read  | scripts/serve-static.js                               |      |
| read  | scripts/server-bench.py                               |      |
| read  | scripts/server-test-function-call.py                  |      |
| read  | scripts/server-test-model.py                          |      |
| read  | scripts/server-test-parallel-tc.py                    |      |
| read  | scripts/server-test-structured.py                     |      |
| read  | scripts/snapdragon/build.py                           |      |
| read  | scripts/snapdragon/ggml-hexagon-align-macros.py       |      |
| read  | scripts/snapdragon/ggml-hexagon-inspect.py            |      |
| read  | scripts/snapdragon/ggml-hexagon-profile.py            |      |
| read  | scripts/snapdragon/ggml-hexagon-trace.py              |      |
| read  | scripts/snapdragon/qdc/run_qdc_jobs.py                |      |
| read  | scripts/snapdragon/qdc/tests/conftest.py              |      |
| read  | scripts/snapdragon/qdc/tests/linux/run_linux.sh       |      |
| read  | scripts/snapdragon/qdc/tests/run_backend_ops_posix.py |      |
| read  | scripts/snapdragon/qdc/tests/run_bench_tests_posix.py |      |
| read  | scripts/snapdragon/qdc/tests/utils.py                 |      |
| read  | scripts/snapdragon/run.py                             |      |
| read  | scripts/snapdragon/sdk.py                             |      |
| read  | scripts/snapdragon/setup-sdk.py                       |      |
| read  | scripts/sync-ggml-am.sh                               |      |
| read  | scripts/sync-ggml.sh                                  |      |
| read  | scripts/sync_vendor.py                                |      |
| read  | scripts/tool_bench.py                                 |      |
| read  | scripts/tool_bench.sh                                 |      |
| read  | scripts/verify-checksum-models.py                     |      |
| read  | scripts/wc2wt.sh                                      |      |
| read  | src/llama-adapter.cpp                                 |      |
| read  | src/llama-adapter.h                                   |      |
| read  | src/llama-arch.cpp                                    |      |
| read  | src/llama-arch.h                                      |      |

| Event | Path or command                  | Hash |
|-------|----------------------------------|------|
| read  | src/llama-batch.cpp              |      |
| read  | src/llama-batch.h                |      |
| read  | src/llama-chat.cpp               |      |
| read  | src/llama-chat.h                 |      |
| read  | src/llama-context.cpp            |      |
| read  | src/llama-context.h              |      |
| read  | src/llama-cparams.cpp            |      |
| read  | src/llama-cparams.h              |      |
| read  | src/llama-ext.h                  |      |
| read  | src/llama-grammar.cpp            |      |
| read  | src/llama-grammar.h              |      |
| read  | src/llama-graph.cpp              |      |
| read  | src/llama-graph.h                |      |
| read  | src/llama-hparams.cpp            |      |
| read  | src/llama-hparams.h              |      |
| read  | src/llama-impl.cpp               |      |
| read  | src/llama-impl.h                 |      |
| read  | src/llama-io.cpp                 |      |
| read  | src/llama-io.h                   |      |
| read  | src/llama-kv-cache-dsa-iswa.cpp  |      |
| read  | src/llama-kv-cache-dsa-iswa.h    |      |
| read  | src/llama-kv-cache-dsa.cpp       |      |
| read  | src/llama-kv-cache-dsa.h         |      |
| read  | src/llama-kv-cache-dsv4.cpp      |      |
| read  | src/llama-kv-cache-dsv4.h        |      |
| read  | src/llama-kv-cache-iswa.cpp      |      |
| read  | src/llama-kv-cache-iswa.h        |      |
| read  | src/llama-kv-cache-msa.cpp       |      |
| read  | src/llama-kv-cache-msa.h         |      |
| read  | src/llama-kv-cache.cpp           |      |
| read  | src/llama-kv-cache.h             |      |
| read  | src/llama-kv-cells.h             |      |
| read  | src/llama-memory-hybrid-idx.cpp  |      |
| read  | src/llama-memory-hybrid-idx.h    |      |
| read  | src/llama-memory-hybrid-iswa.cpp |      |
| read  | src/llama-memory-hybrid-iswa.h   |      |
| read  | src/llama-memory-hybrid.cpp      |      |
| read  | src/llama-memory-hybrid.h        |      |
| read  | src/llama-memory-recurrent.cpp   |      |
| read  | src/llama-memory-recurrent.h     |      |
| read  | src/llama-memory.cpp             |      |
| read  | src/llama-memory.h               |      |
| read  | src/llama-mmap.cpp               |      |
| read  | src/llama-mmap.h                 |      |
| read  | src/llama-model-loader.cpp       |      |
| read  | src/llama-model-loader.h         |      |
| read  | src/llama-model-saver.cpp        |      |
| read  | src/llama-model-saver.h          |      |
| read  | src/llama-model.cpp              |      |
| read  | src/llama-model.h                |      |

| Event | Path or command                | Hash |
|-------|--------------------------------|------|
| read  | src/llama-quant.cpp            |      |
| read  | src/llama-quant.h              |      |
| read  | src/llama-sampler.cpp          |      |
| read  | src/llama-sampler.h            |      |
| read  | src/llama-vocab.cpp            |      |
| read  | src/llama-vocab.h              |      |
| read  | src/llama.cpp                  |      |
| read  | src/models/afmoe.cpp           |      |
| read  | src/models/apertus.cpp         |      |
| read  | src/models/arcee.cpp           |      |
| read  | src/models/arctic.cpp          |      |
| read  | src/models/arwkv7.cpp          |      |
| read  | src/models/baichuan.cpp        |      |
| read  | src/models/bailingmoe.cpp      |      |
| read  | src/models/bailingmoe2.cpp     |      |
| read  | src/models/bailingmoe3.cpp     |      |
| read  | src/models/bert.cpp            |      |
| read  | src/models/bitnet.cpp          |      |
| read  | src/models/bloom.cpp           |      |
| read  | src/models/chameleon.cpp       |      |
| read  | src/models/chatglm.cpp         |      |
| read  | src/models/clef.cpp            |      |
| read  | src/models/clip.cpp            |      |
| read  | src/models/codeshell.cpp       |      |
| read  | src/models/cogvlm.cpp          |      |
| read  | src/models/cohere2.cpp         |      |
| read  | src/models/cohere2moe.cpp      |      |
| read  | src/models/command-r.cpp       |      |
| read  | src/models/dbrx.cpp            |      |
| read  | src/models/deci.cpp            |      |
| read  | src/models/deepseek.cpp        |      |
| read  | src/models/deepseek2.cpp       |      |
| read  | src/models/deepseek2ocr.cpp    |      |
| read  | src/models/deepseek32.cpp      |      |
| read  | src/models/deepseek4.cpp       |      |
| read  | src/models/delta-net-base.cpp  |      |
| read  | src/models/dflash.cpp          |      |
| read  | src/models/dots1.cpp           |      |
| read  | src/models/dots3note.cpp       |      |
| read  | src/models/dream.cpp           |      |
| read  | src/models/eagle3.cpp          |      |
| read  | src/models/ernie4-5-moe.cpp    |      |
| read  | src/models/ernie4-5.cpp        |      |
| read  | src/models/eurobert.cpp        |      |
| read  | src/models/exaone-moe.cpp      |      |
| read  | src/models/exaone.cpp          |      |
| read  | src/models/exaone4.cpp         |      |
| read  | src/models/falcon-h1.cpp       |      |
| read  | src/models/falcon.cpp          |      |
| read  | src/models/gemma-embedding.cpp |      |

| Event | Path or command                 | Hash |
|-------|---------------------------------|------|
| read  | src/models/gemma-embedding2.cpp |      |
| read  | src/models/gemma.cpp            |      |
| read  | src/models/gemma2.cpp           |      |
| read  | src/models/gemma3.cpp           |      |
| read  | src/models/gemma3n.cpp          |      |
| read  | src/models/gemma4-assistant.cpp |      |
| read  | src/models/gemma4.cpp           |      |
| read  | src/models/glm-dsa.cpp          |      |
| read  | src/models/glm4-moe.cpp         |      |
| read  | src/models/glm4.cpp             |      |
| read  | src/models/glm5-next.cpp        |      |
| read  | src/models/gpt2.cpp             |      |
| read  | src/models/gptneox.cpp          |      |
| read  | src/models/granite-hybrid.cpp   |      |
| read  | src/models/granite-moe.cpp      |      |
| read  | src/models/granite-swa.cpp      |      |
| read  | src/models/granite-switch.cpp   |      |
| read  | src/models/granite.cpp          |      |
| read  | src/models/grok.cpp             |      |
| read  | src/models/grovemoe.cpp         |      |
| read  | src/models/hrm-text.cpp         |      |
| read  | src/models/hunyuan-dense.cpp    |      |
| read  | src/models/hunyuan-moe.cpp      |      |
| read  | src/models/hunyuan-vl.cpp       |      |
| read  | src/models/hy-v3.cpp            |      |
| read  | src/models/hy-v4.cpp            |      |
| read  | src/models/interlm2.cpp         |      |
| read  | src/models/jais.cpp             |      |
| read  | src/models/jais2.cpp            |      |
| read  | src/models/jamba.cpp            |      |
| read  | src/models/jina-bert-v2.cpp     |      |
| read  | src/models/jina-bert-v3.cpp     |      |
| read  | src/models/k2-horizon.cpp       |      |
| read  | src/models/kimi-k3.cpp          |      |
| read  | src/models/kimi-linear.cpp      |      |
| read  | src/models/laguna.cpp           |      |
| read  | src/models/lfm2.cpp             |      |
| read  | src/models/lfm2moe.cpp          |      |
| read  | src/models/llada-moe.cpp        |      |
| read  | src/models/llada.cpp            |      |
| read  | src/models/llama-embed.cpp      |      |
| read  | src/models/llama.cpp            |      |
| read  | src/models/llama4.cpp           |      |
| read  | src/models/maincoder.cpp        |      |
| read  | src/models/mamba-base.cpp       |      |
| read  | src/models/mamba.cpp            |      |
| read  | src/models/mamba2.cpp           |      |
| read  | src/models/maple.cpp            |      |
| read  | src/models/mellum.cpp           |      |
| read  | src/models/mimo2.cpp            |      |

| Event | Path or command               | Hash |
|-------|-------------------------------|------|
| read  | src/models/minicpm.cpp        |      |
| read  | src/models/minicpm3.cpp       |      |
| read  | src/models/minimax-01.cpp     |      |
| read  | src/models/minimax-m2.cpp     |      |
| read  | src/models/minimax-m3.cpp     |      |
| read  | src/models/mistral3.cpp       |      |
| read  | src/models/mistral4.cpp       |      |
| read  | src/models/models.h           |      |
| read  | src/models/modern-bert.cpp    |      |
| read  | src/models/mpt.cpp            |      |
| read  | src/models/muse-glimmer.cpp   |      |
| read  | src/models/nanbeige.cpp       |      |
| read  | src/models/nemotron-h-moe.cpp |      |
| read  | src/models/nemotron-h.cpp     |      |
| read  | src/models/nemotron.cpp       |      |
| read  | src/models/neo-bert.cpp       |      |
| read  | src/models/nomic-bert-moe.cpp |      |
| read  | src/models/nomic-bert.cpp     |      |
| read  | src/models/olmo.cpp           |      |
| read  | src/models/olmo2.cpp          |      |
| read  | src/models/olmoe.cpp          |      |
| read  | src/models/openai-moe.cpp     |      |
| read  | src/models/openelm.cpp        |      |
| read  | src/models/orion.cpp          |      |
| read  | src/models/paddleocr.cpp      |      |
| read  | src/models/pangu-embed.cpp    |      |
| read  | src/models/phi2.cpp           |      |
| read  | src/models/phi3.cpp           |      |
| read  | src/models/phimoe.cpp         |      |
| read  | src/models/plamo.cpp          |      |
| read  | src/models/plamo2.cpp         |      |
| read  | src/models/plamo3.cpp         |      |
| read  | src/models/plm.cpp            |      |
| read  | src/models/pocketts.cpp       |      |
| read  | src/models/qwen.cpp           |      |
| read  | src/models/qwen2.cpp          |      |
| read  | src/models/qwen2moe.cpp       |      |
| read  | src/models/qwen2vl.cpp        |      |
| read  | src/models/qwen3.cpp          |      |
| read  | src/models/qwen35.cpp         |      |
| read  | src/models/qwen35moe.cpp      |      |
| read  | src/models/qwen3moe.cpp       |      |
| read  | src/models/qwen3next.cpp      |      |
| read  | src/models/qwen3tts.cpp       |      |
| read  | src/models/qwen3vl.cpp        |      |
| read  | src/models/qwen3vlmoe.cpp     |      |
| read  | src/models/qwen4exp.cpp       |      |
| read  | src/models/refact.cpp         |      |
| read  | src/models/rnd1.cpp           |      |
| read  | src/models/rwkv6-base.cpp     |      |

| Event | Path or command                              | Hash |
|-------|----------------------------------------------|------|
| read  | src/models/rwkv6.cpp                         |      |
| read  | src/models/rwkv6qwen2.cpp                    |      |
| read  | src/models/rwkv7-base.cpp                    |      |
| read  | src/models/rwkv7.cpp                         |      |
| read  | src/models/seed-oss.cpp                      |      |
| read  | src/models/smallthinker.cpp                  |      |
| read  | src/models/smollm3.cpp                       |      |
| read  | src/models/spark2-5.cpp                      |      |
| read  | src/models/stablelm.cpp                      |      |
| read  | src/models/starcoder.cpp                     |      |
| read  | src/models/starcoder2.cpp                    |      |
| read  | src/models/step35.cpp                        |      |
| read  | src/models/t5.cpp                            |      |
| read  | src/models/t5encoder.cpp                     |      |
| read  | src/models/talkie.cpp                        |      |
| read  | src/models/wavtokenizer-dec.cpp              |      |
| read  | src/models/xverse.cpp                        |      |
| read  | src/unicode-data.cpp                         |      |
| read  | src/unicode-data.h                           |      |
| read  | src/unicode.cpp                              |      |
| read  | src/unicode.h                                |      |
| read  | tests/gguf-model-data.cpp                    |      |
| read  | tests/gguf-model-data.h                      |      |
| read  | tests/peg-parser/simple-tokenize.cpp         |      |
| read  | tests/peg-parser/simple-tokenize.h           |      |
| read  | tests/peg-parser/test-basic.cpp              |      |
| read  | tests/peg-parser/test-gbnf-generation.cpp    |      |
| read  | tests/peg-parser/test-json-parser.cpp        |      |
| read  | tests/peg-parser/test-json-serialization.cpp |      |
| read  | tests/peg-parser/test-python-dict-parser.cpp |      |
| read  | tests/peg-parser/test-unicode.cpp            |      |
| read  | tests/peg-parser/tests.h                     |      |
| read  | tests/test-alloc.cpp                         |      |
| read  | tests/test-arg-parser.cpp                    |      |
| read  | tests/test-autorelease.cpp                   |      |
| read  | tests/test-backend-ops.cpp                   |      |
| read  | tests/test-backend-sampler.cpp               |      |
| read  | tests/test-barrier.cpp                       |      |
| read  | tests/test-batch-alloc.cpp                   |      |
| read  | tests/test-c.c                               |      |
| read  | tests/test-chat-analysis.cpp                 |      |
| read  | tests/test-chat-auto-parser.cpp              |      |
| read  | tests/test-chat-peg-parser.cpp               |      |
| read  | tests/test-chat-template.cpp                 |      |
| read  | tests/test-chat.cpp                          |      |
| read  | tests/test-col2im-1d.cpp                     |      |
| read  | tests/test-double-float.cpp                  |      |
| read  | tests/test-export-graph-ops.cpp              |      |
| read  | tests/test-fusion.cpp                        |      |
| read  | tests/test-gbnf-validator.cpp                |      |

| Event | Path or command                         | Hash |
|-------|-----------------------------------------|------|
| read  | tests/test-gguf-model-data.cpp          |      |
| read  | tests/test-gguf.cpp                     |      |
| read  | tests/test-grammar-integration.cpp      |      |
| read  | tests/test-grammar-llguidance.cpp       |      |
| read  | tests/test-grammar-parser.cpp           |      |
| read  | tests/test-jinja.cpp                    |      |
| read  | tests/test-json-schema-to-grammar.cpp   |      |
| read  | tests/test-json-schema.cpp              |      |
| read  | tests/test-llama-archs.cpp              |      |
| read  | tests/test-llama-grammar.cpp            |      |
| read  | tests/test-log.cpp                      |      |
| read  | tests/test-lora-conversion-inference.sh |      |
| read  | tests/test-metal-graph-optimize.cpp     |      |
| read  | tests/test-model-load-cancel.cpp        |      |
| read  | tests/test-model-resolution.cpp         |      |
| read  | tests/test-mtmd-c-api.c                 |      |
| read  | tests/test-mtmd-impl.cpp                |      |
| read  | tests/test-opt.cpp                      |      |
| read  | tests/test-peg-parser.cpp               |      |
| read  | tests/test-quant-type-selection.cpp     |      |
| read  | tests/test-quantize-fns.cpp             |      |
| read  | tests/test-quantize-perf.cpp            |      |
| read  | tests/test-quantize-stats.cpp           |      |
| read  | tests/test-reasoning-budget.cpp         |      |
| read  | tests/test-recurrent-state-rollback.cpp |      |
| read  | tests/test-rope.cpp                     |      |
| read  | tests/test-rpc-multi-server.cpp         |      |
| read  | tests/test-rpc-multi-server.sh          |      |
| read  | tests/test-rset-release.cpp             |      |
| read  | tests/test-sampling.cpp                 |      |
| read  | tests/test-save-load-state.cpp          |      |
| read  | tests/test-state-restore-fragmented.cpp |      |
| read  | tests/test-thread-safety.cpp            |      |
| read  | tests/test-tiled-mulmat.cpp             |      |
| read  | tests/test-tokenizer-0.cpp              |      |
| read  | tests/test-tokenizer-0.py               |      |
| read  | tests/test-tokenizer-0.sh               |      |
| read  | tests/test-tokenizer-1-bpe.cpp          |      |
| read  | tests/test-tokenizer-1-spm.cpp          |      |
| read  | tests/test-tokenizer-random.py          |      |
| read  | tests/test-tokenizers-repo.sh           |      |
| read  | tests/test-unicode.cpp                  |      |
| read  | tests/testing.h                         |      |
| read  | tools/batched-bench/batched-bench.cpp   |      |
| read  | tools/batched-bench/main.cpp            |      |
| read  | tools/cli/cli-client.cpp                |      |
| read  | tools/cli/cli-client.h                  |      |
| read  | tools/cli/cli-context.cpp               |      |
| read  | tools/cli/cli-context.h                 |      |
| read  | tools/cli/cli-server.h                  |      |

| Event | Path or command                                                    | Hash |
|-------|--------------------------------------------------------------------|------|
| read  | tools/cli/cli-ui.h                                                 |      |
| read  | tools/cli/cli.cpp                                                  |      |
| read  | tools/cli/main.cpp                                                 |      |
| read  | tools/completion/completion.cpp                                    |      |
| read  | tools/completion/main.cpp                                          |      |
| read  | tools/cvector-generator/cvector-generator.cpp                      |      |
| read  | tools/cvector-generator/mean.hpp                                   |      |
| read  | tools/cvector-generator/pca.hpp                                    |      |
| read  | tools/export-lora/export-lora.cpp                                  |      |
| read  | tools/fit-params/fit-params.cpp                                    |      |
| read  | tools/fit-params/main.cpp                                          |      |
| read  | tools/gguf-split/gguf-split.cpp                                    |      |
| read  | tools/gguf-split/tests.sh                                          |      |
| read  | tools/imatrix/imatrix.cpp                                          |      |
| read  | tools/llama-bench/llama-bench.cpp                                  |      |
| read  | tools/llama-bench/main.cpp                                         |      |
| read  | tools/mtmd/clip-graph.h                                            |      |
| read  | tools/mtmd/clip-impl.h                                             |      |
| read  | tools/mtmd/clip-model.h                                            |      |
| read  | tools/mtmd/clip.cpp                                                |      |
| read  | tools/mtmd/clip.h                                                  |      |
| read  | tools/mtmd/debug/mtmd-debug.cpp                                    |      |
| read  | tools/mtmd/debug/mtmd-debug.h                                      |      |
| read  | tools/mtmd/deprecation-warning.cpp                                 |      |
| read  | tools/mtmd/legacy-models/convert_image_encoder_to_gguf.py          |      |
| read  | tools/mtmd/legacy-models/glmedge-convert-image-encoder-to-gguf.py  |      |
| read  | tools/mtmd/legacy-models/glmedge-surgery.py                        |      |
| read  | tools/mtmd/legacy-models/llava_surgery.py                          |      |
| read  | tools/mtmd/legacy-models/llava_surgery_v2.py                       |      |
| read  | tools/mtmd/legacy-models/minicpmv-convert-image-encoder-to-gguf.py |      |
| read  | tools/mtmd/legacy-models/minicpmv-surgery.py                       |      |
| read  | tools/mtmd/models/cogvlm.cpp                                       |      |
| read  | tools/mtmd/models/conformer.cpp                                    |      |
| read  | tools/mtmd/models/deepseek4v.cpp                                   |      |
| read  | tools/mtmd/models/deepseekocr.cpp                                  |      |
| read  | tools/mtmd/models/deepseekocr2.cpp                                 |      |
| read  | tools/mtmd/models/dots3note.cpp                                    |      |
| read  | tools/mtmd/models/dotsocr.cpp                                      |      |
| read  | tools/mtmd/models/exaone4_5.cpp                                    |      |
| read  | tools/mtmd/models/gemma4a.cpp                                      |      |
| read  | tools/mtmd/models/gemma4ua.cpp                                     |      |
| read  | tools/mtmd/models/gemma4uv.cpp                                     |      |
| read  | tools/mtmd/models/gemma4v.cpp                                      |      |
| read  | tools/mtmd/models/glm4v.cpp                                        |      |
| read  | tools/mtmd/models/granite-speech.cpp                               |      |
| read  | tools/mtmd/models/granite4-vision.cpp                              |      |
| read  | tools/mtmd/models/hunyuanv1.cpp                                    |      |
| read  | tools/mtmd/models/internvl.cpp                                     |      |
| read  | tools/mtmd/models/kimik25.cpp                                      |      |
| read  | tools/mtmd/models/kimiv1.cpp                                       |      |

| Event | Path or command                         | Hash |
|-------|-----------------------------------------|------|
| read  | tools/mtmd/models/ling3vl.cpp           |      |
| read  | tools/mtmd/models/llama4.cpp            |      |
| read  | tools/mtmd/models/llava.cpp             |      |
| read  | tools/mtmd/models/mimo-audio.cpp        |      |
| read  | tools/mtmd/models/mimovl.cpp            |      |
| read  | tools/mtmd/models/minicpmv.cpp          |      |
| read  | tools/mtmd/models/minimax-m3.cpp        |      |
| read  | tools/mtmd/models/mobilenetv5.cpp       |      |
| read  | tools/mtmd/models/models.h              |      |
| read  | tools/mtmd/models/muse-glimmer.cpp      |      |
| read  | tools/mtmd/models/nemotron-v2-vl.cpp    |      |
| read  | tools/mtmd/models/paddleocr.cpp         |      |
| read  | tools/mtmd/models/parakeet.cpp          |      |
| read  | tools/mtmd/models/pixtral.cpp           |      |
| read  | tools/mtmd/models/pockettts-gen.cpp     |      |
| read  | tools/mtmd/models/pockettts-seanet.cpp  |      |
| read  | tools/mtmd/models/pockettts-spkencl.cpp |      |
| read  | tools/mtmd/models/qwen2vl.cpp           |      |
| read  | tools/mtmd/models/qwen3a.cpp            |      |
| read  | tools/mtmd/models/qwen3tts-gen.cpp      |      |
| read  | tools/mtmd/models/qwen3tts-spkencl.cpp  |      |
| read  | tools/mtmd/models/qwen3vl.cpp           |      |
| read  | tools/mtmd/models/siglip.cpp            |      |
| read  | tools/mtmd/models/step3vl.cpp           |      |
| read  | tools/mtmd/models/whisper-enc.cpp       |      |
| read  | tools/mtmd/models/yasa2.cpp             |      |
| read  | tools/mtmd/models/youtuvl.cpp           |      |
| read  | tools/mtmd/mtmd-audio.cpp               |      |
| read  | tools/mtmd/mtmd-audio.h                 |      |
| read  | tools/mtmd/mtmd-cli.cpp                 |      |
| read  | tools/mtmd/mtmd-helper-common.h         |      |
| read  | tools/mtmd/mtmd-helper-gen.cpp          |      |
| read  | tools/mtmd/mtmd-helper.cpp              |      |
| read  | tools/mtmd/mtmd-helper.h                |      |
| read  | tools/mtmd/mtmd-image.cpp               |      |
| read  | tools/mtmd/mtmd-image.h                 |      |
| read  | tools/mtmd/mtmd-internal.h              |      |
| read  | tools/mtmd/mtmd.cpp                     |      |
| read  | tools/mtmd/mtmd.h                       |      |
| read  | tools/mtmd/tests.sh                     |      |
| read  | tools/mtmd/tests/test-deepseek-ocr.py   |      |
| read  | tools/perplexity/main.cpp               |      |
| read  | tools/perplexity/perplexity.cpp         |      |
| read  | tools/quantize/main.cpp                 |      |
| read  | tools/quantize/quantize.cpp             |      |
| read  | tools/quantize/tests.sh                 |      |
| read  | tools/results/results.cpp               |      |
| read  | tools/rpc/rpc-server.cpp                |      |
| read  | tools/server/bench/bench.py             |      |
| read  | tools/server/bench/prometheus.yml       |      |

| Event | Path or command                                       | Hash |
|-------|-------------------------------------------------------|------|
| read  | tools/server/bench/script.js                          |      |
| read  | tools/server/bench/speed-bench/speed_bench.py         |      |
| read  | tools/server/bench/speed-bench/speed_bench_compare.py |      |
| read  | tools/server/main.cpp                                 |      |
| read  | tools/server/server-chat.cpp                          |      |
| read  | tools/server/server-chat.h                            |      |
| read  | tools/server/server-common.cpp                        |      |
| read  | tools/server/server-common.h                          |      |
| read  | tools/server/server-context.cpp                       |      |
| read  | tools/server/server-context.h                         |      |
| read  | tools/server/server-cors-proxy.h                      |      |
| read  | tools/server/server-decision.cpp                      |      |
| read  | tools/server/server-decision.h                        |      |
| read  | tools/server/server-http.cpp                          |      |
| read  | tools/server/server-http.h                            |      |
| read  | tools/server/server-mcp.cpp                           |      |
| read  | tools/server/server-mcp.h                             |      |
| read  | tools/server/server-models.cpp                        |      |
| read  | tools/server/server-models.h                          |      |
| read  | tools/server/server-queue.cpp                         |      |
| read  | tools/server/server-queue.h                           |      |
| read  | tools/server/server-schema.cpp                        |      |
| read  | tools/server/server-schema.h                          |      |
| read  | tools/server/server-stream.cpp                        |      |
| read  | tools/server/server-stream.h                          |      |
| read  | tools/server/server-task.cpp                          |      |
| read  | tools/server/server-task.h                            |      |
| read  | tools/server/server-tools.cpp                         |      |
| read  | tools/server/server-tools.h                           |      |
| read  | tools/server/server.cpp                               |      |
| read  | tools/server/tests/conftest.py                        |      |
| read  | tools/server/tests/fixtures/mcp_burst_server.py       |      |
| read  | tools/server/tests/fixtures/mcp_crash_server.py       |      |
| read  | tools/server/tests/fixtures/mcp_echo_server.py        |      |
| read  | tools/server/tests/fixtures/mcp_grandchild_server.py  |      |
| read  | tools/server/tests/fixtures/mcp_malformed_server.py   |      |
| read  | tools/server/tests/fixtures/mcp_slow_server.py        |      |
| read  | tools/server/tests/pytest.ini                         |      |
| read  | tools/server/tests/tests.sh                           |      |
| read  | tools/server/tests/unit/test_basic.py                 |      |
| read  | tools/server/tests/unit/test_chat_completion.py       |      |
| read  | tools/server/tests/unit/test_compat_anthropic.py      |      |
| read  | tools/server/tests/unit/test_compat_gcp.py            |      |
| read  | tools/server/tests/unit/test_compat_oai_responses.py  |      |
| read  | tools/server/tests/unit/test_completion.py            |      |
| read  | tools/server/tests/unit/test_ctx_shift.py             |      |
| read  | tools/server/tests/unit/test_embedding.py             |      |
| read  | tools/server/tests/unit/test_ignore_eos.py            |      |
| read  | tools/server/tests/unit/test_infill.py                |      |
| read  | tools/server/tests/unit/test_kv_keep_only_active.py   |      |

| Event | Path or command                                                            | Hash |
|-------|----------------------------------------------------------------------------|------|
| read  | tools/server/tests/unit/test_lora.py                                       |      |
| read  | tools/server/tests/unit/test_mcp_servers.py                                |      |
| read  | tools/server/tests/unit/test_metrics.py                                    |      |
| read  | tools/server/tests/unit/test_proxy.py                                      |      |
| read  | tools/server/tests/unit/test_rerank.py                                     |      |
| read  | tools/server/tests/unit/test_router.py                                     |      |
| read  | tools/server/tests/unit/test_security.py                                   |      |
| read  | tools/server/tests/unit/test_sleep.py                                      |      |
| read  | tools/server/tests/unit/test_slot_save.py                                  |      |
| read  | tools/server/tests/unit/test_speculative.py                                |      |
| read  | tools/server/tests/unit/test_stream.py                                     |      |
| read  | tools/server/tests/unit/test_systemone.py                                  |      |
| read  | tools/server/tests/unit/test_template.py                                   |      |
| read  | tools/server/tests/unit/test_tokenize.py                                   |      |
| read  | tools/server/tests/unit/test_tool_call.py                                  |      |
| read  | tools/server/tests/unit/test_tools_builtin.py                              |      |
| read  | tools/server/tests/unit/test_vision_api.py                                 |      |
| read  | tools/server/tests/utlis.py                                                |      |
| read  | tools/tokenize/tokenize.cpp                                                |      |
| read  | tools/tts/tts.cpp                                                          |      |
| read  | tools/tuning/bench.cpp                                                     |      |
| read  | tools/tuning/bench.h                                                       |      |
| read  | tools/tuning/fa-vec.cpp                                                    |      |
| read  | tools/tuning/fa-vec.h                                                      |      |
| read  | tools/tuning/main.cpp                                                      |      |
| read  | tools/ui/.storybook/main.ts                                                |      |
| read  | tools/ui/.storybook/preview.ts                                             |      |
| read  | tools/ui/components.json                                                   |      |
| read  | tools/ui/eslint.config.js                                                  |      |
| read  | tools/ui/package-lock.json                                                 |      |
| read  | tools/ui/package.json                                                      |      |
| read  | tools/ui/playwright.config.ts                                              |      |
| read  | tools/ui/pwa-assets-dark.config.ts                                         |      |
| read  | tools/ui/pwa-assets.config.ts                                              |      |
| read  | tools/ui/scripts/dev.sh                                                    |      |
| read  | tools/ui/scripts/favicon-colorize.ts                                       |      |
| read  | tools/ui/scripts/git-hooks/install.sh                                      |      |
| read  | tools/ui/scripts/git-hooks/pre-commit.sh                                   |      |
| read  | tools/ui/scripts/git-hooks/pre-push.sh                                     |      |
| read  | tools/ui/scripts/make-icons-circular.js                                    |      |
| read  | tools/ui/scripts/vite-plugin-build-info.ts                                 |      |
| read  | tools/ui/scripts/vite-plugin-nerdamer.ts                                   |      |
| read  | tools/ui/scripts/vite-plugin-relativize-base.ts                            |      |
| read  | tools/ui/scripts/vite-plugin-splash-screen.ts                              |      |
| read  | tools/ui/src/app.d.ts                                                      |      |
| read  | tools/ui/src/lib/components/app/actions/index.ts                           |      |
| read  | tools/ui/src/lib/components/app/badges/index.ts                            |      |
| read  | tools/ui/src/lib/components/app/chat/ChatForm/ChatFormContextGauge/cont... |      |
| read  | tools/ui/src/lib/components/app/chat/ChatForm/ChatFormContextGauge/gaug... |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa... |      |

| Event | Path or command                                                               | Hash |
|-------|-------------------------------------------------------------------------------|------|
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/ChatMessages/ChatMessage/ChatMessa...    |      |
| read  | tools/ui/src/lib/components/app/chat/index.ts                                 |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/markdown-handle...    |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/markdown-proces...    |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/markdown-utils.ts     |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/co...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/en...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/en...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/en...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/en...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/en...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/fil... |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/m...   |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/pr...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/re...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/res... |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/sv...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/rehype/ta...  |      |
| read  | tools/ui/src/lib/components/app/content/MarkdownContent/plugins/remark/lit... |      |
| read  | tools/ui/src/lib/components/app/content/index.ts                              |      |
| read  | tools/ui/src/lib/components/app/dialogs/index.ts                              |      |
| read  | tools/ui/src/lib/components/app/forms/index.ts                                |      |
| read  | tools/ui/src/lib/components/app/index.ts                                      |      |
| read  | tools/ui/src/lib/components/app/mcp/McpResourcesBrowser/mcp-resources-b...    |      |
| read  | tools/ui/src/lib/components/app/mcp/index.ts                                  |      |
| read  | tools/ui/src/lib/components/app/misc/index.ts                                 |      |
| read  | tools/ui/src/lib/components/app/models/index.ts                               |      |
| read  | tools/ui/src/lib/components/app/models/utils.ts                               |      |
| read  | tools/ui/src/lib/components/app/navigation/index.ts                           |      |
| read  | tools/ui/src/lib/components/app/server/index.ts                               |      |
| read  | tools/ui/src/lib/components/app/settings/index.ts                             |      |
| read  | tools/ui/src/lib/components/pwa/index.ts                                      |      |
| read  | tools/ui/src/lib/components/ui/alert-dialog/index.ts                          |      |
| read  | tools/ui/src/lib/components/ui/alert/index.ts                                 |      |
| read  | tools/ui/src/lib/components/ui/badge/index.ts                                 |      |
| read  | tools/ui/src/lib/components/ui/button-group/index.ts                          |      |
| read  | tools/ui/src/lib/components/ui/button/index.ts                                |      |
| read  | tools/ui/src/lib/components/ui/card/index.ts                                  |      |
| read  | tools/ui/src/lib/components/ui/checkbox/index.ts                              |      |
| read  | tools/ui/src/lib/components/ui/collapsible/index.ts                           |      |
| read  | tools/ui/src/lib/components/ui/dialog/index.ts                                |      |
| read  | tools/ui/src/lib/components/ui/dropdown-menu/index.ts                         |      |
| read  | tools/ui/src/lib/components/ui/empty/index.ts                                 |      |

| Event | Path or command                                             | Hash |
|-------|-------------------------------------------------------------|------|
| read  | tools/ui/src/lib/components/ui/hover-card/index.ts          |      |
| read  | tools/ui/src/lib/components/ui/input/index.ts               |      |
| read  | tools/ui/src/lib/components/ui/label/index.ts               |      |
| read  | tools/ui/src/lib/components/ui/popover/index.ts             |      |
| read  | tools/ui/src/lib/components/ui/radio-group/index.ts         |      |
| read  | tools/ui/src/lib/components/ui/scroll-area/index.ts         |      |
| read  | tools/ui/src/lib/components/ui/select/index.ts              |      |
| read  | tools/ui/src/lib/components/ui/separator/index.ts           |      |
| read  | tools/ui/src/lib/components/ui/sheet/index.ts               |      |
| read  | tools/ui/src/lib/components/ui/skeleton/index.ts            |      |
| read  | tools/ui/src/lib/components/ui/switch/index.ts              |      |
| read  | tools/ui/src/lib/components/ui/table/index.ts               |      |
| read  | tools/ui/src/lib/components/ui/textarea/index.ts            |      |
| read  | tools/ui/src/lib/components/ui/tooltip/index.ts             |      |
| read  | tools/ui/src/lib/components/ui/utils.ts                     |      |
| read  | tools/ui/src/lib/constants/agent.c.constants.ts             |      |
| read  | tools/ui/src/lib/constants/api-endpoints.constants.ts       |      |
| read  | tools/ui/src/lib/constants/app.constants.ts                 |      |
| read  | tools/ui/src/lib/constants/attachment-menu.constants.ts     |      |
| read  | tools/ui/src/lib/constants/auto-scroll.constants.ts         |      |
| read  | tools/ui/src/lib/constants/binary-detection.constants.ts    |      |
| read  | tools/ui/src/lib/constants/browser-info.ts                  |      |
| read  | tools/ui/src/lib/constants/cache.constants.ts               |      |
| read  | tools/ui/src/lib/constants/chat-form.constants.ts           |      |
| read  | tools/ui/src/lib/constants/chat-tabs.constants.ts           |      |
| read  | tools/ui/src/lib/constants/cli-flags.constants.ts           |      |
| read  | tools/ui/src/lib/constants/code-block.constants.ts          |      |
| read  | tools/ui/src/lib/constants/content-detection.constants.ts   |      |
| read  | tools/ui/src/lib/constants/context-gauge-popup.constants.ts |      |
| read  | tools/ui/src/lib/constants/context-keys.constants.ts        |      |
| read  | tools/ui/src/lib/constants/control-actions.constants.ts     |      |
| read  | tools/ui/src/lib/constants/conversation-import.constants.ts |      |
| read  | tools/ui/src/lib/constants/css-classes.constants.ts         |      |
| read  | tools/ui/src/lib/constants/database.constants.ts            |      |
| read  | tools/ui/src/lib/constants/diagram-blocks.constants.ts      |      |
| read  | tools/ui/src/lib/constants/error.constants.ts               |      |
| read  | tools/ui/src/lib/constants/formatters.constants.ts          |      |
| read  | tools/ui/src/lib/constants/get-datetime.ts                  |      |
| read  | tools/ui/src/lib/constants/headers.constants.ts             |      |
| read  | tools/ui/src/lib/constants/huggingface.constants.ts         |      |
| read  | tools/ui/src/lib/constants/icons.constants.ts               |      |
| read  | tools/ui/src/lib/constants/image.constants.ts               |      |
| read  | tools/ui/src/lib/constants/index.ts                         |      |
| read  | tools/ui/src/lib/constants/key-value-pairs.constants.ts     |      |
| read  | tools/ui/src/lib/constants/latex-protection.constants.ts    |      |
| read  | tools/ui/src/lib/constants/literal-html.constants.ts        |      |
| read  | tools/ui/src/lib/constants/markdown.constants.ts            |      |
| read  | tools/ui/src/lib/constants/max-bundle-size.constants.ts     |      |
| read  | tools/ui/src/lib/constants/mcp-form.constants.ts            |      |
| read  | tools/ui/src/lib/constants/mcp-resource.constants.ts        |      |

| Event | Path or command                                                 | Hash |
|-------|-----------------------------------------------------------------|------|
| read  | tools/ui/src/lib/constants/mcp.constants.ts                     |      |
| read  | tools/ui/src/lib/constants/mention-badge.constants.ts           |      |
| read  | tools/ui/src/lib/constants/mermaid-blocks.constants.ts          |      |
| read  | tools/ui/src/lib/constants/message-export.constants.ts          |      |
| read  | tools/ui/src/lib/constants/model-compatibility.constants.ts     |      |
| read  | tools/ui/src/lib/constants/model-id.constants.ts                |      |
| read  | tools/ui/src/lib/constants/model-loading.constants.ts           |      |
| read  | tools/ui/src/lib/constants/models-discover.constants.ts         |      |
| read  | tools/ui/src/lib/constants/path-display.constants.ts            |      |
| read  | tools/ui/src/lib/constants/precision.constants.ts               |      |
| read  | tools/ui/src/lib/constants/pwa.constants.ts                     |      |
| read  | tools/ui/src/lib/constants/read-media.ts                        |      |
| read  | tools/ui/src/lib/constants/reasoning-effort.constants.ts        |      |
| read  | tools/ui/src/lib/constants/recommended-mcp-servers.constants.ts |      |
| read  | tools/ui/src/lib/constants/routes.constants.ts                  |      |
| read  | tools/ui/src/lib/constants/sandbox.constants.ts                 |      |
| read  | tools/ui/src/lib/constants/settings-keys.constants.ts           |      |
| read  | tools/ui/src/lib/constants/settings.constants.ts                |      |
| read  | tools/ui/src/lib/constants/special-characters.constants.ts      |      |
| read  | tools/ui/src/lib/constants/storage.constants.ts                 |      |
| read  | tools/ui/src/lib/constants/stream.constants.ts                  |      |
| read  | tools/ui/src/lib/constants/supported-file-types.constants.ts    |      |
| read  | tools/ui/src/lib/constants/svg-blocks.constants.ts              |      |
| read  | tools/ui/src/lib/constants/table-html-restorer.constants.ts     |      |
| read  | tools/ui/src/lib/constants/title-generation.constants.ts        |      |
| read  | tools/ui/src/lib/constants/tool-call-args.constants.ts          |      |
| read  | tools/ui/src/lib/constants/tool-ui.constants.ts                 |      |
| read  | tools/ui/src/lib/constants/ui.constants.ts                      |      |
| read  | tools/ui/src/lib/constants/uri-template.constants.ts            |      |
| read  | tools/ui/src/lib/constants/url.constants.ts                     |      |
| read  | tools/ui/src/lib/constants/working-directory.constants.ts       |      |
| read  | tools/ui/src/lib/contexts/chat-form-actions.context.ts          |      |
| read  | tools/ui/src/lib/contexts/chat-message-actions.context.ts       |      |
| read  | tools/ui/src/lib/contexts/chat-message-edit.context.ts          |      |
| read  | tools/ui/src/lib/contexts/index.ts                              |      |
| read  | tools/ui/src/lib/enums/agentive.enums.ts                        |      |
| read  | tools/ui/src/lib/enums/attachment.enums.ts                      |      |
| read  | tools/ui/src/lib/enums/boolean-string.enums.ts                  |      |
| read  | tools/ui/src/lib/enums/chat.enums.ts                            |      |
| read  | tools/ui/src/lib/enums/conversation-import.enums.ts             |      |
| read  | tools/ui/src/lib/enums/files.enums.ts                           |      |
| read  | tools/ui/src/lib/enums/huggingface.enums.ts                     |      |
| read  | tools/ui/src/lib/enums/index.ts                                 |      |
| read  | tools/ui/src/lib/enums/keyboard.enums.ts                        |      |
| read  | tools/ui/src/lib/enums/mcp.enums.ts                             |      |
| read  | tools/ui/src/lib/enums/model.enums.ts                           |      |
| read  | tools/ui/src/lib/enums/reasoning-effort.enums.ts                |      |
| read  | tools/ui/src/lib/enums/server.enums.ts                          |      |
| read  | tools/ui/src/lib/enums/settings.enums.ts                        |      |
| read  | tools/ui/src/lib/enums/splash.enums.ts                          |      |

| Event | Path or command                                                | Hash |
|-------|----------------------------------------------------------------|------|
| read  | tools/ui/src/lib/enums/tools.enums.ts                          |      |
| read  | tools/ui/src/lib/enums/ui.enums.ts                             |      |
| read  | tools/ui/src/lib/hooks/use-attachment-menu.svelte.ts           |      |
| read  | tools/ui/src/lib/hooks/use-auto-scroll.svelte.ts               |      |
| read  | tools/ui/src/lib/hooks/use-chat-form-pickers.svelte.ts         |      |
| read  | tools/ui/src/lib/hooks/use-chat-message-edit-context.svelte.ts |      |
| read  | tools/ui/src/lib/hooks/use-chat-screen-active-model.svelte.ts  |      |
| read  | tools/ui/src/lib/hooks/use-chat-screen-drag-and-drop.svelte.ts |      |
| read  | tools/ui/src/lib/hooks/use-chat-screen-file-upload.svelte.ts   |      |
| read  | tools/ui/src/lib/hooks/use-chat-screen-scroll.svelte.ts        |      |
| read  | tools/ui/src/lib/hooks/use-context-gauge.svelte.ts             |      |
| read  | tools/ui/src/lib/hooks/use-debounced-search.svelte.ts          |      |
| read  | tools/ui/src/lib/hooks/use-draft-messages.svelte.ts            |      |
| read  | tools/ui/src/lib/hooks/use-keyboard-shortcuts.svelte.ts        |      |
| read  | tools/ui/src/lib/hooks/use-marquee-selection.svelte.ts         |      |
| read  | tools/ui/src/lib/hooks/use-models-selector.svelte.ts           |      |
| read  | tools/ui/src/lib/hooks/use-picker-navigation.svelte.ts         |      |
| read  | tools/ui/src/lib/hooks/use-processing-state.svelte.ts          |      |
| read  | tools/ui/src/lib/hooks/use-pwa.svelte.ts                       |      |
| read  | tools/ui/src/lib/hooks/use-reasoning-menu.svelte.ts            |      |
| read  | tools/ui/src/lib/hooks/use-scroll-active-row.svelte.ts         |      |
| read  | tools/ui/src/lib/hooks/use-scroll-carousel.svelte.ts           |      |
| read  | tools/ui/src/lib/hooks/use-tools-panel.svelte.ts               |      |
| read  | tools/ui/src/lib/services/chat.service.ts                      |      |
| read  | tools/ui/src/lib/services/conversation-transfer.service.ts     |      |
| read  | tools/ui/src/lib/services/database.service.ts                  |      |
| read  | tools/ui/src/lib/services/huggingface.service.ts               |      |
| read  | tools/ui/src/lib/services/index.ts                             |      |
| read  | tools/ui/src/lib/services/mcp.service.ts                       |      |
| read  | tools/ui/src/lib/services/migration.service.ts                 |      |
| read  | tools/ui/src/lib/services/models.service.ts                    |      |
| read  | tools/ui/src/lib/services/parameter-sync.service.spec.ts       |      |
| read  | tools/ui/src/lib/services/parameter-sync.service.ts            |      |
| read  | tools/ui/src/lib/services/props.service.ts                     |      |
| read  | tools/ui/src/lib/services/read-media.service.ts                |      |
| read  | tools/ui/src/lib/services/router.service.ts                    |      |
| read  | tools/ui/src/lib/services/sandbox-harness.ts                   |      |
| read  | tools/ui/src/lib/services/sandbox-worker.js                    |      |
| read  | tools/ui/src/lib/services/sandbox.service.ts                   |      |
| read  | tools/ui/src/lib/services/settings.service.ts                  |      |
| read  | tools/ui/src/lib/services/tools.service.ts                     |      |
| read  | tools/ui/src/lib/stores/agent/gates.svelte.ts                  |      |
| read  | tools/ui/src/lib/stores/agent/index.svelte.ts                  |      |
| read  | tools/ui/src/lib/stores/chat/activity.svelte.ts                |      |
| read  | tools/ui/src/lib/stores/chat/context-stats.svelte.ts           |      |
| read  | tools/ui/src/lib/stores/chat/drafts.svelte.ts                  |      |
| read  | tools/ui/src/lib/stores/chat/flows.svelte.ts                   |      |
| read  | tools/ui/src/lib/stores/chat/index.svelte.ts                   |      |
| read  | tools/ui/src/lib/stores/chat/processing.svelte.ts              |      |
| read  | tools/ui/src/lib/stores/chat/streams.svelte.ts                 |      |

| Event | Path or command                                             | Hash |
|-------|-------------------------------------------------------------|------|
| read  | tools/ui/src/lib/stores/conversations/index.svelte.ts       |      |
| read  | tools/ui/src/lib/stores/conversations/preferences.svelte.ts |      |
| read  | tools/ui/src/lib/stores/device.svelte.ts                    |      |
| read  | tools/ui/src/lib/stores/index.ts                            |      |
| read  | tools/ui/src/lib/stores/init.ts                             |      |
| read  | tools/ui/src/lib/stores/mcp/health.svelte.ts                |      |
| read  | tools/ui/src/lib/stores/mcp/index.svelte.ts                 |      |
| read  | tools/ui/src/lib/stores/mcp/resources.svelte.ts             |      |
| read  | tools/ui/src/lib/stores/models/index.svelte.ts              |      |
| read  | tools/ui/src/lib/stores/models/props.svelte.ts              |      |
| read  | tools/ui/src/lib/stores/models/status.svelte.ts             |      |
| read  | tools/ui/src/lib/stores/permissions.svelte.ts               |      |
| read  | tools/ui/src/lib/stores/server.svelte.ts                    |      |
| read  | tools/ui/src/lib/stores/settings/index.svelte.ts            |      |
| read  | tools/ui/src/lib/stores/tabs.svelte.ts                      |      |
| read  | tools/ui/src/lib/stores/tools.svelte.ts                     |      |
| read  | tools/ui/src/lib/stores/ui.svelte.ts                        |      |
| read  | tools/ui/src/lib/stores/version.svelte.ts                   |      |
| read  | tools/ui/src/lib/types/agent.d.ts                           |      |
| read  | tools/ui/src/lib/types/api.d.ts                             |      |
| read  | tools/ui/src/lib/types/chat-form-input-rich.d.ts            |      |
| read  | tools/ui/src/lib/types/chat.d.ts                            |      |
| read  | tools/ui/src/lib/types/common.d.ts                          |      |
| read  | tools/ui/src/lib/types/database.d.ts                        |      |
| read  | tools/ui/src/lib/types/glob.d.ts                            |      |
| read  | tools/ui/src/lib/types/huggingface.d.ts                     |      |
| read  | tools/ui/src/lib/types/index.ts                             |      |
| read  | tools/ui/src/lib/types/mcp.d.ts                             |      |
| read  | tools/ui/src/lib/types/models.d.ts                          |      |
| read  | tools/ui/src/lib/types/navigation.d.ts                      |      |
| read  | tools/ui/src/lib/types/reasoning.ts                         |      |
| read  | tools/ui/src/lib/types/search.d.ts                          |      |
| read  | tools/ui/src/lib/types/settings.d.ts                        |      |
| read  | tools/ui/src/lib/types/splash.ts                            |      |
| read  | tools/ui/src/lib/types/tools.d.ts                           |      |
| read  | tools/ui/src/lib/utls/abort.ts                              |      |
| read  | tools/ui/src/lib/utls/agent.d.ts                            |      |
| read  | tools/ui/src/lib/utls/api-fetch.ts                          |      |
| read  | tools/ui/src/lib/utls/api-headers.ts                        |      |
| read  | tools/ui/src/lib/utls/api-key-validation.ts                 |      |
| read  | tools/ui/src/lib/utls/attachment-display.ts                 |      |
| read  | tools/ui/src/lib/utls/attachment-type.ts                    |      |
| read  | tools/ui/src/lib/utls/audio-format.ts                       |      |
| read  | tools/ui/src/lib/utls/audio-recording.ts                    |      |
| read  | tools/ui/src/lib/utls/autoresize-textarea.ts                |      |
| read  | tools/ui/src/lib/utls/branching.ts                          |      |
| read  | tools/ui/src/lib/utls/browser-info.ts                       |      |
| read  | tools/ui/src/lib/utls/browser-only.ts                       |      |
| read  | tools/ui/src/lib/utls/cache-ttl.ts                          |      |
| read  | tools/ui/src/lib/utls/cap-img-size.ts                       |      |

| Event | Path or command                                           | Hash |
|-------|-----------------------------------------------------------|------|
| read  | tools/ui/src/lib/utils/chat-commands.ts                   |      |
| read  | tools/ui/src/lib/utils/chat-form-input-rich-tokenizer.ts  |      |
| read  | tools/ui/src/lib/utils/chat-template-thinking-detector.ts |      |
| read  | tools/ui/src/lib/utils/chat-template-tool-detector.ts     |      |
| read  | tools/ui/src/lib/utils/clipboard.ts                       |      |
| read  | tools/ui/src/lib/utils/code.ts                            |      |
| read  | tools/ui/src/lib/utils/command-token.ts                   |      |
| read  | tools/ui/src/lib/utils/compute-line-diff.ts               |      |
| read  | tools/ui/src/lib/utils/config-helpers.ts                  |      |
| read  | tools/ui/src/lib/utils/conversation-utils.ts              |      |
| read  | tools/ui/src/lib/utils/convert-files-to-extra.ts          |      |
| read  | tools/ui/src/lib/utils/cors-proxy.ts                      |      |
| read  | tools/ui/src/lib/utils/css.ts                             |      |
| read  | tools/ui/src/lib/utils/data-url.ts                        |      |
| read  | tools/ui/src/lib/utils/debounce.ts                        |      |
| read  | tools/ui/src/lib/utils/file-preview.ts                    |      |
| read  | tools/ui/src/lib/utils/file-type.ts                       |      |
| read  | tools/ui/src/lib/utils/formatters.ts                      |      |
| read  | tools/ui/src/lib/utils/get-datetime.ts                    |      |
| read  | tools/ui/src/lib/utils/glob-search.ts                     |      |
| read  | tools/ui/src/lib/utils/headers.ts                         |      |
| read  | tools/ui/src/lib/utils/heic-to-jpeg.ts                    |      |
| read  | tools/ui/src/lib/utils/image-error-fallback.ts            |      |
| read  | tools/ui/src/lib/utils/index.ts                           |      |
| read  | tools/ui/src/lib/utils/is-ime-composing.ts                |      |
| read  | tools/ui/src/lib/utils/jpeg-orientation.ts                |      |
| read  | tools/ui/src/lib/utils/latex-protection.ts                |      |
| read  | tools/ui/src/lib/utils/mcp.ts                             |      |
| read  | tools/ui/src/lib/utils/mention-badge.ts                   |      |
| read  | tools/ui/src/lib/utils/mention-token.ts                   |      |
| read  | tools/ui/src/lib/utils/modality-file-validation.ts        |      |
| read  | tools/ui/src/lib/utils/model-compatibility.ts             |      |
| read  | tools/ui/src/lib/utils/model-names.ts                     |      |
| read  | tools/ui/src/lib/utils/parse-exec-shell-error.ts          |      |
| read  | tools/ui/src/lib/utils/parse-exec-shell-status.ts         |      |
| read  | tools/ui/src/lib/utils/parse-partial-json-args.ts         |      |
| read  | tools/ui/src/lib/utils/path-display.ts                    |      |
| read  | tools/ui/src/lib/utils/pdf-processing.ts                  |      |
| read  | tools/ui/src/lib/utils/portal-to-body.ts                  |      |
| read  | tools/ui/src/lib/utils/precision.ts                       |      |
| read  | tools/ui/src/lib/utils/process-uploaded-files.ts          |      |
| read  | tools/ui/src/lib/utils/progress.ts                        |      |
| read  | tools/ui/src/lib/utils/redact.ts                          |      |
| read  | tools/ui/src/lib/utils/request-helpers.ts                 |      |
| read  | tools/ui/src/lib/utils/sandbox-tool.ts                    |      |
| read  | tools/ui/src/lib/utils/sanitize-svg.ts                    |      |
| read  | tools/ui/src/lib/utils/sanitize.ts                        |      |
| read  | tools/ui/src/lib/utils/search-results.ts                  |      |
| read  | tools/ui/src/lib/utils/sidecars.ts                        |      |
| read  | tools/ui/src/lib/utils/source-history.ts                  |      |

| Event | Path or command                                                     | Hash |
|-------|---------------------------------------------------------------------|------|
| read  | tools/ui/src/lib/utils/sse.ts                                       |      |
| read  | tools/ui/src/lib/utils/stream-identity.ts                           |      |
| read  | tools/ui/src/lib/utils/svg-shadow.ts                                |      |
| read  | tools/ui/src/lib/utils/svg-to-png.ts                                |      |
| read  | tools/ui/src/lib/utils/syntax-highlight-language.ts                 |      |
| read  | tools/ui/src/lib/utils/text-files.ts                                |      |
| read  | tools/ui/src/lib/utils/text.ts                                      |      |
| read  | tools/ui/src/lib/utils/tool-call-meta.ts                            |      |
| read  | tools/ui/src/lib/utils/tool-ui.ts                                   |      |
| read  | tools/ui/src/lib/utils/uri-template.ts                              |      |
| read  | tools/ui/src/lib/utils/url.ts                                       |      |
| read  | tools/ui/src/lib/utils/uuid.ts                                      |      |
| read  | tools/ui/src/lib/utils/webp-to-png.ts                               |      |
| read  | tools/ui/src/lib/utils/working-directory.ts                         |      |
| read  | tools/ui/src/lib/vendors/big-integer/BigInteger.js                  |      |
| read  | tools/ui/src/lib/vendors/decimal.js/decimal.js                      |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/Algebra.js                  |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/Calculus.js                 |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/Extra.js                    |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/Solve.js                    |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/all.js                      |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/constants.js                |      |
| read  | tools/ui/src/lib/vendors/nerdamer-prime/nerdamer.core.js            |      |
| read  | tools/ui/src/lib/vendors/package.json                               |      |
| read  | tools/ui/src/routes/(chat)/+page.ts                                 |      |
| read  | tools/ui/src/routes/(chat)/chat/[id]/+page.ts                       |      |
| read  | tools/ui/src/virtual-nerdamer.d.ts                                  |      |
| read  | tools/ui/svelte.config.js                                           |      |
| read  | tools/ui/tests/client/agent-ic-stream.perf.svelte.test.ts           |      |
| read  | tools/ui/tests/client/apikey-splash.svelte.test.ts                  |      |
| read  | tools/ui/tests/client/cap-img-size.svelte.test.ts                   |      |
| read  | tools/ui/tests/client/chat-form-enter-code-block.svelte.test.ts     |      |
| read  | tools/ui/tests/client/chat-form-input-rich-blocks.svelte.test.ts    |      |
| read  | tools/ui/tests/client/chat-form-input-rich-undo.svelte.test.ts      |      |
| read  | tools/ui/tests/client/chat-form-input-rich.svelte.test.ts           |      |
| read  | tools/ui/tests/client/chat-form-mention-picker-gate.svelte.test.ts  |      |
| read  | tools/ui/tests/client/chat-form-slash-commands.svelte.test.ts       |      |
| read  | tools/ui/tests/client/collapsible-lazy-body.svelte.test.ts          |      |
| read  | tools/ui/tests/client/components/agent-ic-perf-state.svelte.ts      |      |
| read  | tools/ui/tests/client/conversation-import-db.svelte.test.ts         |      |
| read  | tools/ui/tests/client/mcp-display-name.svelte.test.ts               |      |
| read  | tools/ui/tests/client/mcp-server-form.svelte.test.ts                |      |
| read  | tools/ui/tests/client/page.svelte.test.ts                           |      |
| read  | tools/ui/tests/client/picker-list-scroll.svelte.test.ts             |      |
| read  | tools/ui/tests/client/sandbox.service.svelte.test.ts                |      |
| read  | tools/ui/tests/client/settings-registry-invariants.svelte.test.ts   |      |
| read  | tools/ui/tests/client/settings-render-keys-migration.svelte.test.ts |      |
| read  | tools/ui/tests/client/ui-settings-sync.svelte.test.ts               |      |
| read  | tools/ui/tests/client/update-message-in-place.svelte.test.ts        |      |
| read  | tools/ui/tests/e2e/pwa.e2e.ts                                       |      |

| Event | Path or command                                            | Hash |
|-------|------------------------------------------------------------|------|
| read  | tools/ui/tests/stories/fixtures/ai-tutorial.ts             |      |
| read  | tools/ui/tests/stories/fixtures/api-docs.ts                |      |
| read  | tools/ui/tests/stories/fixtures/blog-post.ts               |      |
| read  | tools/ui/tests/stories/fixtures/data-analysis.ts           |      |
| read  | tools/ui/tests/stories/fixtures/empty.ts                   |      |
| read  | tools/ui/tests/stories/fixtures/math-formulas.ts           |      |
| read  | tools/ui/tests/stories/fixtures/readme.ts                  |      |
| read  | tools/ui/tests/stories/fixtures/storybook-mocks.ts         |      |
| read  | tools/ui/tests/unit/abort.test.ts                          |      |
| read  | tools/ui/tests/unit/agentive-hotpath.bench.ts              |      |
| read  | tools/ui/tests/unit/agentive-sections.test.ts              |      |
| read  | tools/ui/tests/unit/agentive-strip.test.ts                 |      |
| read  | tools/ui/tests/unit/assistant-raw-output.test.ts           |      |
| read  | tools/ui/tests/unit/branching.test.ts                      |      |
| read  | tools/ui/tests/unit/chat-activity.test.ts                  |      |
| read  | tools/ui/tests/unit/chat-form-input-rich-tokenizer.test.ts |      |
| read  | tools/ui/tests/unit/chat-form-input-rich-word-jump.test.ts |      |
| read  | tools/ui/tests/unit/classify-tool-result.test.ts           |      |
| read  | tools/ui/tests/unit/clipboard.test.ts                      |      |
| read  | tools/ui/tests/unit/code.test.ts                           |      |
| read  | tools/ui/tests/unit/command-token.test.ts                  |      |
| read  | tools/ui/tests/unit/compute-line-diff.test.ts              |      |
| read  | tools/ui/tests/unit/continue-intent.test.ts                |      |
| read  | tools/ui/tests/unit/conversation-export.test.ts            |      |
| read  | tools/ui/tests/unit/conversation-import.test.ts            |      |
| read  | tools/ui/tests/unit/conversations-store.test.ts            |      |
| read  | tools/ui/tests/unit/favicon-colorize.test.ts               |      |
| read  | tools/ui/tests/unit/glob-search-children.test.ts           |      |
| read  | tools/ui/tests/unit/headers.test.ts                        |      |
| read  | tools/ui/tests/unit/hf-helpers.test.ts                     |      |
| read  | tools/ui/tests/unit/jpeg-orientation.test.ts               |      |
| read  | tools/ui/tests/unit/latex-protection.test.ts               |      |
| read  | tools/ui/tests/unit/mcp-default-overrides-merge.test.ts    |      |
| read  | tools/ui/tests/unit/mcp-servers-default.test.ts            |      |
| read  | tools/ui/tests/unit/mcp-service.test.ts                    |      |
| read  | tools/ui/tests/unit/mention-badge.test.ts                  |      |
| read  | tools/ui/tests/unit/mention-segments.test.ts               |      |
| read  | tools/ui/tests/unit/mention-token.test.ts                  |      |
| read  | tools/ui/tests/unit/model-compatibility.test.ts            |      |
| read  | tools/ui/tests/unit/model-id-parser.test.ts                |      |
| read  | tools/ui/tests/unit/model-names.test.ts                    |      |
| read  | tools/ui/tests/unit/model-sidecar-grammar.test.ts          |      |
| read  | tools/ui/tests/unit/parse-exec-shell-status.test.ts        |      |
| read  | tools/ui/tests/unit/parse-mcp-server-settings.test.ts      |      |
| read  | tools/ui/tests/unit/parse-toolcalls-memo.test.ts           |      |
| read  | tools/ui/tests/unit/partial-tool-call-cleanup.test.ts      |      |
| read  | tools/ui/tests/unit/pwa.spec.ts                            |      |
| read  | tools/ui/tests/unit/reasoning-context.test.ts              |      |
| read  | tools/ui/tests/unit/redact.test.ts                         |      |
| read  | tools/ui/tests/unit/request-helpers.test.ts                |      |

| Event   | Path or command                                                                | Hash |
|---------|--------------------------------------------------------------------------------|------|
| read    | tools/ui/tests/unit/sanitize-headers.test.ts                                   |      |
| read    | tools/ui/tests/unit/search-results-fixture.test.ts                             |      |
| read    | tools/ui/tests/unit/search-results.test.ts                                     |      |
| read    | tools/ui/tests/unit/settings-private-fields.test.ts                            |      |
| read    | tools/ui/tests/unit/source-history.test.ts                                     |      |
| read    | tools/ui/tests/unit/sse.test.ts                                                |      |
| read    | tools/ui/tests/unit/stream-discovery.test.ts                                   |      |
| read    | tools/ui/tests/unit/stream-resume.test.ts                                      |      |
| read    | tools/ui/tests/unit/tool-call-meta.test.ts                                     |      |
| read    | tools/ui/tests/unit/tool-calls.test.ts                                         |      |
| read    | tools/ui/tests/unit/uri-template.test.ts                                       |      |
| read    | tools/ui/tests/unit/working-directory.test.ts                                  |      |
| read    | tools/ui/tsconfig.json                                                         |      |
| read    | tools/ui/vite.config.ts                                                        |      |
| read    | tools/ui/vitest-setup-client.ts                                                |      |
| read    | tools/ui/vitest.shims.d.ts                                                     |      |
| read    | ty.toml                                                                        |      |
| read    | vendor/cpp-http/lib/http/lib.cpp                                               |      |
| read    | vendor/cpp-http/lib/http/lib.h                                                 |      |
| read    | vendor/hash/hash.cpp                                                           |      |
| read    | vendor/hash/hash.h                                                             |      |
| read    | vendor/hash/rotate-bits/rotate-bits.h                                          |      |
| read    | vendor/hash/sha1/sha1.c                                                        |      |
| read    | vendor/hash/sha1/sha1.h                                                        |      |
| read    | vendor/hash/sha256/sha256.c                                                    |      |
| read    | vendor/hash/sha256/sha256.h                                                    |      |
| read    | vendor/hash/xxhash/xxhash.c                                                    |      |
| read    | vendor/hash/xxhash/xxhash.h                                                    |      |
| read    | vendor/miniaudio/miniaudio.h                                                   |      |
| read    | vendor/nlohmann/json.hpp                                                       |      |
| read    | vendor/nlohmann/json_fwd.hpp                                                   |      |
| read    | vendor/sheredom/subprocess.h                                                   |      |
| read    | vendor/stb/stb_image.h                                                         |      |
| read    | build/bin/llama-perplexity                                                     |      |
| process | build/bin/llama-bench -m /var/tmp/kv-repro/016-ggml-org-llama.cpp/data/qw...   |      |
| process | tee /var/tmp/kv-repro/016-ggml-org-llama.cpp/ppl.out                           |      |
| process | build/bin/llama-perplexity -m /var/tmp/kv-repro/016-ggml-org-llama.cpp/data... |      |
| process | python - /var/tmp/kv-repro/016-ggml-org-llama.cpp/ppl.out                      |      |

## C Run history

### Invocation 1, OK, 2 minutes 11 seconds, 144 output lines, started 2026-10-07T17:35:03

```
metric_hash a7e09db02277a085b8b94ea0b92064fa2831b5d59b0b1467b207d676a4ae30bc
run_digest bcf8b1bc48617f1fedb25493d4fa8f8ba4e65ded55761cdbe47438aef7e21c89
anchored   at run end
```

## D Raw seal fields and hashes

### Seal

```
data_hash          b984556d40a3984d6689ad4afa528098bf4626b887cada3a059b5bfa54876972
signed_message_hash 7a803f23f5c7ef28896e2c17fc5199f4afcbcb881e03ff41e97c0413f2568cd07
nonce             7fd77f4a13cb2803cb208b0e6314bbb1
signed_at         2026-10-07T17:37:18.093006+00:00
sealed_at         2026-10-07T17:37:18.159563503Z
checkout_bundle   d44e81d34d7ff1761a08a4ed7a7e39928e6dc88af32b46abc4b4d3e3c6c639f8
```

### Signature (base64)

```
v0yHw+256isBdA9pCeq4L5MzJ9c1yKHvL7rPVdx3cf5bD4pwSIJ80xbLLM0l9m3sURcYcJbi0bnpI9V9Iuc2e7Ej
82aF31YSc8MDjds0s1eLHiZFStoKF+ChKsXz6tAe0QFkaL0jgANxEYr9p8iqWzJ3p7LlB19Z2lqzeUu9NkNy8j2C
70CHYXU8N2bn82PNuT03ugDLyXt0sa36XfA6YmgR3RcLadw9j/PucMhVNIj/JR6b2QvLnPXPc40y2+mdErSx+WhQ
mporaHsXvuPSwHk45ceK6iiIlfMYLLzyqRKpsgesSwbLShk14xk35/9wEQr8N5+u68nDvw/ggK0QktMenINDRUZA
q6WSAF2bQ90X1RuEBF2KEHGdca2ZFwf9nLIaDHYu3SHu/fpZIUWcGUyvxQixGLZ2iLH+xhp9W4Hb2wEPuth0m9DW
DJoPwbsMsiawonpaM82JSBrAmYVvw+91Y6rAEXq8TU3Z/6A2s9qdnU2650/IKrsHM0kyCt7Qa/BF57Q5a5q3yjsE
N7Z1B4vzz+pS7nA0QGoAFqlxDW6P2bM1P1h+G5uZt8uoFzXKUPl0SLYmV5qwaijFBHLqfdSLRVxerLmkv8mN87DF
aSonasgRE/oqD3kePoax6xPR32yZKrZhZ0NCREZkYljBA2H1+WVGLPUxu1dfwAD8XzU=
```

### Public key

```
-----BEGIN PUBLIC KEY-----
MIICIjANBgqhkiG9w0BAQEFAAOCAg8AMIICCGKCAgEA1QL3YyMgeShx8IhTC7jb
sM0w2BnRXgsBn3+SMXKjtwHATqdekmlP1cjayJxD5fcProPPCqp/LouFz5CUZzRi
6+8FTv70dHuIz5A4LAT4vcgwP+iWscPc3HzpmjpsKbTm0emqgp6RB6GNNpxYa5X
7qU95EFEEisX/GfoS9ToxtqPBwCcVWSPBX8efec4TC58m96Fsp4mC8KICeadbIbHN
av0JjdTJ//CMOWZSIbdzE6qvEbNfcqDB5tNU7oHfYvBeNLrvPU9TAqdbtozdhdQ+D
AhfTRuJNgWEkjwD5lb0Vhi4qlkweSOEMTKT3ye9IL5xEaJn4bku4eKqeS7VSZt3o
XbUcmr2H5mKcKsvt6bXmX6ajAmgi900Cm9QJlaQkJM6z2iITnyvDMgueJtFxQpC9
HNBPGpZ242NH8JgE6CNF7ToL9syasS67u7UMgICnGeNHnCy9bLgPU5annzP9gN2l
6HEMLdkXNdKQRb1rDwyEJf3N/50YHnXXPmuf5sb8R/pxWNqtF04R5UGVV92qd2Mi
1GN7LE3mbQRbPsLL/JApDXMNzNikaFfBsQK7iKxr7vIaTeZckFZWfThcYNT7Hasg
+eE4bf/olCHBCf1VIDCKDxoehdZ0WRRcgM9iK3I/0zZdaBsgdc8WuJRmb8LPP9v
8Jap/1PWjNcNku5cdW3gHLcCAwEAAQ==
-----END PUBLIC KEY-----
```

### Run 1 outputs

```
stdout 958b0f65dd663b6d740741b1187aa551c51b0ba2fc8a0c87798ff7bcd45b3f81
stderr 56e622f02402f0f157ddd139ec4a4d0b693932359ce70aee129b197b21171cbd
metrics a7e09db02277a085b8b94ea0b92064fa2831b5d59b0b1467b207d676a4ae30bc
digest bcf8b1bc48617f1fedb25493d4fa8f8ba4e65ded55761cdbe47438aef7e21c89
kv_run.sh (unchanged)
pre 4c36318136504af5852d6b66a3533ab9b0bc66eadecbd6f15ad4a6027f9ef338
post 4c36318136504af5852d6b66a3533ab9b0bc66eadecbd6f15ad4a6027f9ef338
```

## E BibTeX for [1]

```
@misc{keita2026computerscienceconferencesrequire,
  title={Computer Science Conferences Should Require Nonrepudiable Experimental Results},
  author={Mamadou K. Keita and Christopher Homan},
  year={2026},
  eprint={2605.08586},
  archivePrefix={arXiv},
  primaryClass={cs.CR},
  url={https://arxiv.org/abs/2605.08586},
}
```