

# Math Notes

K

March 6, 2020

## Contents

<b>1</b>	<b>Right Triangle Properites</b>	<b>2</b>
1.1	Pythagorean Theorem . . . . .	2
1.2	Quadratic Formula . . . . .	2
1.3	Trigonometric Functions . . . . .	2
<b>2</b>	<b>1 Dimensional Motion</b>	<b>2</b>
2.1	Kinematic Equations . . . . .	2
<b>3</b>	<b>Constants</b>	<b>3</b>

# 1 Right Triangle Properities

## 1.1 Pythagorean Theorem

$$a^2 + b^2 = c^2$$

## 1.2 Quadratic Formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

## 1.3 Trigonometric Functions

$$\begin{aligned} \sin(\theta) &= \frac{\textit{Opposite}}{\textit{Hypotenuse}} & \cos(\theta) &= \frac{\textit{Adjacent}}{\textit{Hypotenuse}} & \tan(\theta) &= \frac{\textit{Opposite}}{\textit{Adjacent}} \\ &= \frac{y}{1} = y & &= \frac{x}{1} = x & &= \frac{y}{x} \\ & & & & &= \frac{\sin(\theta)}{\cos(\theta)} \end{aligned}$$

$$\sec(\theta) = \frac{1}{\sin(\theta)} \quad \csc(\theta) = \frac{1}{\cos(\theta)} \quad \cot(\theta) = \frac{\cos(\theta)}{\sin(\theta)}$$

# 2 1 Dimensional Motion

$$\begin{aligned} v_f &= v + at \\ s_f &= s_i v_i t + \frac{1}{2}at^2 \end{aligned}$$

## 2.1 Kinematic Equations

$$\begin{aligned} v &= v_0 + at \\ \Delta x &= \left( \frac{v + v_0}{2} \right) t \\ \Delta x &= v_0 t + \frac{1}{2}at^2 \\ v^2 &= v_0^2 + 2a\Delta x \end{aligned}$$

## 3 Constants

Source: <https://session.masteringphysics.com/bookAsset/knight4/constantsPage>