

Capture the Flag 5: Make the System Interactive

Goal: Transform your Student Directory into an interactive application where administrators can favorite students, edit information, and remove records using Flutter interactions and state management.

Instructor Note

These activities require your own problem-solving and research skills.

DO NOT use AI to generate the code for you.

You may use AI to:

- Research what a Dart/Flutter feature does
- Understand syntax
- Explain an error (not fix your error)
- Clarify documentation

You may NOT ask AI to generate the solution/code for a flag.

Flag 0 — Create Your Feature Branch

Objective: Create a new feature branch before adding interactions.

Create:

`feature/student-interactions`

Screenshot:

- Terminal showing your current branch

```

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-li
st)
$ git status
On branch feature/student-list
Your branch is up to date with 'origin/feature/student-list'.

nothing to commit, working tree clean

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-li
st)
$ git branch
  feature/data-ui
* feature/student-list
  feature/widgets
  main

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-li
st)
$ git checkout -b feature/student-interactions
Switched to a new branch 'feature/student-interactions'

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-in
teractions)
$ git branch
  feature/data-ui
* feature/student-interactions
  feature/student-list
  feature/widgets
  main

```

🚩 Flag 1 — Wake Up the Buttons

Add at least two buttons inside each Student Card.

Example actions:

- Favorite
- Edit

Objective: Make your Student Card respond to button presses using `onPressed`.

Right now your buttons are only decorations.

Research how Flutter's `onPressed` works.


The buttons do not need to perform their final behavior yet. They simply need to respond when pressed.

Test


When a button is pressed, your app should visibly react in some way (such as printing a message or showing a temporary notification).

Screenshot:

- Student Card with buttons
- `onPressed` inside your code
- Button reacting or terminal message



```
182
183
184
185 // scholar button
186 ElevatedButton.icon(
187   onPressed: () {
188     print("${profile.name} Scholar pressed");
189
190     ScaffoldMessenger.of(context).showSnackBar(
191       SnackBar(
192         content: Text("${profile.name} marked as Scholar"),
193         duration: Duration(seconds: 1),
194       ), // SnackBar
195     );
196   },
197   icon: Icon(Icons.school),
198   label: Text("Scholar"),
199 ), // ElevatedButton.icon
200
201 SizedBox(width: 10),
202 // edit button
203 ElevatedButton.icon(
204   onPressed: () {
205     print("${profile.name} Edit pressed");
206
207     ScaffoldMessenger.of(context).showSnackBar(
208       SnackBar(
209         content: Text("Edit ${profile.name}"),
210         duration: Duration(seconds: 1),
211       ), // SnackBar
212     );
213   },
214   icon: Icon(Icons.edit),
215   label: Text("Edit"),
216 ), // ElevatedButton.icon
217 ],
218 ), // Row
219
```



🚩 Flag 2 — Touch Anywhere

Objective: Make the entire Student Card tappable using **onTap**.

Buttons aren't the only interactive elements.

Research Flutter's **onTap**.

Wrap your Student Card so tapping anywhere on the card triggers an interaction.

Test

The user should be able to:


- Tap the Favorite button
- Tap the Edit button
- Tap anywhere else on the Student Card

Each interaction should be recognized separately. (One function for the 2 buttons, another for the Student Card)

Screenshot:

- `onTap` in your code
- Student Card being tapped

PS: ma'am akoo gi scholar button hereee



```
122     onTap: () {
123       print("${profile.name} profile selected");
124
125       ScaffoldMessenger.of(context).showSnackBar(
126         SnackBar(
127           content: Text("${profile.name} profile selected"),
128           duration: Duration(seconds: 1),
129         ), // SnackBar
130       );
131     },
```

🚩 Flag 3 — Discover `setState`

Objective: Update the screen immediately using `setState`.

So far your app reacts. But does the UI actually change?

Research Flutter's `setState`.

Use it so pressing a button immediately updates something visible on the screen.

Examples include:

- Changing text
- Changing an icon
- Updating a counter

The important part is understanding that `setState` tells Flutter to rebuild the UI.


Test

The screen should visibly change immediately after pressing the button.

Screenshot:

- `setState` in your code
- Before and after interaction

```
201 // scholar button
202 ElevatedButton.icon(
203   onPressed: () {
204     setState(() {
205       profile.isScholar = !profile.isScholar;
206     });
207   }
```



🚩 Flag 4 — Favorite Students

Objective: Let administrators mark students as favorites.

Schools often need to highlight important records.

Add a favorite feature that changes a student's appearance when marked.

Possible visual changes include:

- Filled heart/star
- Different card color
- Favorite label

Each student's favorite status should work independently.


Test

- Favorite one student.
- Other students should remain unchanged.
- Favorite another student.

Both should keep their own state.

Screenshot:

- Favorited student
- Non-favorited student
- Favorite icon changing



🚩 Flag 5 — Remove a Student

Objective: Delete a student from the directory.

Research how to remove an item from a Dart [List](#).

Add a Delete action that removes a student from your list.

The UI should immediately update after deletion.

Test

Before:

- Student A
- Student B
- Student C


After deleting Student B:

- Student A
- Student C

No empty spaces should remain.

Screenshot:

- Student before deletion
- Student after deletion



🚩 Flag 6 — Edit Trigger

Objective: Prepare your app for editing student information.

In the next CTF you'll build a full Edit Screen.

For now, create an Edit trigger.

Research simple ways Flutter can display temporary editing interfaces.

Examples include:

- `AlertDialog`
- `SnackBar`
- Bottom Sheet


The goal is simply to launch an edit action, not build the complete editor yet.

Test

Pressing Edit should open your chosen interface.

Screenshot:

- Edit button
- Opened dialog, snackbar, or bottom sheet



```
240 // edit button
241 SizedBox(
242   width: 105,
243   child: ElevatedButton.icon(
244     style: ElevatedButton.styleFrom(
245       padding: const EdgeInsets.symmetric(horizontal: 6),
246     ),
247     onPressed: () {
248       showDialog(
249         context: context,
250         builder: (context) {
251           return AlertDialog(
252             title: Text("Edit ${profile.name}"),
253             content: const Text("Hello! Edit form coming soon pa eme."),
254             actions: [
255               TextButton(
256                 onPressed: () => Navigator.pop(context),
257                 child: const Text("Close"),
258               ), // TextButton
259             ],
260           ); // AlertDialog
261         },
262       );
263     },
264     icon: const Icon(Icons.edit, size: 16),
265     label: const Text(
266       "Edit",
267       style: TextStyle(fontSize: 12),
268     ), // Text
269   ), // ElevatedButton.icon
270 ), // SizedBox
271
```

🚩 Flag 7 — Multiple Actions, Independent State

Objective: Make every Student Card manage interactions correctly.

This is your final interaction challenge.

Verify that every student behaves independently.

Example scenario:

- Favorite Student A.
- Delete Student C.
- Open Edit for Student B.


Your application should continue functioning correctly without affecting unrelated students.





Test Checklist

- Favorite works independently.
- Delete updates the list immediately.
- Edit still opens correctly.
- Remaining students keep their own states.

Screenshot:

- Multiple interactions working together
- Application still functioning normally





🚩 Flag 8 — Save Your Progress

Objective: Commit and push your completed Interactive Student Directory.

Use a proper Git commit message.

Branch:

feature/student-interactions

Screenshot:

- Successful commit
- Current branch
- Terminal showing the commit

```
MINGW64:/c/Users/satom/OneDrive - TAFE NSW/IT314AB_Verano

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-in
teractions)
$ git branch
  feature/data-ui
* feature/student-interactions
  feature/student-list
  feature/widgets
  main

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-interactions)
$ git status
On branch feature/student-interactions
Your branch is up to date with 'origin/feature/student-interactions'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   FlutterProjects/my_first_flutter_app/lib/main.dart

no changes added to commit (use "git add" and/or "git commit -a")

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-interactions)
$ git add .

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-interactions)
$ git commit -m "feat: submit Make the System Interactive"
[feature/student-interactions 5189823] feat: submit Make the System Interactive
1 file changed, 208 insertions(+), 65 deletions(-)

satom@Tomilings MINGW64 ~/OneDrive - TAFE NSW/IT314AB_Verano (feature/student-interactions)
$ git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 20 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 2.69 KiB | 550.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/KVerano/IT314AB_Verano.git
3df7485..5189823  feature/student-interactions -> feature/student-interactions
```