```
//
──────────────
```

```
    for (let i = 0; i < size * size; i++) {
      const d = document.createElement("div");
      d.style.cssText = `background-color:${rnd()};opacity:$
{rndA()};transition:background-color 1.6s ease,opacity 1.6s
ease;border-radius:1px;`;
      el.appendChild(d);
      cells.push(d);
    }
    for (let i = 0; i < size * size; i++) {
      const t = setTimeout(() => {
        const id = setInterval(() => {
          if (cells[i]) { cells[i].style.backgroundColor = rnd();
cells[i].style.opacity = rndA(); }
        }, 1000 + Math.random() * 2000);
        timersRef.current.push(id);
      }, Math.random() * 2000);
      timersRef.current.push(t);
    }
    return () => { timersRef.current.forEach(id => { clearInterval(id);
clearTimeout(id); }); };
  }, [size]);

  return (
    <div ref={containerRef} style={{ display:"grid", width:"36px",
height:"36px", gap:"1px", backgroundColor:"#1a1a2e",
borderRadius:"4px", overflow:"hidden", flexShrink:0 }} />
  );
}



//
```

```
────
// src/components/HeroBanner.jsx
//
──────────────────────────────────────────────────────────────────────────────
────
import { useState, useEffect, useRef } from "react";

const SLIDES = [
  { img:"https://image.semiconductor.samsung.com/content/
samsung/p6/semiconductor/image-sensor/gnj/
ISOCELL_GNJ_KV.jpg",
    fallback:"https://images.unsplash.com/
photo-1518770660439-4636190af475?w=1600&q=90",
    tag:"ISOCELL GNJ", title:"50MP Dual Pixel\nMobile Sensor",
    desc:"Every pixel captures more light. Dual-pixel autofocus
meets 1.0µm precision." },
  { img:"https://image.semiconductor.samsung.com/content/
samsung/p6/semiconductor/image-sensor/smart-iso-pro/
isocell_smart_iso_pro_kv.jpg",
    fallback:"https://images.unsplash.com/photo-1635070041078-
e363dbe005cb?w=1600&q=90",
    tag:"ISOCELL Smart ISO Pro", title:"HDR Redefined\nIn Every
Frame",
    desc:"Smart-ISO Pro merges high and low gain readouts for true
12-bit HDR output." },
  { img:"https://image.semiconductor.samsung.com/content/
samsung/p6/semiconductor/image-sensor/gn3/
ISOCELL_GN3_KV.jpg",
    fallback:"https://images.unsplash.com/
photo-1557804506-669a67965ba0?w=1600&q=90",
    tag:"ISOCELL GN3", title:"200MP Ultra-Fine\nPixel Technology",
    desc:"0.56µm pixels in a 1/1.4\" format. The smallest pixel, the
```

```
biggest detail." },
];

export default function HeroBanner() {
  const [current, setCurrent] = useState(0);
  const [fading, setFading]   = useState(false);
  const prevRef = useRef(null);

  const goTo = (idx) => {
    if (idx === current || fading) return;
    prevRef.current = current; setFading(true); setCurrent(idx);
    setTimeout(() => { prevRef.current = null; setFading(false); },
700);
  };

  useEffect(() => {
    const id = setInterval(() => goTo((current + 1) % SLIDES.length),
5000);
    return () => clearInterval(id);
  }, [current, fading]);

  const s = SLIDES[current];
  return (
    <div style={{ position:"relative", width:"100%", height:"100%",
overflow:"hidden", background:"#000" }}>
      {prevRef.current !== null && (
        <img src={SLIDES[prevRef.current].img}
onError={e=>{e.target.src=SLIDES[prevRef.current]?.fallback;}}
alt=""
          style={{
position:"absolute",inset:0,width:"100%",height:"100%",objectFit:"cov
er",opacity:fading?0:1,transition:"opacity 0.7s ease" }}/>
```

```
    )}
    <img key={current} src={s.img}
onError={e=>{e.target.src=s.fallback;}} alt={s.tag}
      style={{
position:"absolute",inset:0,width:"100%",height:"100%",objectFit:"cov
er",opacity:fading?0.4:1,transition:"opacity 0.7s ease" }}/>
    <div style={{
position:"absolute",inset:0,background:"rgba(0,0,0,0.46)" }}/>
    <div style={{ position:"absolute",inset:0,background:"linear-
gradient(to top,rgba(0,0,0,0.42) 0%,transparent 50%)" }}/>
    <div style={{
position:"absolute",left:"50%",top:"50%",transform:"translate(-50%,-5
0%)",zIndex:2,maxWidth:"600px",width:"90%",textAlign:"center" }}>
      <span style={{ display:"inline-
block",fontSize:"10px",letterSpacing:"4px",textTransform:"uppercas
e",color:"#67e8f9",border:"1px solid
rgba(103,232,249,0.4)",borderRadius:"20px",padding:"3px
12px",marginBottom:"18px",fontWeight:500 }}>{s.tag}</span>
      <h1 style={{
fontSize:"clamp(28px,4.5vw,58px)",fontWeight:900,lineHeight:1.1,c
olor:"#ffffff",margin:"0 0 18px",whiteSpace:"pre-line" }}>{s.title}</
h1>
      <p style={{
fontSize:"clamp(12px,1.3vw,15px)",color:"rgba(255,255,255,0.65)",li
neHeight:1.75 }}>{s.desc}</p>
    </div>
    <div style={{
position:"absolute",bottom:"28px",left:"50%",transform:"translateX(-
50%)",zIndex:2,display:"flex",gap:"8px",alignItems:"center" }}>
      {SLIDES.map((_,i)=>(
        <button key={i} onClick={()=>goTo(i)} style={{
width:i===current?"28px":"8px",height:"4px",borderRadius:"2px",bord
```

```
er:"none",cursor:"pointer",background:i===current?"#67e8f9":"rgba(
255,255,255,0.3)",padding:0,transition:"width 0.35s
ease,background 0.35s ease" }}/>
        ))}
      </div>
      <div style={{
position:"absolute",bottom:0,left:0,right:0,height:"2px",background:"r
gba(255,255,255,0.08)",zIndex:2 }}>
        <div key={current} style={{ height:"100%",background:"linear-
gradient(90deg,#67e8f9,#a78bfa)",animation:"progress 5s linear
forwards" }}/>
      </div>
    </div>
  );
}


//
_____
// src/components/SectionCard.jsx
//
_____
import { useState } from "react";
import { useNavigate } from "react-router-dom";
import pageDescriptions from "../data/pageDescriptions";

const SECTION_IMAGES = {
  PRODUCT: "https://images.unsplash.com/
photo-1567581935884-3349723552ca?w=800&q=80",
  SHRINK:  "https://images.unsplash.com/photo-1635070041078-
```

```
e363dbe005cb?w=800&q=80",
  LAYOUT:  "https://images.unsplash.com/
photo-1518770660439-4636190af475?w=800&q=80",
};

export default function SectionCard({ pageKey }) {
  const [hovered, setHovered] = useState(false);
  const navigate = useNavigate();
  const info = pageDescriptions[pageKey];

  return (
    <div
      onMouseEnter={() => setHovered(true)}
      onMouseLeave={() => setHovered(false)}
      onClick={() => navigate(info.route)}
      style={{
        flex:"1 1 240px", height:"320px", position:"relative",
        overflow:"hidden", cursor:"pointer", borderRadius:"12px",
        transform: hovered ? "translateY(-6px)" : "translateY(0)",
        boxShadow: hovered
          ? "0 28px 56px rgba(0,0,0,0.22), inset 0 0 0 1px
rgba(255,255,255,0.12)"
          : "0 4px 24px rgba(0,0,0,0.12), inset 0 0 0 1px
rgba(0,0,0,0.06)",
        transition: "transform 0.35s ease, box-shadow 0.35s ease",
      }}
    >
      <img src={SECTION_IMAGES[pageKey]} alt={pageKey} style={{
        position:"absolute", inset:0, width:"100%", height:"100%",
objectFit:"cover",
        filter: hovered ? "brightness(0.45) contrast(1.1)" :
"brightness(0.65) contrast(1.05)",
```

```
      transition:"filter 0.35s ease",
    }}/>
    <div style={{ position:"absolute", inset:0,
      background:"linear-gradient(to top,rgba(0,0,0,0.82)
0%,rgba(0,0,0,0.1) 55%), linear-gradient(to right,rgba(0,0,0,0.3)
0%,transparent 30%), linear-gradient(to left,rgba(0,0,0,0.3)
0%,transparent 30%)",
    }}/>
    <div style={{ position:"relative", zIndex:2, padding:"24px 22px",
height:"100%", display:"flex", flexDirection:"column",
justifyContent:"flex-end" }}>
      <p style={{ fontSize:"10px", letterSpacing:"4px",
textTransform:"uppercase", color:"rgba(255,255,255,0.6)",
margin:"0 0 4px", fontWeight:500 }}>{info.subtitle}</p>
      <h2 style={{ fontSize:"24px", fontWeight:800,
letterSpacing:"2px", color:"#ffffff", margin:"0 0 10px" }}>{info.title}</
h2>
      <div style={{ maxHeight: hovered ? "200px" : "0",
overflow:"hidden", transition:"max-height 0.4s ease" }}>
        <p style={{ fontSize:"12px", color:"rgba(255,255,255,0.75)",
lineHeight:1.75, margin:"0 0 12px" }}>{info.description}</p>
        <div style={{ display:"flex", gap:"6px", flexWrap:"wrap",
marginBottom:"14px" }}>
          {info.tags.map(t => (
            <span key={t} style={{ fontSize:"9px", letterSpacing:"1.5px",
textTransform:"uppercase", border:"1px solid
rgba(255,255,255,0.35)", color:"#ffffff", borderRadius:"20px",
padding:"2px 8px" }}>{t}</span>
          ))}
        </div>
      </div>
      <div style={{ display:"flex", alignItems:"center", gap:"6px",
```

```
color:"#ffffff", fontSize:"12px", fontWeight:600, letterSpacing:"1px"
}}>
          <span>{info.cta}</span>
          <span style={{ transform: hovered ? "translateX(4px)" :
"translateX(0)", transition:"transform 0.3s" }}>→</span>
        </div>
      </div>
    </div>
  );
}



//
_____
// src/components/UserSidebar.jsx
//
_____
export default function UserSidebar({ open, onClose, user }) {
  return (
    <>
      <div onClick={onClose} style={{
position:"fixed",inset:0,zIndex:200,background:"rgba(0,0,0,0.4)",opa
city:open?1:0,pointerEvents:open?"auto":"none",transition:"opacity
0.3s" }}/>
      <div style={{
position:"fixed",top:0,right:0,bottom:0,width:"280px",zIndex:201,bac
kground:"#ffffff",borderLeft:"1px solid
#e5e7eb",transform:open?"translateX(0)":"translateX(100%)",transit
ion:"transform 0.35s cubic-
bezier(0.4,0,0.2,1)",display:"flex",flexDirection:"column",padding:"28
```

```
px 22px",boxShadow:"-8px 0 32px rgba(0,0,0,0.1)" }}>
      <button onClick={onClose} style={{ alignSelf:"flex-
end",background:"none",border:"none",color:"#6b7280",fontSize:"20
px",cursor:"pointer",marginBottom:"24px",lineHeight:1 }}>✕</
button>
      <div style={{ textAlign:"center",marginBottom:"22px" }}>
        <div style={{
width:"72px",height:"72px",borderRadius:"50%",background:"linear-
gradient(135deg,#0e7490,#7c3aed)",display:"flex",alignItems:"cent
er",justifyContent:"center",fontSize:"26px",color:"#fff",fontWeight:70
0,margin:"0 auto 10px" }}>{user.name[0]}</div>
        <p style={{
color:"#111827",fontWeight:700,fontSize:"15px",margin:0 }}
>{user.name}</p>
        <p style={{ color:"#6b7280",fontSize:"12px",margin:"3px 0 0" }}
>{user.role}</p>
      </div>
      <div style={{ borderTop:"1px solid
#f3f4f6",paddingTop:"18px",marginBottom:"18px" }}>
        {[["Email",user.email],["Role",user.role]].map(([l,v])=>(
          <div key={l} style={{ marginBottom:"12px" }}>
            <p style={{
color:"#9ca3af",fontSize:"10px",letterSpacing:"2px",textTransform:"
uppercase",margin:"0 0 2px" }}>{l}</p>
            <p style={{ color:"#111827",fontSize:"13px",margin:0 }}>{v}
</p>
          </div>
        ))}
      </div>
      <button disabled style={{
marginTop:"auto",background:"#f3f4f6",border:"1px solid
#e5e7eb",borderRadius:"8px",color:"#9ca3af",padding:"11px",fontW
```

```
eight:600,fontSize:"13px",cursor:"not-allowed",letterSpacing:"1px" }}
>
        Edit Profile (Coming Soon)
      </button>
    </div>
  </>
 );
}



//
_____
// src/components/HelpFAB.jsx
//
_____
import { useState } from "react";

export default function HelpFAB() {
 const [open, setOpen] = useState(false);
 const items = [
  { label:"Info", icon:(
    <svg width="18" height="18" viewBox="0 0 24 24" fill="none"
stroke="#fff" strokeWidth="2.2" strokeLinecap="round"
strokeLinejoin="round">
      <circle cx="12" cy="12" r="10"/><line x1="12" y1="16" x2="12"
y2="12"/><line x1="12" y1="8" x2="12.01" y2="8"/>
    </svg>
  )},
  { label:"Q&A", icon:(
    <svg width="18" height="18" viewBox="0 0 24 24" fill="none"
```

```
stroke="#fff" strokeWidth="2.2" strokeLinecap="round"
strokeLinejoin="round">
      <path d="M21 15a2 2 0 0 1-2 2H7l-4 4V5a2 2 0 0 1 2-2h14a2 2
0 0 1 2 2z"/>
    </svg>
   )},
  ];
  return (
   <div onMouseEnter={()=>setOpen(true)}
onMouseLeave={()=>setOpen(false)}
    style={{
position:"fixed",bottom:"36px",right:"32px",zIndex:300,display:"flex",f
lexDirection:"column",alignItems:"center",gap:"10px" }}>
    {items.map((item,i)=>(
      <div key={item.label} title={item.label} onClick={()=>alert(`$
{item.label} — Coming Soon`)}
        style={{
width:"40px",height:"40px",borderRadius:"50%",cursor:"pointer",displ
ay:"flex",alignItems:"center",justifyContent:"center",
          background:"linear-
gradient(135deg,#3b82f6,#1d4ed8)",boxShadow:"0 4px 14px
rgba(59,130,246,0.45)",
          opacity:open?1:0, transform:open?"translateY(0)
scale(1)":"translateY(18px) scale(0.8)",
          transition:`opacity 0.22s ease ${i*0.07}s, transform 0.28s
cubic-bezier(0.34,1.56,0.64,1) ${i*0.07}s`,
          pointerEvents:open?"auto":"none" }}
        onMouseEnter={e=>e.currentTarget.style.background="linear-
gradient(135deg,#60a5fa,#2563eb)"}

onMouseLeave={e=>e.currentTarget.style.background="linear-
gradient(135deg,#3b82f6,#1d4ed8)"}>
```

```
        {item.icon}
      </div>
    ))}
    <div style={{ width:"48px",height:"48px",borderRadius:"50%",
      background:open?"linear-gradient(135deg,#2563eb,#1e40af)":"linear-gradient(135deg,#3b82f6,#1d4ed8)",

display:"flex",alignItems:"center",justifyContent:"center",cursor:"pointer",
      boxShadow:open?"0 6px 22px rgba(59,130,246,0.55),0 0 0 4px rgba(59,130,246,0.18)":"0 4px 14px rgba(59,130,246,0.4)",
      transition:"background 0.25s,box-shadow 0.25s,transform 0.2s",
      transform:open?"rotate(15deg) scale(1.08)":"rotate(0) scale(1)",userSelect:"none" }}>
      <span style={{ fontSize:"22px",fontWeight:900,color:"#fff",lineHeight:1,marginTop:"-1px" }}>?</span>
    </div>
  </div>
 );
}


// ____________________________________________________________________________
// src/components/ClickCursor.jsx
// ____________________________________________________________________________
```

```
import { useState, useEffect } from "react";

export default function ClickCursor() {
  const [clicking, setClicking] = useState(false);
  useEffect(() => {
    const trigger = () => { setClicking(true);
setTimeout(()=>setClicking(false), 420); };
    trigger();
    const id = setInterval(trigger, 2200);
    return () => clearInterval(id);
  }, []);
  return (
    <div style={{
position:"relative",width:"28px",height:"28px",flexShrink:0 }}>
      {clicking && <>
        <div style={{
position:"absolute",inset:0,borderRadius:"50%",border:"1.5px solid
rgba(120,113,108,0.6)",animation:"ripple1 0.42s ease-out
forwards" }}/>
        <div style={{
position:"absolute",inset:0,borderRadius:"50%",border:"1.5px solid
rgba(120,113,108,0.35)",animation:"ripple2 0.42s ease-out 0.08s
forwards" }}/>
      </>}
      <svg viewBox="0 0 24 24" width="22" height="22"
        style={{
position:"absolute",top:"3px",left:"3px",transform:clicking?"scale(0.8
2)":"scale(1)",transition:"transform 0.12s ease",filter:"drop-
shadow(0 1px 2px rgba(0,0,0,0.15))" }}>
        <path d="M4 2 L4 17 L8 13 L11 19 L13 18 L10 12 L15 12 Z"
          fill={clicking?"#44403c":"#78716c"} stroke="#ede8df"
strokeWidth="0.8" strokeLinejoin="round"/>
```

```
      </svg>
    </div>
  );
}
```