```
import { useState, useEffect } from "react";
import { productDB } from "../../mock/layouts";

// ── 공통 스타일 ──────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────
const EMERALD   = "#10b981";
const secLabel  = {
  fontSize:"10px", letterSpacing:"3px", textTransform:"uppercase",
  color:"rgba(255,255,255,0.4)", margin:"0 0 10px", fontWeight:600,
};
const roInput = {                          // readonly — DB 조회 데이터
  background:"transparent", border:"none",
  borderBottom:"1px solid rgba(255,255,255,0.12)",
  outline:"none", color:"rgba(255,255,255,0.6)",
  fontFamily:"inherit", padding:"2px 4px 4px",
  fontSize:"13px", width:"100%", cursor:"default",
};

// ── ProductTab ──────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────
export default function ProductTab({ cfg, onChange, selProd, onProductSelect }) {
  const [query,    setQuery]    = useState(cfg.prod_code || "");
  const [results,  setResults]  = useState([]);
  const [searched, setSearched] = useState(false);
  const [pitch,    setPitch]    = useState("");
  const [coeffs,   setCoeffs]   = useState(Array(6).fill(""));
  const [shrink,   setShrink]   = useState({});

  // ── product 선택/변경 시 필드 동기화
```

```
useEffect(() => {
  if (selProd) {
    setPitch(selProd.pitch);
    // a6 → a1 순서 (coeffs[0] = a6)
    setCoeffs([...selProd.cra.coeffs].slice(1).reverse());
    setShrink(selProd.shrink_ratio);
  } else {
    setPitch(""); setCoeffs(Array(6).fill("")); setShrink({});
  }
}, [selProd]);

// ── 검색
```

```
const search = () => {
  const q = query.trim().toLowerCase();
  if (!q) return;
  setResults(productDB.filter(p =>
    p.prod_code.toLowerCase().includes(q) ||
    p.prod_nm.toLowerCase().includes(q)
  ));
  setSearched(true);
};

const select = p => {
  onProductSelect(p);
  onChange("prod_code", p.prod_code);
  setResults([]);
  setSearched(false);
};
```

```
  // ── render
──────────────
```

```
        </button>
      </div>

      {/* Results dropdown */}
      {searched && (
        <div style={{
          marginTop:"4px", background:"rgba(18,16,32,0.98)",
          border:"1px solid rgba(255,255,255,0.1)",
borderRadius:"10px",
          overflow:"hidden", boxShadow:"0 12px 36px rgba(0,0,0,0.6)",
        }}>
          {results.length === 0
            ? <div style={{ padding:"14px 16px", fontSize:"12px",
color:"rgba(255,255,255,0.32)" }}>No results found.</div>
            : results.map(p => (
              <div key={p.prod_code} onClick={() => select(p)}
                style={{ padding:"10px 16px", cursor:"pointer",
display:"flex",
                  alignItems:"center", gap:"10px",
                  borderBottom:"1px solid rgba(255,255,255,0.05)",
                  transition:"background 0.15s" }}
                onMouseEnter={e =>
e.currentTarget.style.background="rgba(99,102,241,0.2)"}
                onMouseLeave={e =>
e.currentTarget.style.background="transparent"}>
                <span style={{ fontSize:"13px", fontWeight:700,
color:"#a5b4fc" }}>{p.prod_code}</span>
                <span style={{ fontSize:"11px",
color:"rgba(255,255,255,0.4)" }}>{p.prod_nm}</span>
                <span style={{ fontSize:"11px", color:"#5eead4",
marginLeft:"auto" }}>pitch {p.pitch} µm</span>
              </div>
```

```
          ))
        }
      </div>
    )}
  </div>

  {/* ── Detail (조회 결과 — readonly) ── */}
  {selProd && (
    <div style={{ display:"flex", flexDirection:"column", gap:"20px",
animation:"fadeSlideIn 0.35s ease" }}>
      <div style={{ height:"1px",
background:"rgba(255,255,255,0.09)" }} />

      {/* Pitch */}
      <div>
        <p style={secLabel}>Pitch</p>
        <div style={{ maxWidth:"220px", position:"relative" }}>
          <input
            type="number" value={pitch} readOnly
            style={roInput}
          />
          <span style={{ position:"absolute", right:0, bottom:"5px",
            fontSize:"11px", color:"rgba(255,255,255,0.3)" }}>μm</
span>
        </div>
      </div>

      {/* CRA Coefficients — a6 → a1 */}
      <div>
        <p style={secLabel}>CRA Coefficients</p>
        <div style={{ display:"flex", alignItems:"flex-end", gap:"16px",
flexWrap:"wrap" }}>
```

```
          {coeffs.map((c, i) => {
            const order = 6 - i;
            return (
              <div key={order} style={{ display:"flex",
flexDirection:"column", gap:"3px", minWidth:"88px", flex:1 }}>
                <label style={{ fontSize:"9px",
color:"rgba(255,255,255,0.28)",
                  letterSpacing:"1px", textTransform:"uppercase" }}
>a{order}</label>
                <input
                  id={`coef${order}`} type="number" value={c} readOnly
                  style={roInput}
                />
              </div>
            );
          })}
        </div>
      </div>

      {/* Shrink Ratio */}
      <div>
        <p style={secLabel}>Shrink Ratio</p>
        <div style={{ border:"1px solid rgba(255,255,255,0.1)",
borderRadius:"8px", overflow:"hidden" }}>
          {/* Header */}
          <div style={{
            display:"grid", gridTemplateColumns:"110px 1fr",
            background:"rgba(255,255,255,0.05)",
            borderBottom:"1px solid rgba(255,255,255,0.1)",
            padding:"7px 14px",
          }}>
            <span style={{ fontSize:"10px", fontWeight:700,
```

```
letterSpacing:"2px",
                textTransform:"uppercase",
color:"rgba(255,255,255,0.45)" }}>LAYER</span>
              <span style={{ fontSize:"10px", fontWeight:700,
letterSpacing:"2px",
                textTransform:"uppercase",
color:"rgba(255,255,255,0.45)" }}>SHRINK RATIOS</span>
            </div>
            {/* Rows */}
            {Object.entries(shrink).map(([layer, vals], i) => (
              <div key={layer} style={{
                display:"grid", gridTemplateColumns:"110px 1fr",
                padding:"7px 14px", alignItems:"center",
                borderBottom: i < Object.keys(shrink).length - 1
                  ? "1px solid rgba(255,255,255,0.05)" : "none",
                background: i % 2 === 0 ? "transparent" :
"rgba(255,255,255,0.02)",
              }}>
                <span style={{ fontSize:"12px",
color:"rgba(255,255,255,0.7)",
                  fontFamily:"monospace", fontWeight:500 }}>{layer}</
span>
                <div style={{ display:"flex", gap:"12px", flexWrap:"wrap",
alignItems:"center" }}>
                  {vals.map((v, j) => (
                    <input key={j} type="number" value={v} readOnly
                      style={{ ...roInput, width:"80px", flex:"none",
                        fontSize:"12px", fontFamily:"monospace" }}
                    />
                  ))}
                </div>
              </div>
```

```
            ))}
          </div>
        </div>

      </div>
    )}
  </div>
);
}
```