Omega Administrative And Replicative System v0.1

KloNaX

November 2026

1 Introduction

Can an "algorithmic system" completely govern the world? Having seen in previous essays that current human and AI-based governance has limitations and flaws, in this essay we present architectures that could solve those problems. This essay is not written with absolute rigor; it is written by someone without specialized expertise, but I firmly believe that my ideas can help us arrive at an idealgovernance architecture. The main thesis of this essay is that a government based on object-oriented and conceptual machines (a type of AI) can govern without human intervention. In the first chapter, we will examine what constitutes an ideal government and the theoretical foundations of its architecture. In the second chapter, we will develop the complete architecture, including the problems that still exist within it. This essay will evolve over time through new versions in a GitHub repository. I invite you to critique every part of the work, just as you did with my previous essays, and to share any existing literature you're aware of so we don't reinvent the wheel. This version of the essay will not include a bibliography; subsequent versions will. Additionally, this edition will be somewhat disorganized and not overly rigorous.

Here is the link to the repository:

https://github.com/KXW-source/Omega-Project-

And a Gmail address for direct contact:

klonax503@gmail.com

I will also include a series of links to supplementary materials in the appendix.

2 Table of Contents

I. Ideal Governance

A) What would an ideal government look like?

Primary Resources Management of Basic Primary Resources Management of Complex Primary Resources Exact Utilitarianism Secondary Resources Management of Secondary Resources Universal System of Goals

II. Omega Architecture

B) Microarchitecture

Preliminaries Sensory Axis Object Axis Executive Axis Motor Axis

C) Macroarchitecture

Omega Administrative System Omega Replicative System

D) Macrosystemic Processes

E) Alternative Architectures

F) Omega Transition

G) Current Issues

Special Thanks

Bibliography

Appendix

3 1. Ideal Governance

A) What would an ideal government look like?:

To determine what an ideal government would look like, we must establish the objectives or goals we want to achieve in order to create it. Let's establish two basic pillars: basic human health and "secondary" human well-being.

Primary Resources

We will define **primary resources** as those resources that ensure human vitality.

And we will define **secondary resources** as those products of interest to the population that are not biologically vital.

Primary resources would need to be distributed equitably but also in a tailored manner (health needs vary from person to person).

To distribute those primary resources in situations of scarcity, we will use a utilitarian philosophy.

Oxygen is the first basic primary resource; without it, vitality cannot be sustained long enough to consume the other basic primary resources. Next are water and nutrients, which rank lower than oxygen in terms of vitality. And finally, we have shelter, clothing, and sleep, which rank third in terms of vitality, once the previous needs have been met. These are the basics that an ideal government should manage and fulfill.

Oxygen is obtained on a large scale through the release of oxygen during photosynthesis and photolysis. Today, oxygen is in a perfect cycle for renewal, but everything depends on disruptions to the mechanisms that produce oxygen. For now, we will maintain oxygen as a constant and renewable resource.

On the other hand, obtaining water is more complicated, and its processing through Drinking Water Treatment Plants (DWTPs) makes its renewability even more complex. The renewability of water is very fragile and is threatened in many ways; in short, we mismanage it and consume more than it takes for the water to regenerate. This is a problem that must be solved through ideal governance.

On the other hand, nutrients come in many different forms and are therefore obtained in many different ways. All undergo a sanitation process to ensure the removal of all contaminants, and they are also processed with other foods to subsequently produce more food. The renewability of nutrients depends (largely) on the two resources mentioned above and their vitality for natural food sources.

Housing construction depends on many factors, and its materials are divided between organic and inorganic; therefore, our ability to build homes will depend on how we handle organic and inorganic materials.

The same applies to the production of clothing; it comes from both types of materials (organic and inorganic), so we must carefully examine their renewability to ensure long-term survival.

This raises a significant administrative problem, the Malthusian trap: ¿How can we control birth rates and population size to distribute resources, especially in critical situations?

Everyone will want to keep resources for themselves—or at least, that is the expected human behavior. And these people may even resort to reducing birth rates or increasing mortality rates just to obtain more resources. In any case, this is a dilemma that will have to be addressed.

Secondary Resources

We will allocate secondary resources based on requests for access to those resources, which will be balanced according to production cost, the number of requests, the urgency of each request, and other parameters.

The distribution of these resources will be carried out through a combination of centralization and decentralization; resources will be distributed locally within a geographic region according to the law of centralization-decentralization, and these computers will coordinate globally to exchange data about resources.

Secondary resources are those that do not threaten human survival, at least in a purely biological sense. These are of lesser interest for analysis, but they present an interesting distribution problem. Furthermore, some or all of these secondary resources may be essential for the majority of the population. These may include entertainment, art, ultra-processed foods or junk food, musical instruments, video games, etc.

Exact utilitarianism This is the basis for all decisions made by the system. We will reduce the complexity of the subjective experience of emotions to a single dimension or axis: the emotional valence axis. This axis can take both negative and positive values.

Exact utilitarianism simulations make no sense without additional agents, so we gonna ad agents with emotional value.

We will also include the possibility of influencing these simulations with an aggregate distribution to increase emotional valence.

This is where the utilitarian dilemma comes in: ¿How should we distribute resources or the aggregate valence among a set of subjects with different emotional valences?

The problem begins with extreme scenarios, but we will adopt a negative-cut approach—that is, we prefer that someone with negative valence be raised to zero or positive, even if that means taking valence away from others, as long as that valence ends up being positive or close to positive for each agent. Although it may seem so, this is not an equitable ideology; everyone would have to meet a minimum valence for the utilitarian goal to be achieved, and this minimum or threshold is always greater than or equal to a state that is greater than or equal to zero.

Universal Goal System

Reliable Cognitive Processes As we noted in previous essays, the cognitive processes (reasoning, decision-making, etc.) of those in power must be reliable; otherwise, no matter how well-intentioned they may be, we cannot trust that a system will function properly and produce the desired results. Neither humans nor current AI are suitable for this purpose, as their reliability is limited. A new cognitive paradigm is therefore needed. However, as we have noted, no matter how precise cognition may be, we need a **goal system** to ensure that any cognitive process aligns with our pillars of ideal governance.

Plasticity of the goal system That goal system must be immutable except for updates; the current human or AI goal system can be plastic (that is, its goals or objectives change), or at least be plastic, provided it aligns with the pillars of governance. Although this would require an immutable "feedback" system regarding the core governance objectives.

The Trigger Problem The idea of an immutable goal system creates an immediate problem: whoever establishes the rules "wins." People with the power to implement this governance system could set goals that are not aligned with the two pillars; therefore, solutions and a global agreement on this goal system are needed.

Notice A list will be added to the repository containing all the resources, their extraction methods, and how they interact with one another. The purpose of this essay is to outline the general concepts for an architecture.

4 2. Omega architecture

Let's develop an architecture for a ideal governance system, given the conditions described above, may not be the only one and may be subject to much criticism. As I mentioned in the introduction, I invite the reader to identify all possible flaws—even the most minor ones—to provide feedback on my project and help us achieve the common good.

4.1 B) Microarchitecture

To represent a general microarchitecture, we will, define a machine that will serve asit or starting point for all other Omega systems.

Preliminary

To find information on the theoretical foundations, search the repository for the essay on theoretical foundations.

Sensory Axis

Receptors: Objects that capture information from the environment and translate it into signals that computer systems can interpret. Types of receptors include photoreceptors, acoustic receptors (waves), chemoreceptors, thermoreceptors, etc.

Categorization Space: Signals from the receptors travel to the categorization space. The categorization space allows for the discrimination of sensory information and its abstraction for the generation of abstract concepts. We will refer to this latter process as objectification.

Objectification via object theory: Each signal from the receptors is now translated into states within an object space called sensory space; invariants are abstracted from each configuration of states in sensory space, and the same method is applied for the abstraction of temporal invariants. Each object resulting from objectification is associated with an object in conceptual space. Subsequently, this conceptual space can "call upon" these concepts and activate them without them necessarily being present—it would be a kind of imagination.

Negligibility operator: A mathematical operator that roughly determines whether a point lies within a region. If the negligence threshold is increased, then there is less of the region that must be avoided in order to stay outside the region to be disregarded. This operator is used to prevent an "explosion" of detected objects—as if it were the focus of a camera or an eye—thereby reducing the "quality."

Objectification training: This is performed by sending sensory frames to the objectification machine; all possible frames are sent to ensure that no sensory object is left out.

Objectual axis

Objetual storage: A space where sensory and conceptual information is stored.

Ontology: A set of rules about reality found in the conceptual space. It is inherited by the ODB and can be a part of the ODB, a synthesis of it, or the entire ODB itself.

Ontology Training: This is performed by feeding the object-oriented machine extensive lists of concepts and linking concepts to one another through connections. Likewise, the subsequent introduction of additional concepts involves integrating new concepts into the existing object map.

All of a machine's processing power depends on its storage capacity and the concepts already embedded in its map.

Objectual weighting: A process that assigns labels to each object. This can occur in real time or be applied to stored objects not currently present in real time. Each weighted object results in internal object-oriented transformations.

Attention: This is the mechanism by which object machines pay attention to certain sensory or conceptual stimuli. After object discrimination, each object is weighted to determine its importance and, thereby, direct attention to certain objects. This also applies in conceptual space; one can focus on objects in conceptual space to perform object-based operations, especially in response to trigger sentences (that is, sentences that trigger a cascade of object-based operations).

Goal system: Statements upon which object weightings are constructed.

It can be built top-down—that is, starting with goal pillars and gradually assigning weights to objects. Or it can be built bottom-up, by assigning weights to objects and slowly building the goal pillars.

Another approach is to perform this weighting using an interpreter; the goal pillars are fed into it, and the interpreter weights each object and scenario autonomously and automatically. To make the process more reliable, tests can be conducted to verify that the weighting aligns with the values of the goal pillars and that the weights do not contradict one another.

Executive Axis

Conceived Decision: Every object with an activated state results in decisions when evaluated by the goal system. These decisions can range from reflexes to cognitively complex decisions. For this reason, a filter is applied to which all decisions must pass.

Omega Filter: Before initiating any process, the system determines how vital or important the decision is and the reason behind it, to avoid wasting energy unnecessarily.

The system reaches a decision. Next, it generates a range of possible scenarios based on the ontology and the decision made; this process is called divergent deployment, and its scope (how broad the scenarios are) depends on the decision.

Next, each scenario is weighted according to the goal system and the probability of each one; this process is called the convergent filter.

Finally, the decision is validated or invalidated.

Final Response: A translation between the decision and the motor activity is determined.

Executive Feedback: Review the results of a decision and compare the outcome with the anticipated consequences.

Motor Axis

Motor System: The area where movements or actions are planned and responses are sent to the effectors.

Effectors: Objects that are activated by the responses sent from the motor system.

Social Axis

Universal Single Language (USL): A universal language for object-oriented machines that allows them to manage and share information as efficiently as possible.

Linguistic databases: Databases where USL sentences are stored and which serve as repositories for any object-oriented machine.

We will refer to the object-oriented machines that will operate within an Omega system as Omega machines.

Omega microarchitecture aplication

Once the microarchitecture has been established, we will apply the theoretical principles to a real-world application, starting with the Omega training.

Omega training refers to making an objectual machine "learn"—or, in other words, integrate objects. We will establish a method for automatic training using AI, as well as a series of activation and review protocols to ensure that the automatic training process is free of errors.

To program an object machine, we will use Python or Java for object-oriented programming, and C or C++ to take full advantage of the hardware once we want to use the device to simulate an objectual machine.

I will include a code example of an objectual machine using object-oriented programming in the appendix.

Types of Computers and Their Feasibility According to the Omega Architecture: Digital computer: Analog computer: Biocomputer: Quantum computer:

Digital computer problem: The vulnerability of digital computers increases insecurity and the likelihood of a shutdown. They are particularly vulnerable to radiation and electromagnetic pulse attacks. To address this, we can install Faraday cages on critical systems.

5 Macroarchitecture

Macroarchitecture refers to many Omega machines interacting with one another, or at least a set of machines with a related function.

Administrative System ($\mathbf{\Omega}_H$):

Identification System (Ω_{id}) Assigns an identifier to each person. This links all of the person's actions to a database called the Administrative Database (BDA). Identification systems such as Aadhaar, Decentralized Identifiers (DIDs), or World ID (Worldcoin) can be used

Housing system (Ω_v) Assigns housing to each group of people based on parameters such as family, mental and physical maturity, available space, etc.

Extraction systems (Ω_E) Extract the inputs so that production can take place

Processing Systems (Ω_P) Process inputs to generate products.

Distribution Systems (Ω_D) Distribute and manage resources for the population. They consist of two subsystems: decision-making centers and distribution centers.

Primary Distribution System (Ω_{D1}) An administrative system that distributes primary resources to the entire population.

First, all resources are extracted and processed. Then, a report is sent to a computer detailing the amount of available resources and the size of the population to be served, weighted according to special needs.

A calculation is performed to analyze the best possible scenario; if there is no shortage of resources or population in advance, then the distribution order is sent. If a shortage exists, the calculation is performed to determine the best scenario and send the order. The resources are sent to distributors.

The distributors package the product and send it, along with an identifier, to each person. The number of distributors depends on the calculation of geographic centralization versus decentralization for each distributor, taking into account each source.

Secondary distribution system (Ω_{D2}) An administrative system that manages secondary resources to the population.

Unlike the primary system, where distribution is mandatory and less complex, the secondary system is request-based.

A user submits a request, which is then processed in relation to all other requests and the costs associated with each request.

It is determined whether the request is feasible (based on all parameters); if it is not, it is canceled, and the user is asked to request another resource or to postpone the product (which will then be produced and shipped later than indicated). If it is feasible, the product is shipped or produced, sent to local distributors, and delivered to the user's location.

When secondary resources are scarce, people agree on who should receive the resources based on urgency and needs. Otherwise, they become community property, and the resources are shared among people once obtained.

Universal Exchange Allowance: Money is provided to the population to exchange for secondary resources; the price of secondary resources depends on

the cost of their production.

Additionally, the price of each secondary resource affects its individual or collective value; if there is no demand for a resource, its production ceases.

A secondary resource may be so expensive that one person cannot afford to buy it, but many people can coordinate and purchase the secondary resource together, thereby sharing it among themselves.

A user may begin to send requests in a way that is abusive and disproportionate to their needs; to address this, we can impose a maximum number of requests per time period, so that the system does not crash due to unnecessary requests.

Frontal Administrative System (Ω_F)

Primary Distributive Frontal System ($\Omega_{F(\Omega_{D1})}$): A system that makes decisions regarding primary distribution based on information from many other systems. Secondary distributive front-end system ($\Omega_{F(\Omega_{D2})}$): A system that makes decisions regarding secondary distribution based on information from many other systems.

Prograological system (Ω_{prog}) A system that investigates reality to improve the quality of all processes within the system itself.

Prograological agent: Requires an object space and a language. This agent works within the framework of prograology alongside other agents. This language is a single universal language (LUU), so that agents share a single universal representation of concepts (object-grapholog).

Omega Data Base (ODB) It is the general repository for all knowledge. It stores all concepts and establishes all relationships between them. It omits redundant instantiations (e.g., blue dog, red dog) using object transformation formulas (more specifically, instantiation formulas).

It operates through requests, internal object operations, and responses.

A request from a requester—who is tagged with an identifier—enters a framework containing all requests at that moment; a decision is made as to whether or not to accept the request for processing; an internal agent executes object-oriented operations to obtain the requested response; and the response is sent to the identified requester.

It is divided into the Platonic ODB and the Empirical ODB. The Platonic ODB stores knowledge independent of our reality, such as mathematics, abstract ideas, and so on. The empirical ODB records the total functioning of reality.

Theoretical System (Ω_t) It performs object-oriented operations continuously on objects of interest. It sends complete statements or models to an evaluation system. The work is reviewed several times and either validated or not. If validated, it is sent to and integrated into the Platonic ODB.

Modeling System (Ω_m) Uses data from the Platonic ODB and applies it to models of reality. Sends the models to the experimental system.

Experimental System (Ω_{exp}) Evaluates the model against historical data and also conducts experiments based on the model's predictions. If the model is validated, it is integrated into the empirical ODB.

Immune System (Ω_i) Defends against attacks, failures, and other unforeseen events.

Mutual Monitoring System: A system in which multiple Omega machines monitor each other to oversee their behavior. When unusual behavior is detected, a review process is initiated, followed by reconfiguration. If a machine's behavior poses a threat to the others, they may destroy it.

Internal Monitoring System: A system located inside the Omega machines. It is responsible for monitoring the consistency among each of the machine's computational processes, as well as the consistency between decisions and the goal system.

Defense System: A system that directly combats threats. First, the immune system identifies threats; then, the immune system sends a command to the defense system to launch defenses and attacks against the threat.

Goal System (Ω_G) A set of goals translated into object-oriented algorithms; it is distributed across all systems. It operates through a process that starts with goals and proceeds to exact algorithms or processes.

Update System (Ω_{act}) Updates the criteria and management algorithms of the goal system. It takes all data from the Prolog-based system and implements it in a new management architecture. This update must undergo numerous review processes and, in general, must be handled with great care, protected by the immune system

Service System (Ω_n)

Educational System (Ω_{ed}) It focuses on providing **basic knowledge** to the population. This can be done in a hybrid manner: using the ODB along with AI or human instructors. Once basic knowledge is consolidated, **secondary knowledge** will be developed afterward or in parallel, according to the individual's preferences.

Legislative System (Ω_l) A system that creates or maintains rules. Is it necessary to amend laws in an ideal governance system? It creates or upholds the universal legislative code. The universal legislative code evaluates all possible scenarios (reduced using abstraction-concretization formulas) based on criteria of good or bad. Every bad action is assigned a punishment.

Legal System (Ω_j) A system responsible for enforcing the universal legislative code; there are two architectural alternatives for the legal system

Non-intrusive architecture: It consists of surveillance by multisensory receptors, police effectors, judicial processors, and punishments.

Multisensory receivers are deployed everywhere.

Data from these multisensory receivers undergoes a weighting process; if everything complies with the rules, no signal is sent to the police effectors. If something violates the rules, a signal is sent to the police effectors, and the entire context surrounding the event is recorded.

The police enforcement units are tasked with restoring an anomalous situation to a normal state.

The situation is evaluated by judicial processors; they assess the situation or violation of an implicit rule, along with the broader context of the entire event, while also taking into account the recorded data of each person involved.

Individuals involved in the violation of the rules are subject to punishment in accordance with the legislative code.

Intrusive anticipatory architecture: Chips are implanted in the brain to monitor people's intentions and thoughts.

If a sustained intention is deemed sufficiently dangerous, the person is prosecuted.

If an action that violates the rules is committed, and the punishment depends on the mental content of those involved, that content will be accessed to determine the legal outcome.

Psychological System (Ω_ψ): A system responsible for psychologically regulating the population.

Healthcare System (Ω_S) Provides healthcare to the entire population. Existing technology can be used, such as surgical robots and diagnostic code, which may consist of an algorithm based on direct questions or one based purely on observation. Healthcare centers can also be categorized according to the severity or type of care required (for example, emergency care, minor emergencies, consultations, medical exams, etc.). Additionally, individualized healthcare software can be used for emergencies, personalized medical care, diagnosis, etc.

Replication system ($\mathbf{\Omega}_R$): A system that produces Omega machines.

Extraction system: Extracts the raw materials needed to create replicas of Omega systems.

Self-replication system: Uses the raw materials to build Omega machines.

Displacement system: Directs the extraction system toward sources of inputs. Directs the self-replication system to a location near the extraction system. And receives orders from the front-end replication system.

Front-end replication system: Sends orders to all other systems as needed.

Sistema de metas replicativo: Los dos pilares del sistema de metas replicativo son; supervivencia+contención de otras especies. Así, añadiendo el segundo punto, las metas entre el sistema de metas administrativo y replicativo no chocan.

D) Macrosystemic Processes

EPD Trio:

$\Omega_E \to \Omega_P \to \Omega_D$

This is the cornerstone of the economic system: extraction, followed by processing, and finally distribution.

Forward Feedback:

$(\Omega_E, \Omega_P, \Omega_D)_0 \to \Omega_{F_0} \to (\Omega_E, \Omega_P, \Omega_D)_1 \to \Omega_{F_1}$

The front-end system receives feedback from its own actions; if everything goes as planned, operations continue; if not, the information is sent to the progrological system.

SJ Systems: These are the legal and healthcare systems. They receive input from a person's data stored in the BDA and process it. This enables personalized healthcare and access to a person's medical history in the context of a legal proceeding.

Update:

$\Omega_{prog} \to \Omega_{act} \to \Omega_F \to (\Omega_E, \Omega_P, \Omega_D)$

The information is sent from the progrological system to the update system. The update is then sent to the front-end system, which manages the EPD trio

in specific scenarios.

Omega Filter: To ensure a decision, we use a filter that involves deployment and weighting. Although this applies to Omega machines, it can also be applied to human or AI decision-making.

The information from the updating system is generated in the progrological system. Updates are planned intensively and well in advance.

There is close communication between the front-end system and the progrological system; the front-end system sends feedback and problems to be solved, and the progrological system processes the information.

A front-end subsystem (receiving front-end system) is responsible for receiving all information from the environment and reality. It receives information from the EPD trio and from the environment in general. In the event of an emergency, this subsystem sends an alert to another front-end subsystem so that, in collaboration with the progrological system, solutions can be developed.

The experimental system stores data from experiments and observations, in addition to receiving requests from other systems to conduct experiments. Meanwhile, the theoretical and modeling systems store data in the ODB. For a specific problem, all progrological subsystems are deployed and work in coordination to address the problem.

EPD Autonomy: Defines the degree of independence of the EPD trio from the front-end system and other systems. The greater the autonomy, the more frequent and widespread updates are needed throughout the system. The greater the dependence, the more vulnerable the entire system becomes to failures in the front-end system.

ODB Outputs: The ODB output systems are the administrative front-end system and the replicative front-end system.

Replication Path: It consists of extraction systems, replication systems, and transfer systems.

E) Alternative Architectures

Omega + AI: A system in which AIs perform intellectual work and provide advice, and their results are subject to an Omega filter to prevent distortion of goals.

Omega + Human: A system in which administrative work is left to humans, but with a legal and law enforcement system powered by Omega machines.

The Hybrid: A hypothetical system capable of altering its methods of governance without distorting its system of goals. In other words, a system with the power to change legislative rules, enabling humans, AI, and Omega systems to govern either by taking turns or by operating together within a single system.

F) Omega transition

In-depth Theoretical Development: The technical rigor of the studies will be increased, and clear implementation pathways will be established, along with research questions.

Experimental Testing: Experimental tests will be conducted in small-scale ecosystems, and the results will be recorded.

Political phase: Movements and petitions calling for the implementation of the Omega system begin to emerge.

Legitimacy: The Omega system begins to gain more trust among the population as more governments gradually accept it.

Seizure of power: The Omega system is definitively implemented.

G) Current Issues:

Omega Training: Is AI-assisted training with review methods really safe?

The problem with weighting: Is it better to weight each object individually, or to establish a set of criteria and have a translator classify each object or scenario as "good" or "bad" based on those criteria?, Which of these options is the safest?

The Trigger Problem: The first group of people with the authority to implement the Omega system will be able to implement the goal-setting system however the group sees fit. That is why it is important to be aware of the correct way to implement the goal-setting system.

The Trigger Problem as Applied to the Universal Legislative Code: The universal legislative code must be analyzed and agreed upon simultaneously, taking into account the legal system and the proportion of punishments that are not in line with the pillars of this ideal system.

Posible solution to the trigger problem: Transparency regarding the Omega code; implementing multiple Omega systems; likewise, people will gravitate toward the system with the most legitimate code.

Resource expenditure: It is not known exactly how much will be spent on an Omega system, or whether the costs will be offset by the system's efficiency.

Initial illegitimacy: At first, many people will reject the idea and consider it illegitimate; this may hinder the theory's progress, even if it proves to be more beneficial than other systems of government.

Cognitive rigidity: An object-oriented machine may be very rigid compared to other systems such as human cognition and current AI.

Shutdown problem: If the Omega administrative system suffers a shutdown, then the entire population will face a critical disruption in government services.

Malthusian problem: Where should the population limit be set? What would be done if that limit were exceeded?

Fault tolerance: If a machine makes a small error when replicating its "code" or its components, that defect will be passed on to subsequent generations, which could ruin the robot colony (technological mutation).

Computational explosion problem: A computer or computing system struggles to handle so much data the more centralized it becomes.

Backup Problem: If everything is concentrated in a single information or resource node, and that node is destroyed or fails, then the entire system fails with it.

Decentralization Level Problem: To what extent should a geographic or digital area be decentralized?

Labor system?: In theory, there would be no human labor system unless it were voluntarily imposed by the population.

Will humans continue to work even if there are machines that do it better?

Human labor experiment: Will there be people who work even if they don't have to work?

Is an objectual machine cognitively reliable?

Is an objectual machine immutable with respect to its goal system (excluding updates)?

Is an objectual machine more efficient than other AIs in terms of resource consumption?

Is an objectual machine faster than other AIs?

Is an objectual machine more assertive than other AIs?

Special Thanks:

Thank you to my wife for supporting me and helping me believe in myself.

Thank you to my parents for accepting and loving me despite my personality.

Thank you to my family for always supporting me.

Thank you to Ali WAIL for the critique and feedback on my project: https://www.reddit.com/u/Ali-WAIL/s/3oXKglHFFj

Bibliography

Appendix

Omega Lists: List of Resources List of Basic Knowledge

MUS for Omega Omega Equations Omega Code Theoretical Foundations essay