

Reconnaissance & OSINT Workflow Guide


Ethical cybersecurity reconnaissance, OSINT methodology, and defensive asset discovery manual.

#	Section
1	Introduction to Reconnaissance
2	Target Enumeration Workflow
3	DNS & Domain Reconnaissance
4	WHOIS & Domain Intelligence
5	Subdomain Reconnaissance
6	OSINT Fundamentals
7	Tool Guides & Practical Usage
8	Recon Reporting & Documentation
9	Defensive Perspective
10	Final Summary & Practice Labs

1. Introduction to Reconnaissance

Reconnaissance is the process of gathering information about systems, networks, infrastructure, and public-facing assets before deeper security analysis begins. Ethical reconnaissance supports defensive security assessments and authorized penetration testing.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

2. Target Enumeration Workflow

Enumeration involves identifying domains, services, technologies, and exposed assets. A structured workflow reduces missed attack surfaces and improves reporting quality.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

3. DNS & Domain Reconnaissance

DNS analysis helps analysts understand infrastructure relationships, mail systems, and exposed services linked to domains.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

4. WHOIS & Domain Intelligence

WHOIS information provides registration data, nameservers, and infrastructure relationships useful for defensive investigations.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

5. Subdomain Reconnaissance

Subdomain enumeration identifies additional services, applications, APIs, and hidden assets that expand attack surfaces.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

6. OSINT Fundamentals

Open-source intelligence combines public data collection, correlation, and analysis to identify organizational exposure risks.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

7. Tool Guides & Practical Usage

This section covers practical usage of common reconnaissance tools including Nmap, Amass, Whois, and theHarvester.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

8. Recon Reporting & Documentation

Recon findings should be documented clearly with organized asset inventories, risk categories, and remediation notes.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

9. Defensive Perspective

Defenders should monitor reconnaissance behavior, reduce exposed assets, and maintain accurate infrastructure inventories.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction


Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

10. Final Summary & Practice Labs

Practice environments and safe learning labs help students improve reconnaissance methodology responsibly.

Workflow Visualization



Quick Tips

- Stay within authorized scope
- Document findings immediately
- Validate information before escalation
- Focus on defensive value and exposure reduction

Blue Team Insight

Monitor unusual DNS traffic, repeated scanning attempts, unexpected certificate issuance, and high-volume connection attempts against external infrastructure.

Terminal Example

```
$ nmap -sV example.com
```

```
PORT STATE SERVICE VERSION
```

```
80/tcp open  http nginx
```

```
443/tcp open  https nginx
```

Terminal Example

```
$ amass enum -passive -d example.com
```

```
api.example.com
```

```
vpn.example.com
```

```
mail.example.com
```

Terminal Example

```
$ whois example.com
```

```
Registrar: Example Registrar
```

```
Name Server: ns1.example.com
```

Asset	Finding	Priority
vpn.example.com	Legacy VPN Portal	High
mail.example.com	SPF Misconfiguration	Medium
api.example.com	Version Disclosure	Low