

Search Section 
[Home](#) > [American](#) > [AISC](#) > [W Shapes](#)

I Beam Sizes

The beam sizes table below lists beam dimensions for the AISC steel section library. These properties are critical for structural engineers to ensure successful design outcomes for structures. Make sure that you bookmark this page for future engineering needs.

The information in the table below is powered by SkyCiv's comprehensive section database. This is the same database used in all of SkyCiv's [structural analysis software](#).

Browse the tables below to ensure that you are informed for your next construction or engineering project.

Countries

[American/US Libraries](#)
[Australian Libraries](#)
[European Libraries](#)
[Canadian Libraries](#)
[British Libraries](#)
[Indian Libraries](#)
[Mexican Libraries](#)
[South African Libraries](#)

Shape Libraries

[AISC Steel Beams Tables](#)
[American ADM Tables](#)
[NDS® Timber Tables](#)
[AISI Cold Formed Tables](#)
[CISC Steel Beam Tables](#)
[CSSBI Steel Tables](#)
[Australian 250 Grade Beam Tables](#)
[Australian Wood Tables](#)
[Australian Aluminum Tables](#)

Shape	Area (in ²)	Depth (in)	Width (in)	Section Properties			
				I _x (in ⁴)	I _y (in ⁴)	Plastic Mod X _p (in ³)	Plastic Mod Y _p (in ³)
W4x13 Dimensions	3.83	4.16	4.06	11.3	3.86	6.28	2.92
W5x16 Dimensions	4.71	5.01	5	21.4	7.51	9.63	4.58
W5x19 Dimensions	5.56	5.15	5.03	26.3	9.13	11.6	5.53
W6x8.5 Dimensions	2.52	5.83	3.94	14.9	1.99	5.73	1.56
W6x9 Dimensions	2.68	5.9	3.94	16.4	2.2	6.23	1.72

		(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
European Steel Beam Tables								
European Wood Tables	W6x12 Dimensions	3.55	6.03	4	22.1	2.99	8.3	2.32
Mexican Steel Tables	W6x15 Dimensions	4.43	5.99	5.99	29.1	9.32	10.8	4.75
Material Libraries	W6x16 Dimensions	4.74	6.28	4.03	32.1	4.43	11.7	3.39
ASTM Steel NDS [®] Materials	W6x20 Dimensions	5.87	6.2	6.02	41.4	13.3	15	6.72
ADM Non-Welded Aluminium	W6x25 Dimensions	7.34	6.38	6.08	53.4	17.1	18.9	8.56
European Aluminium	W8x10 Dimensions	2.96	7.89	3.94	30.8	2.09	8.87	1.66
European Concrete	W8x13 Dimensions	3.84	7.99	4	39.6	2.73	11.4	2.15
CSA Steel Materials	W8x15 Dimensions	4.44	8.11	4.015	48	3.41	13.6	2.67
CSA O86 Timber	W8x18 Dimensions	5.26	8.14	5.25	61.9	7.97	17	4.66
British Steel Materials	W8x21 Dimensions	6.16	8.28	5.27	75.3	9.77	20.4	5.69
Australian Steel	W8x24 Dimensions	7.08	7.93	6.5	82.7	18.3	23.1	8.57
AS 1720 Timber Materials								
AS 3600 Concrete Materials								
SANS 1431 Steel								
Show all Materials								
Structural Design Tools								
 Steel I Beam Load Capacity Calculator								
 Steel C Channel Load Capacity Calculator								

Calculator		(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
 Bolt Shear Strength Calculator	W8x28 Dimensions	8.25	8.06	6.54	98	21.7	27.2	10.1
 Weld Strength Calculator	W8x31 Dimensions	9.13	8	8	110	37.1	30.4	14.1
 Column Buckling Calculator	W8x35 Dimensions	10.3	8.12	8.02	127	42.6	34.7	16.1
 Scaffolding Design Calculator	W8x40 Dimensions	11.7	8.25	8.07	146	49.1	39.8	18.5
 RC Fire Resistance Design Calculator	W8x48 Dimensions	14.1	8.5	8.11	184	60.9	49	22.9
 Slab Design Calculator	W8x58 Dimensions	17.1	8.75	8.22	228	75.1	59.8	27.9
 Concrete Wall Calculator	W8x67 Dimensions	19.7	9	8.28	272	88.6	70.1	32.7
	W10x12 Dimensions	3.54	9.87	3.96	53.8	2.18	12.6	1.74
	W10x15 Dimensions	4.41	9.99	4	68.9	2.89	16	2.3
	W10x17 Dimensions	4.99	10.1	4.01	81.9	3.56	18.7	2.8
	W10x19 Dimensions	5.62	10.2	4.02	96.3	4.29	21.6	3.35

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W10x22 Dimensions	6.49	10.2	5.75	118	11.4	26	6.1
W10x26 Dimensions	7.61	10.3	5.77	144	14.1	31.3	7.5
W10x30 Dimensions	8.84	10.5	5.81	170	16.7	36.6	8.84
W10x33 Dimensions	9.71	9.73	7.96	171	36.6	38.8	14
W10x39 Dimensions	11.5	9.92	7.99	209	45	46.8	17.2
W10x45 Dimensions	13.3	10.1	8.02	248	53.4	54.9	20.3
W10x49 Dimensions	14.4	10	10	272	93.4	60.4	28.3
W10x54 Dimensions	15.8	10.1	10	303	103	66.6	31.3
W10x60 Dimensions	17.7	10.2	10.1	341	116	74.6	35
W10x68 Dimensions	19.9	10.4	10.1	394	134	85.3	40.1
W10x77 Dimensions	22.7	10.6	10.2	455	154	97.6	45.9

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W10x88 Dimensions	26	10.8	10.3	534	179	113	53.1
W10x100 Dimensions	29.3	11.1	10.3	623	207	130	61
W10x112 Dimensions	32.9	11.4	10.4	716	236	147	69.2
W12x14 Dimensions	4.16	11.9	3.97	88.6	2.36	17.4	1.9
W12x16 Dimensions	4.71	12	3.99	103	2.82	20.1	2.26
W12x19 Dimensions	5.57	12.2	4.01	130	3.76	24.7	2.98
W12x22 Dimensions	6.48	12.3	4.03	156	4.66	29.3	3.66
W12x26 Dimensions	7.65	12.2	6.49	204	17.3	37.2	8.17
W12x30 Dimensions	8.79	12.3	6.52	238	20.3	43.1	9.56
W12x35 Dimensions	10.3	12.5	6.56	285	24.5	51.2	11.5
W12x40 Dimensions	11.7	11.9	8.01	307	44.1	57	16.8

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W12x45 Dimensions	13.1	12.1	8.05	348	50	64.2	19
W12x50 Dimensions	14.6	12.2	8.08	391	56.3	71.9	21.3
W12x53 Dimensions	15.6	12.1	10	425	95.8	77.9	29.1
W12x58 Dimensions	17	12.2	10	475	107	86.4	32.5
W12x65 Dimensions	19.1	12.1	12	533	174	96.8	44.1
W12x72 Dimensions	21.1	12.3	12	597	195	108	49.2
W12x79 Dimensions	23.2	12.4	12.1	662	216	119	54.3
W12x87 Dimensions	25.6	12.5	12.1	740	241	132	60.4
W12x96 Dimensions	28.2	12.7	12.2	833	270	147	67.5
W12x106 Dimensions	31.2	12.9	12.2	933	301	164	75.1
W12x120 Dimensions	35.2	13.1	12.3	1070	345	186	85.4

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W12x136 Dimensions	39.9	13.4	12.4	1240	398	214	98
W12x152 Dimensions	44.7	13.7	12.5	1430	454	243	111
W12x170 Dimensions	50	14	12.6	1650	517	275	126
W12x190 Dimensions	56	14.4	12.7	1890	589	311	143
W12x210 Dimensions	61.8	14.7	12.8	2140	664	348	159
W12x230 Dimensions	67.7	15.1	12.9	2420	742	386	177
W12x252 Dimensions	74.1	15.4	13	2720	828	428	196
W12x279 Dimensions	81.9	15.9	13.1	3110	937	481	220
W12x305 Dimensions	89.5	16.3	13.2	3550	1050	537	244
W12x336 Dimensions	98.9	16.8	13.4	4060	1190	603	274
W14x22 Dimensions	6.49	13.7	5	199	7	33.2	4.39

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W14x26 Dimensions	7.69	13.9	5.03	245	8.91	40.2	5.54
W14x30 Dimensions	8.85	13.8	6.73	291	19.6	47.3	8.99
W14x34 Dimensions	10	14	6.75	340	23.3	54.6	10.6
W14x38 Dimensions	11.2	14.1	6.77	385	26.7	61.5	12.1
W14x43 Dimensions	12.6	13.7	8	428	45.2	69.6	17.3
W14x48 Dimensions	14.1	13.8	8.03	484	51.4	78.4	19.6
W14x53 Dimensions	15.6	13.9	8.06	541	57.7	87.1	22
W14x61 Dimensions	17.9	13.9	10	640	107	102	32.8
W14x68 Dimensions	20	14	10	722	121	115	36.9
W14x74 Dimensions	21.8	14.2	10.1	795	134	126	40.5
W14x82 Dimensions	24	14.3	10.1	881	148	139	44.8

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W14x90 Dimensions	26.5	14	14.5	999	362	157	75.6
W14x99 Dimensions	29.1	14.2	14.6	1110	402	173	83.6
W14x109 Dimensions	32	14.3	14.6	1240	447	192	92.7
W14x120 Dimensions	35.3	14.5	14.7	1380	495	212	102
W14x132 Dimensions	38.8	14.7	14.7	1530	548	234	113
W14x145 Dimensions	42.7	14.8	15.5	1710	677	260	133
W14x159 Dimensions	46.7	15	15.6	1900	748	287	146
W14x176 Dimensions	51.8	15.2	15.7	2140	838	320	163
W14x193 Dimensions	56.8	15.5	15.7	2400	931	355	180
W14x211 Dimensions	62	15.7	15.8	2660	1030	390	198
W14x233 Dimensions	68.5	16	15.9	3010	1150	436	221

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W14x257 Dimensions	75.6	16.4	16	3400	1290	487	246
W14x283 Dimensions	83.3	16.7	16.1	3840	1440	542	274
W14x311 Dimensions	91.4	17.1	16.2	4330	1610	603	304
W14x342 Dimensions	101	17.5	16.4	4900	1810	672	338
W14x370 Dimensions	109	17.9	16.5	5440	1990	736	370
W14x398 Dimensions	117	18.3	16.6	6000	2170	801	402
W14x426 Dimensions	125	18.7	16.7	6600	2360	869	434
W14x455 Dimensions	134	19	16.8	7190	2560	936	468
W14x500 Dimensions	147	19.6	17	8210	2880	1050	522
W14x550 Dimensions	162	20.2	17.2	9430	3250	1180	583
W14x605 Dimensions	178	20.9	17.4	10800	3680	1320	652

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W14x665 Dimensions	196	21.6	17.7	12400	4170	1480	730
W14x730 Dimensions	215	22.4	17.9	14300	4720	1660	816
W14x808 Dimensions	238	22.8	18.6	15900	5550	1830	930
W14x873 Dimensions	257	23.6	18.8	18100	6170	2030	1020
W16x26 Dimensions	7.68	15.7	5.5	301	9.59	44.2	5.48
W16x31 Dimensions	9.13	15.9	5.53	375	12.4	54	7.03
W16x36 Dimensions	10.6	15.9	6.99	448	24.5	64	10.8
W16x40 Dimensions	11.8	16	7	518	28.9	73	12.7
W16x45 Dimensions	13.3	16.1	7.04	586	32.8	82.3	14.5
W16x50 Dimensions	14.7	16.3	7.07	659	37.2	92	16.3
W16x57 Dimensions	16.8	16.4	7.12	758	43.1	105	18.9

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W16x67 Dimensions	19.6	16.3	10.2	954	119	130	35.5
W16x77 Dimensions	22.6	16.5	10.3	1110	138	150	41.1
W16x89 Dimensions	26.2	16.8	10.4	1300	163	175	48.1
W16x100 Dimensions	29.4	17	10.4	1490	186	198	54.9
W18x35 Dimensions	10.3	17.7	6	510	15.3	66.5	8.06
W18x40 Dimensions	11.8	17.9	6.02	612	19.1	78.4	10
W18x46 Dimensions	13.5	18.1	6.06	712	22.5	90.7	11.7
W18x50 Dimensions	14.7	18	7.5	800	40.1	101	16.6
W18x55 Dimensions	16.2	18.1	7.53	890	44.9	112	18.5
W18x60 Dimensions	17.6	18.2	7.56	984	50.1	123	20.6
W18x65 Dimensions	19.1	18.4	7.59	1070	54.8	133	22.5

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W18x71 Dimensions	20.9	18.5	7.64	1170	60.3	146	24.7
W18x76 Dimensions	22.3	18.2	11	1330	152	163	42.2
W18x86 Dimensions	25.3	18.4	11.1	1530	175	186	48.4
W18x97 Dimensions	28.5	18.6	11.1	1750	201	211	55.3
W18x106 Dimensions	31.1	18.7	11.2	1910	220	230	60.5
W18x119 Dimensions	35.1	19	11.3	2190	253	262	69.1
W18x130 Dimensions	38.3	19.3	11.2	2460	278	290	76.7
W18x143 Dimensions	42	19.5	11.2	2750	311	322	85.4
W18x158 Dimensions	46.3	19.7	11.3	3060	347	356	94.8
W18x175 Dimensions	51.4	20	11.4	3450	391	398	106
W18x192 Dimensions	56.2	20.4	11.5	3870	440	442	119

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W18x211 Dimensions	62.3	20.7	11.6	4330	493	490	132
W18x234 Dimensions	68.6	21.1	11.7	4900	558	549	149
W18x258 Dimensions	76	21.5	11.8	5510	628	611	166
W18x283 Dimensions	83.3	21.9	11.9	6170	704	676	185
W18x311 Dimensions	91.6	22.3	12	6970	795	754	207
W21x44 Dimensions	13	20.7	6.5	843	20.7	95.4	10.2
W21x48 Dimensions	14.1	20.6	8.14	959	38.7	107	14.9
W21x50 Dimensions	14.7	20.8	6.53	984	24.9	110	12.2
W21x55 Dimensions	16.2	20.8	8.22	1140	48.4	126	18.4
W21x57 Dimensions	16.7	21.1	6.56	1170	30.6	129	14.8
W21x62 Dimensions	18.3	21	8.24	1330	57.5	144	21.7

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W21x68 Dimensions	20	21.1	8.27	1480	64.7	160	24.4
W21x73 Dimensions	21.5	21.2	8.3	1600	70.6	172	26.6
W21x83 Dimensions	24.4	21.4	8.36	1830	81.4	196	30.5
W21x93 Dimensions	27.3	21.6	8.42	2070	92.9	221	34.7
W21x101 Dimensions	29.8	21.4	12.3	2420	248	253	61.7
W21x111 Dimensions	32.6	21.5	12.3	2670	274	279	68.2
W21x122 Dimensions	35.9	21.7	12.4	2960	305	307	75.6
W21x132 Dimensions	38.8	21.8	12.4	3220	333	333	82.3
W21x147 Dimensions	43.2	22.1	12.5	3630	376	373	92.6
W21x166 Dimensions	48.8	22.5	12.4	4280	435	432	108
W21x182 Dimensions	53.6	22.7	12.5	4730	483	476	119

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W21x201 Dimensions	59.3	23	12.6	5310	542	530	133
W21x223 Dimensions	66.5	23.4	12.7	6080	614	601	150
W21x248 Dimensions	73.8	23.7	12.8	6830	699	671	170
W21x275 Dimensions	81.8	24.1	12.9	7690	787	749	191
W24x55 Dimensions	16.2	23.6	7.01	1350	29.1	134	13.3
W24x62 Dimensions	18.2	23.7	7.04	1550	34.5	153	15.7
W24x68 Dimensions	20.1	23.7	8.97	1830	70.4	177	24.5
W24x76 Dimensions	22.4	23.9	8.99	2100	82.5	200	28.6
W24x84 Dimensions	24.7	24.1	9.02	2370	94.4	224	32.6
W24x94 Dimensions	27.7	24.3	9.07	2700	109	254	37.5
W24x103 Dimensions	30.3	24.5	9	3000	119	280	41.5

	(in)	(in)	(in)	I_x (in ⁴)	I_y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W24x104 Dimensions	30.7	24.1	12.8	3100	259	289	62.4
W24x117 Dimensions	34.4	24.3	12.8	3540	297	327	71.4
W24x131 Dimensions	38.6	24.5	12.9	4020	340	370	81.5
W24x146 Dimensions	43	24.7	12.9	4580	391	418	93.2
W24x162 Dimensions	47.8	25	13	5170	443	468	105
W24x176 Dimensions	51.7	25.2	12.9	5680	479	511	115
W24x192 Dimensions	56.5	25.5	13	6260	530	559	126
W24x207 Dimensions	60.7	25.7	13	6820	578	606	137
W24x229 Dimensions	67.2	26	13.1	7650	651	675	154
W24x250 Dimensions	73.5	26.3	13.2	8490	724	744	171
W24x279 Dimensions	81.9	26.7	13.3	9600	823	835	193

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W24x306 Dimensions	89.7	27.1	13.4	10700	919	922	214
W24x335 Dimensions	98.3	27.5	13.5	11900	1030	1020	238
W24x370 Dimensions	109	28	13.7	13400	1160	1130	267
W24x408 Dimensions	119	28.54	13.8	15100	1320	1250	300
W24x492 Dimensions	144	29.65	14.115	19100	1670	1550	375
W27x84 Dimensions	24.7	26.7	10	2850	106	244	33.2
W27x94 Dimensions	27.6	26.9	10	3270	124	278	38.8
W27x102 Dimensions	30	27.1	10	3620	139	305	43.4
W27x114 Dimensions	33.6	27.3	10.1	4080	159	343	49.3
W27x129 Dimensions	37.8	27.6	10	4760	184	395	57.6
W27x146 Dimensions	43.2	27.4	14	5660	443	464	97.7

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W27x161 Dimensions	47.6	27.6	14	6310	497	515	109
W27x178 Dimensions	52.5	27.8	14.1	7020	555	570	122
W27x194 Dimensions	57.1	28.1	14	7860	619	631	136
W27x217 Dimensions	63.9	28.4	14.1	8910	704	711	154
W27x235 Dimensions	69.4	28.7	14.2	9700	769	772	168
W27x258 Dimensions	76.1	29	14.3	10800	859	852	187
W27x281 Dimensions	83.1	29.3	14.4	11900	953	936	206
W27x307 Dimensions	90.2	29.6	14.4	13100	1050	1030	227
W27x336 Dimensions	99.2	30	14.6	14600	1180	1130	252
W27x368 Dimensions	109	30.4	14.7	16200	1310	1240	279
W27x448 Dimensions	131	31.42	14.94	20400	1670	1530	351

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W27x539 Dimensions	159	32.5	15.3	25600	2110	1890	437
W30x90 Dimensions	26.3	29.5	10.4	3610	115	283	34.7
W30x99 Dimensions	29	29.7	10.5	3990	128	312	38.6
W30x108 Dimensions	31.7	29.8	10.5	4470	146	346	43.9
W30x116 Dimensions	34.2	30	10.5	4930	164	378	49.2
W30x124 Dimensions	36.5	30.2	10.5	5360	181	408	54
W30x132 Dimensions	38.8	30.3	10.5	5770	196	437	58.4
W30x148 Dimensions	43.6	30.7	10.5	6680	227	500	68
W30x173 Dimensions	50.9	30.4	15	8230	598	607	123
W30x191 Dimensions	56.1	30.7	15	9200	673	675	138
W30x211 Dimensions	62.3	30.9	15.1	10300	757	751	155

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W30x235 Dimensions	69.3	31.3	15.1	11700	855	847	175
W30x261 Dimensions	77	31.6	15.2	13100	959	943	196
W30x292 Dimensions	86	32	15.3	14900	1100	1060	223
W30x326 Dimensions	95.9	32.4	15.4	16800	1240	1190	252
W30x357 Dimensions	105	32.8	15.5	18700	1390	1320	279
W30x391 Dimensions	115	33.2	15.6	20700	1550	1450	310
W30x477 Dimensions	140	34.21	15.865	26100	1970	1790	390
W33x118 Dimensions	34.7	32.9	11.5	5900	187	415	51.3
W33x130 Dimensions	38.3	33.1	11.5	6710	218	467	59.5
W33x141 Dimensions	41.5	33.3	11.5	7450	246	514	66.9
W33x152 Dimensions	44.9	33.5	11.6	8160	273	559	73.9

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W33x169 Dimensions	49.5	33.8	11.5	9290	310	629	84.4
W33x201 Dimensions	59.1	33.7	15.7	11600	749	773	147
W33x221 Dimensions	65.3	33.9	15.8	12900	840	857	164
W33x241 Dimensions	71.1	34.2	15.9	14200	933	940	182
W33x263 Dimensions	77.4	34.5	15.8	15900	1040	1040	202
W33x291 Dimensions	85.6	34.8	15.9	17700	1160	1160	226
W33x318 Dimensions	93.7	35.2	16	19500	1290	1270	250
W33x354 Dimensions	104	35.6	16.1	22000	1460	1420	282
W33x387 Dimensions	114	36	16.2	24300	1620	1560	312
W36x135 Dimensions	39.9	35.6	12	7800	225	509	59.7
W36x150 Dimensions	44.3	35.9	12	9040	270	581	70.9

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W36x160 Dimensions	47	36	12	9760	295	624	77.3
W36x170 Dimensions	50	36.2	12	10500	320	668	83.8
W36x182 Dimensions	53.6	36.3	12.1	11300	347	718	90.7
W36x194 Dimensions	57	36.5	12.1	12100	375	767	97.7
W36x210 Dimensions	61.9	36.7	12.2	13200	411	833	107
W36x230 Dimensions	67.6	35.9	16.47	15000	940	943	176
W36x231 Dimensions	68.2	36.5	16.5	15600	940	963	176
W36x232 Dimensions	68	37.1	12.1	15000	468	936	122
W36x245 Dimensions	72.1	36.08	16.51	16100	1010	1010	190
W36x247 Dimensions	72.5	36.7	16.5	16700	1010	1030	190
W36x256 Dimensions	75.3	37.4	12.2	16800	528	1040	137

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W36x260 Dimensions	76.5	36.26	16.55	17300	1090	1080	204
W36x262 Dimensions	77.2	36.9	16.6	17900	1090	1100	204
W36x280 Dimensions	82.4	36.52	16.595	18900	1200	1170	223
W36x282 Dimensions	82.9	37.1	16.6	19600	1200	1190	223
W36x300 Dimensions	88.3	36.74	16.655	20300	1300	1260	241
W36x302 Dimensions	89	37.3	16.7	21100	1300	1280	241
W36x328 Dimensions	96.4	37.09	16.63	22500	1420	1380	265
W36x330 Dimensions	96.9	37.7	16.6	23300	1420	1410	265
W36x359 Dimensions	105	37.4	16.73	24800	1570	[®] 1510	292
W36x361 Dimensions	[®] 106	38	16.7	25700	1570	1550	293
W36x393 Dimensions	115	37.8	16.83	27500	1750	1660	325

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W36x395 Dimensions	116	38.4	16.8	28500	1750	1710	325
W36x439 Dimensions	128	38.26	16.965	31000	1990	1860	367
W36x441 Dimensions	130	38.9	17	32100	1990	1910	368
W36x487 Dimensions	143	39.3	17.1	36000	2250	2130	412
W36x527 Dimensions	154	39.21	17.22	38300	2490	2270	454
W36x529 Dimensions	156	39.8	17.2	39600	2490	2330	454
W36x650 Dimensions	190	40.47	17.575	48900	3230	2840	580
W36x652 Dimensions	192	41.1	17.6	50600	3230	2910	581
W36x723 Dimensions	213	41.8	17.75	57300	3700	3270	658
W36x798 Dimensions	234	41.97	17.99	62600	4200	3570	743
W36x802 Dimensions	236	42.6	18	64800	4210	3660	744

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W36x848 Dimensions	249	42.45	18.13	67400	4550	3830	799
W36x853 Dimensions	251	43.1	18.2	70000	4600	3920	805
W36x925 Dimensions	272	43.1	18.6	73000	4940	4130	862
W40x149 Dimensions	43.8	38.2	11.8	9800	229	598	62.2
W40x167 Dimensions	49.3	38.6	11.8	11600	283	693	76
W40x174 Dimensions	51.1	38.2	15.75	12200	541	715	107
W40x183 Dimensions	53.3	39	11.8	13200	331	774	88.3
W40x199 Dimensions	58.8	38.7	15.8	14900	695	869	137
W40x211 Dimensions	62.1	39.4	11.8	15500	390	906	105
W40x215 Dimensions	63.5	39	15.8	16700	803	964	156
W40x235 Dimensions	69.1	39.7	11.9	17400	444	1010	118

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W40x249 Dimensions	73.5	39.4	15.8	19600	926	1120	182
W40x264 Dimensions	77.4	40	11.9	19400	493	1130	132
W40x277 Dimensions	81.5	39.7	15.8	21900	1040	1250	204
W40x278 Dimensions	82.3	40.2	12	20500	521	1190	140
W40x294 Dimensions	86.2	40.4	12	21900	562	1270	150
W40x297 Dimensions	87.3	39.8	15.8	23200	1090	1330	215
W40x321 Dimensions	95.3	40.2	15.9	25600	1220	1460	239
W40x324 Dimensions	95.3	40.2	15.9	25600	1220	1460	239
W40x327 Dimensions	95.9	40.8	12.1	24500	640	1410	170
W40x331 Dimensions	97.7	40.8	12.2	24700	644	1430	172
W40x362 Dimensions	106	40.6	16	28900	1380	1640	270

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W40x372 Dimensions	110	40.6	16.1	29600	1420	1680	277
W40x392 Dimensions	116	41.6	12.4	29900	803	1710	212
W40x397 Dimensions	117	41	16.1	32000	1540	1800	300
W40x431 Dimensions	127	41.3	16.2	34800	1690	1960	328
W40x466 Dimensions	137	42.44	12.64	36300	1010	2050	262
W40x503 Dimensions	148	42.1	16.4	41600	2040	2320	394
W40x593 Dimensions	174	43	16.7	50400	2520	2760	481
W40x655 Dimensions	193	43.6	16.9	56500	2870	3080	542
W44x230 Dimensions	67.8	42.9	15.8	20800	796	1100	157
W44x262 Dimensions	77.2	43.3	15.8	24100	923	1270	182
W44x290 Dimensions	85.4	43.6	15.8	27000	1040	1410	205

	(in ²)	(in)	(in)	I _x (in ⁴)	I _y (in ⁴)	Mod Xp (in ³)	Mod Yp (in ³)
W44x335 Dimensions	98.5	44	15.9	31100	1200	1620	236

When are steel I beams typically used?

I-beams are used in a range of projects. They are often found used in the construction of buildings and bridges. An I-beam consists of flanges and a web that together allow the section to sustain large forces.

The above table of W shapes sizes offers a detailed beam sizes chart for engineers to easily scroll and find what they're looking for. If you're looking for a different section or shape try the search feature or one of the below resources:

- [Free Beam Calculator](#)
- [WT Shapes Sizes](#)
- [American AISC Libraries](#)
- [American AISI Libraries](#)
- [American NDS® Libraries](#)
- [American SJI Libraries](#)
- [W-Beams - American Wide Flange Beam Sizes](#)