

Lab 4

Turn In:

1. Code Assignment – Exercise #1 Due in class on ?????, ????, 2012
 - a) For each exercise, a hardcopy package must be generated to include the following items:
 - Cover Sheet (see the sample copy include in lecture note)
 - Exercise/problem statement
 - Copy of your source file (C++ program named as **cis25Fall2012YourNameLab4Ex1**)
 - Copy of output (copy and paste from output screen as possible)
 - b) Submitting one hard copy package for each exercise; and
 - c) Emailing each document as follows,
 - One message for each exercise.
 - Attaching the source file that was created in part a).
 - The SUBJECT line of each message should have one of the following lines:

CIS 25 Fall 2012 Your Name : Lab 4 - Exercise #1

Or,

cis25Fall2012YourNameLab4Ex1.cpp

2. Q.E.D.

1. Code Assignment/Exercise

Exercise 1 – Due on ?????, ???? ??, ????

A. Update the **Fraction** class given in the Lecture notes or as discussed in class meetings as follows,

1. Add your FIRST NAME and the initial of your last name to the name **Fraction** and use this as your updated class. For examples, if your first name is **John Smith** then update the class name to be **FractionJohnS**.
2. Add and update all class constructors for your **Fraction** class to handle the initialization appropriately.

There must be at least 3 constructors of

- (i) default,
- (ii) copy, and
- (iii) convert taking on an `int`.

3. Provide `get/set` member functions for each private member data.
4. A member function `print()` that will print the current `Fraction` object.

B. Provide the following stand alone functions,

- A function `init()` to set up or update the 2 required `Fraction` objects.
- A function `add()` to add 2 `Fraction` objects; and
- A function `subtract()` to subtract 2 `Fraction` objects; and
- A function `multiply()` to multiply 2 `Fraction` objects; and
- A function `divide()` to divide 2 `Fraction` objects; and
- A function `print()` to print the 2 required `Fraction` objects; and
- An appropriate `menu()` function to produce the required output as displayed below.

C. Run and record the output of the program.

- (a) The output screen should have the following lines displayed before any other display or input can be seen,

CIS 25 - C++ Programming
Laney College
Your Name

```

Assignment Information --
  Assignment Number:  Lab 4,
                        Exercise #1
Written by:           Your Name
Due Date:            Due Date

```

- (b) Then, the output screen should be followed by a sample output as follows,

```
*****
*                      *
*          MENU        *
*                      *
*   1. Calling init()  *
*
```

```
* 2. Calling add()      *
* 3. Calling subtract() *
* 4. Calling multiply() *
* 5. Calling divide()   *
* 6. Calling print()    *
* 7. Quit               *
*                       *
```

Select an option (use integer value only): 6

Calling print() --

Not a proper call as no Fractions are available!

```
*          MENU          *
*                       *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
* 5. Calling divide()    *
* 6. Calling print()     *
* 7. Quit               *
*                       *
```

Select an option (use integer value only): 2

Calling add() --

Not a proper call as no Fractions are available!

```
*          MENU          *
*                       *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
* 5. Calling divide()    *
* 6. Calling print()     *
* 7. Quit               *
*                       *
```

Select an option (use integer value only): 1

Calling init() --

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```
*          MENU          *
*                       *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
```

```

* 5. Calling divide()      *
* 6. Calling print()      *
* 7. Quit                  *
*                          *
*****
Select an option (use integer value only): 6

Calling print() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*          MENU          *
*                          *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
* 5. Calling divide()    *
* 6. Calling print()     *
* 7. Quit                *
*                          *
*****
Select an option (use integer value only): 2

Calling add() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*          MENU          *
*                          *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
* 5. Calling divide()    *
* 6. Calling print()     *
* 7. Quit                *
*                          *
*****
Select an option (use integer value only): 6

Calling print() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*          MENU          *
*                          *
* 1. Calling init()      *
* 2. Calling add()       *
* 3. Calling subtract()  *
* 4. Calling multiply()  *
* 5. Calling divide()    *
* 6. Calling print()     *
* 7. Quit                *
*                          *

```

```

*                                     *
*****
Select an option (use integer value only): 3

Calling subtract() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*           MENU           *
*                           *
*  1. Calling init()      *
*  2. Calling add()       *
*  3. Calling subtract()  *
*  4. Calling multiply()  *
*  5. Calling divide()   *
*  6. Calling print()    *
*  7. Quit               *
*                           *
*****
Select an option (use integer value only): 6

Calling print() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*           MENU           *
*                           *
*  1. Calling init()      *
*  2. Calling add()       *
*  3. Calling subtract()  *
*  4. Calling multiply()  *
*  5. Calling divide()   *
*  6. Calling print()    *
*  7. Quit               *
*                           *
*****
Select an option (use integer value only): 4

Calling multiply() --

```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```

*****
*           MENU           *
*                           *
*  1. Calling init()      *
*  2. Calling add()       *
*  3. Calling subtract()  *
*  4. Calling multiply()  *
*  5. Calling divide()   *
*  6. Calling print()    *
*  7. Quit               *
*                           *
*****
Select an option (use integer value only): 5

```

Calling divide() --

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```
*****
*           MENU           *
*                           *
*  1. Calling init()       *
*  2. Calling add()        *
*  3. Calling subtract()   *
*  4. Calling multiply()   *
*  5. Calling divide()     *
*  6. Calling print()      *
*  7. Quit                 *
*                           *
*****
Select an option (use integer value only): 6

Calling print() --
```

REPLACE WITH YOUR CODE AND ACTUAL OUTPUT

```
*****
*           MENU           *
*                           *
*  1. Calling init()       *
*  2. Calling add()        *
*  3. Calling subtract()   *
*  4. Calling multiply()   *
*  5. Calling divide()     *
*  6. Calling print()      *
*  7. Quit                 *
*                           *
*****
Select an option (use integer value only): 7

Having fun ...!
```

D. Save the program as `cis25Fall2012YourNameLab4Ex1.cpp`.

E. When running your program, use the following sets of fractions for your objects:

`{1/2 and 3/4}` and `{-5/9 and 7/11}`

F. Add a comment block after your program name (shown below) to suggest about improving your current code (Optional)

```
/**
 * Program Name:          cis25Fall2012YourNameLab5Ex1.cpp
 * Discussion:            Function, Class, and Operations
 * Comments/Suggestion:  YOUR SUGGESTION HERE
 */
```