

LITHO Mainnet Exchange Documentation

Release Checklist

Last reviewed: 2026-07-31

Purpose: prevent a technically useful draft from being shared as a final listing package before client-owned production facts are ready.

1. Current disposition

Area	Status	External wording
Base chain	Live and reverified	May be stated as live
EVM/Cosmos node APIs	Live	May be supplied with rate-limit/private-node caveat
Explorer	Live and cutover-accepted	May provide https://lithoscan.ai with the exchange's independent-indexing requirement
Public source release	Access/publication pending	Current repository may require access
Signed binary download	URL pending	Supply checksum only with controlled artifact
Public block-data snapshot	Not available	State clearly; sync from genesis
Mainnet LEP100 registry	Not published	Do not list testnet contracts
Official wallet on chain 9005	Compatibility confirmation pending	MetaMask manual config only; qualify Thanos
Mainnet bridge	Disabled	No wrapped assets; no completed audit report
Confirmation policy	Provisional recommendation only	Requires client/exchange approval
Exchange transfer opening	Business date/time pending	Do not equate technical availability with listing opening

2. Explorer gate — client explorer team / Adnan Dev 2

- ☒ <https://lithoscan.ai> returns the production mainnet UI without redirect, challenge, or HTTP 403/5xx for normal unauthenticated users.
- ☒ Explorer identifies Cosmos chain `lithosphere_9005-1` and EVM chain `9005`.
- ☐ Latest height and block time match two independent node endpoints.
- ☐ Height 1 matches hash `7418C1962B64597EE91D6747ECE3D5325C8B17B261E4C0E4A109A9BAFE74F509`.
- ☐ Search works for block height/hash, transaction hash, `0x` address, and `litho1` address.
- ☐ Native balances display 18 decimals without floating-point loss.
- ☐ Successful and failed EVM receipts are distinguishable.

- ☐ LEP100 pages identify assets by contract address and decode `Transfer` logs correctly.
- ☐ Explorer/API does not display testnet LEP100 addresses as mainnet assets.
- ☒ TLS and the restricted rollback procedure passed cutover validation; cache, rate-limit, and error-page policy remain routine operational checks.
- ☒ Public smoke-test evidence and explicit cutover approval are archived in the cutover record and `lithoscan-window-close.json`.

3. Release-artifact gate — infrastructure/release owner

- ☐ Audit public Lithosphere resource/docs pages and remove any stale designation of chain IDs `700777` or `900523` as mainnet; the only exchange mainnet identity in this package is `lithosphere_9005-1` / EVM `9005`.
- ☐ Publish a public or exchange-accessible immutable source tag/commit.
- ☐ Publish the Linux x86_64 mainnet binary at a stable HTTPS release URL.
- ☐ Publish SHA-256 `0546677a9cf3a7f458797b65181a46f21c89185933e832d89ce728a144fd258c`.
- ☐ Publish artifact signature and signer-verification instructions.
- ☐ Include fixed-supply patch, build script, dependency/SBOM artifacts, and focused-test results in the release.
- ☐ Confirm the public genesis URL body and response header match SHA-256 `13e4875b4a9dddc63bdfbd4968c7265f9bbc49218b59c5b49231a56fa313046f`.

4. Snapshot decision — node operations owner

Select and document one:

- ☐ No public snapshot at listing; exchange syncs from genesis and peers.
- ☐ Publish a snapshot with chain ID, height, block hash, creation time, format/compression, size, SHA-256, binary compatibility, and restore test.

Never publish a private validator data directory, consensus key, signing state, or testnet snapshot.

5. Asset and LEP100 gate — protocol/token owner

- ☐ Publish the signed machine-readable mainnet LEP100 registry.
- ☐ For every asset, include chain ID, contract, deployment transaction, name, symbol, decimals, total supply, source release, and runtime-code hash.
- ☐ Complete reproducible bytecode verification for every listed contract.
- ☐ Record issuer and ownership/control addresses.
- ☐ Confirm no testnet contract is included.
- ☐ State whether each contract is the unmodified LEP100 reference or a separately audited modification.
- ☐ Provide token-specific audit reports required by the exchange.

6. Wallet gate — wallet/product owner

- ☐ Confirm Thanos Wallet supports EVM chain `9005`, the production RPC, and the approved explorer URL.
- ☐ Test new wallet, restore, native send/receive, LEP100 send/receive, fee display, wrong-network rejection, and transaction-history links.
- ☐ Publish direct official web/mobile/extension links and version numbers.
- ☐ Confirm whether MetaMask is an officially supported fallback or only a compatible third-party wallet.

7. Exchange policy gate — accountable client and exchange

- ☐ Approve normal native deposit confirmations.
- ☐ Approve high-value native deposit confirmations.
- ☐ Approve LEP100 deposit confirmations.
- ☐ Approve minimum deposits and withdrawals, fees, and dust policy.
- ☐ Approve one-validator operational risk or close the validator-set gate.
- ☐ Approve deposit/withdrawal pause triggers.
- ☐ Approve final mainnet transfer-opening date and UTC timestamp.
- ☐ Approve the MEXC/community warning text.

Suggested provisional values in the draft are 20 blocks normally and 100 blocks for high value. They are not official until signed here.

8. Bridge statement

Select one:

- ☐ Listing is native mainnet LITHO/LEP100 only; bridge and wrapped assets are explicitly out of scope and disabled.
- ☐ A separate bridge integration is requested; provide deployed addresses, routes, operational controls, and the completed independent audit before enabling it.

An audit RFQ or internal test report is not a completed bridge audit.

9. Final validation

- ☐ Run every API example against the production endpoint and an exchange node; retain sanitized output.
- ☐ Run native deposit and withdrawal end to end.
- ☐ Run at least one approved LEP100 deposit, sweep, and withdrawal end to end.
- ☐ Test failed/reverted transactions and confirm no credit.
- ☐ Test duplicate replay and confirm exactly-once credit.
- ☐ Test node restart, indexer replay, RPC outage, peer loss, and alerting.
- ☐ Confirm no secrets, private keys, credentials, or private contact details are present in the external package.
- ☐ Legal/compliance and accountable technical owners approve release.

10. Google Docs publication

After all required gates are complete:

1. Regenerate the combined PDF and DOCX from the reviewed Markdown source.
2. Create a restricted Google Doc titled `LITHO Mainnet Exchange Integration – v1.0 – YYYY-MM-DD`.
3. Import the DOCX, verify tables/code formatting and every link, and make the first line state the approved version and UTC review date.
4. Give edit access only to named client owners; give the exchange review team view/comment access as agreed.
5. Attach or link immutable checksums for genesis, binary, PDF, and source tag.
6. Record the Google Doc URL and access owner below.

Field	Value
Google Doc URL	TBD
Document owner	TBD
Final version/date	TBD
Client approver	TBD
Exchange recipient	TBD