



B
BETREGRET


BETREGRET


STAN UND KAAAN


ZIEL DES CHATBOTS

- ⚽ Predictions anhand Echtzeitdaten
- ⚽ Gewinnwahrscheinlichkeiten berechnen
- ⚽ Sonstige Teams und Spieldaten

ARCHITEKTUR








SECURITY

- ⊗ Schädliche Anfragen verhindert
- ⊗ Regeln im System Prompt

TOOLS

- ⚽ MCP-Tools
- ⚽ eigene Tools (z. B. predict_match_outcome)



TOOLS

⚽ MCP-Tools

⚽ eigene Tools (z. B.
predict_match_outcome)

```
func signal_handler
const mcp
func get_league_fixtures
func get_league_id_by_name
func get_all_leagues_id
func get_standings
func get_player_id
func get_player_profile
▼ func get_player_statistics
    func _get_league_id
func get_player_statistics_2
func get_team_fixtures
func get_fixture_statistics
func get_team_fixtures_by_date_...
func get_fixture_events
func get_multiple_fixtures_stats
func get_league_schedule_by_d...
func get_live_match_for_team
func get_live_stats_for_team
func get_live_match_timeline
```

```
allowed_tool_names = {
    "get_league_fixtures",
    "get_league_id_by_name",
    "get_team_fixtures",
    "get_team_info",
    "get_live_match_for_team",
    "predict_match_outcome",
    "get_league_scorers",
}
```


Cache

```
TEAM_SEARCH_CACHE: Dict[str, List[Dict[str, Any]]] = {}  
COMPETITIONS_CACHE: Optional[Dict[str, Any]] = None  
TEAM_ID_CACHE: Dict[str, Dict[str, Any]] = {}  
TEAM_FULL_DATA_CACHE: Dict[int, Dict[str, Any]] = {}  
STANDINGS_DATA_CACHE: Dict[int, Dict[str, Any]] = {}
```

Das Prediction Tool

- ⚽ Benutzt Mathe
- ⚽ Berechnet anhand Statistiken

```
# Calculation logic (average values per game)
def calculate_team_metrics(stats):
    games_played = stats['playedGames']
    if games_played == 0:
        return 1.0, 0.0, 1.0, 1.0 # Default stats for a new season

    avg_points_per_game = stats['points'] / games_played
    avg_goal_diff_per_game = stats['goalDifference'] / games_played
    avg_goals_scored_per_game = stats['goalsFor'] / games_played
    avg_goals_conceded_per_game = stats['goalsAgainst'] / games_played
    return avg_points_per_game, avg_goal_diff_per_game, avg_goals_scored_per_game, avg_goals_conceded_per_game

ppg_home, gd_home, goals_home_avg, conceded_home_avg = calculate_team_metrics(home_stats)
ppg_away, gd_away, goals_away_avg, conceded_away_avg = calculate_team_metrics(away_stats)

# Power Score (70% Form/Points, 30% Goal Difference) + Home Advantage
power_score_home = (ppg_home * 0.7) + (gd_home * 0.3) + 0.2
power_score_away = (ppg_away * 0.7) + (gd_away * 0.3)
```


HERAUSFORDERUNGEN

- ⚽ Koordination in den Ferien
- ⚽ Beschränkte Anzahl an MCP-Server
- ⚽ Kostengünstige und aktuelle API finden
- ⚽ Chatbot auf Stand 2023/24
- ⚽ Prediction-Feature

ERFOLGE

- ⚽ Tordifferenz beider CL-Rückspiele richtig vorhergesagt
- ⚽ Arsenal – Atletico 1 Tor Differenz
- ⚽ Bayern – PSG 0 Tore Differenz





ZUKÜNFTIGE ANPASSUNGEN

- ⚽ Regulations Feature (RAG)
- ⚽ Predictionbewertung
- ⚽ Sicherheitsoptimierung
- ⚽ Zeitoptimierung
- ⚽ Unittests

**DANKE FÜR EURE AUFMERKSAMKEIT UND WIR
HOFFEN IHR VERGESST EINFACH ALLES WAS WIR
EUCH HEUTE PRÄSENTIERT HABEN. ES WAR ZU
KEINEM ZEITPUNKT UNSERE INTENTION DAMIT
ZUM WETTEN ANZUREGEN, DENN WETTEN KANN
SÜCHTIG MACHEN!**