MOVIE ANALYTICS

Advanced Power BI Report & Implementation Documentation

Platform	Power BI Service (browser-based)
Semantic model	Movie_Analytics
Data structure	15 visible booking, movie and customer source attributes
Scope	KPI measures, calculated columns, slicers and movie revenue analysis

Basis of this document: the screenshots supplied with the request. Values and formulas are transcribed only where visible; the underlying dataset and calculations have not been independently audited.

SCREENSHOT EVIDENCE APPENDIX

The supplied Power BI screenshots are included in the final pages.

1. Project overview

The Movie_Analytics semantic model supports analysis of movie bookings, ticket revenue, customers and booking behaviour. The screenshots show a report page with four KPI cards, five slicers and four chart visuals, alongside DAX measures and a calculated column.

2. Source fields visible in the model

The Data pane shows one table named **Movie_Analytics**, with these 15 visible attributes:

BOOKING_CHANNEL	BOOKING_DATE	BOOKING_FEE
BOOKING_ID	CITY	CUSTOMER_ID
CUSTOMER_NAME	CUSTOMER_TYPE	DISCOUNT
GENRE	MOVIE_TITLE	PAYMENT_METHOD
REVENUE	TICKET_PRICE	TICKET_QUANTITY

The screenshots also show calculated fields such as Sales_Amount and Sales_Category. These are model calculations, not additional source attributes.

3. DAX measures and calculated column

Total Customers
DISTINCTCOUNT(Movie_Analytics[CUSTOMER_ID])

Total Transactions
DISTINCTCOUNT(Movie_Analytics[BOOKING_ID])

Total Revenue SUMX
SUMX(Movie_Analytics, Movie_Analytics[REVENUE])

Average Order Value
DIVIDE([Total Sales], [Total Transactions], 0)

Action Genre Sales
CALCULATE([Total Sales], Movie_Analytics[GENRE] = "Action")

Sales Status
IF([Total Sales] >= 10000, "Target Achieved", "Target Not Achieved")

Sales_Category calculated column
SWITCH(TRUE(), Movie_Analytics[REVENUE] >= 1000, "High", Movie_Analytics[REVENUE] >= 500, "Medium", "Low")

The field list also displays measures named Total Sales and Average Sales, but their complete formulas are not visible in the supplied images and are therefore not reconstructed here.

4. Report layout and visible results

KPI cards shown in the report screenshot:

KPI	Value shown
Total Sales	7K
Total movie	6
Total Customers	8
Average Order Value	714.00

Slicers: CITY, MOVIE_TITLE, GENRE, BOOKING_CHANNEL and BOOKING_DATE. The displayed date selection is 28 February 2026 to 21 June 2026.

Charts: Total Revenue by Month (line); REVENUE by GENRE (horizontal bar); REVENUE by MOVIE_TITLE (horizontal bar); and Revenue by CITY (column).

The KPI values and date range are copied from the screenshot and represent the report state when the screenshot was captured; they are not independently verified.


5. Final quality checks

• Confirm BOOKING_DATE has Date data type and numeric fields (REVENUE, BOOKING_FEE, DISCOUNT and TICKET_PRICE) have appropriate numeric types.
• Confirm visuals use the intended explicit measures where applicable.
• Verify the Average Order Value definition is appropriate for the project; the visible formula divides Total Sales by Total Transactions.
• Validate the 10,000 Sales Status threshold against the required business target.
• Test each slicer and confirm it filters the intended visuals.
• Save the report and semantic model, then refresh before final submission.

6. Screenshot evidence


The following appendix reproduces all nine supplied screenshots.

Appendix 1: Finished report page: KPI cards, slicers and four chart visuals.




Finished report page: KPI cards, slicers and four chart visuals.

Appendix 2: Total Revenue measure using SUMX over Movie_Analytics[REVENUE].




Total Revenue measure using SUMX over Movie_Analytics[REVENUE].

Appendix 3: Total Customers measure using DISTINCTCOUNT of CUSTOMER_ID.




Total Customers measure using DISTINCTCOUNT of CUSTOMER_ID.

Appendix 4: Average Order Value measure using DIVIDE of Total Sales by Total Transactions.




Average Order Value measure using DIVIDE of Total Sales by Total Transactions.

Appendix 5: Total Transactions measure using DISTINCTCOUNT of BOOKING_ID.




Total Transactions measure using DISTINCTCOUNT of BOOKING_ID.

Appendix 6: Action Genre Sales measure using CALCULATE with GENRE = Action.




Action Genre Sales measure using CALCULATE with GENRE = Action.

Appendix 7: Sales Status measure: target achieved at Total Sales of at least 10,000.




Sales Status measure: target achieved at Total Sales of at least 10,000.

Appendix 8: Sales_Category calculated column: High, Medium or Low based on REVENUE.



Sales_Category calculated column: High, Medium or Low based on REVENUE.

Appendix 9: Model field pane showing measures and calculated columns.



Model field pane showing measures and calculated columns.