# POWER BI PERFORMANCE ANALYZER REPORT

Movie Analytics Dashboard

| | |
|---|---|
| **Task** | Task 2 – Power BI Performance Analyzer |
| **Platform** | Power BI Service (web report editor) |
| **Analysis focus** | Visual load/render duration and slicer interaction |
| **Evidence** | Screenshots supplied from the Movie_Analytics report |

Prepared from the screenshots provided. Timing values below are transcribed from the visible Performance Analyzer results; where the screenshot shows repeated runs or partially visible rows, the report avoids treating them as a complete benchmark.

# 1. Objective

The objective of this task is to use Power BI Performance Analyzer to monitor the Movie Analytics report, record the time taken by individual visuals, and identify visuals that may benefit from optimization.

# 2. Implementation performed

**1.** Opened the Movie_Analytics report in Power BI Service and selected the **Optimize** tab.

**2.** Opened **Performance analyzer** to display the recording pane.

**3.** Started recording, then used **Refresh visuals** to capture visual activity.

**4.** Reviewed the duration (ms) values listed beside cards, charts, and slicers.

**5.** Cleared the results and performed another recording/refresh to observe a subsequent run and slicer interaction.

# 3. Recorded results

The first visible recording contains the following report visual timings. These are the values shown in the supplied Performance Analyzer screenshot.

| Visual shown in analyzer | Duration |
|---|---|
| Total Revenue by Month | 539 ms |
| Revenue by Genre | 540 ms |
| Revenue by Movie Title | 613 ms |
| Revenue by City | 539 ms |
| Card visuals (four visible entries) | 589, 547, 592, 565 ms |
| Slicer entries (visible timings) | 195, 142, 169, 113, 114, 116 ms |

**Highest visible chart duration:** Revenue by Movie Title – 613 ms. **Lowest visible slicer duration:** 113 ms. The four card values and slicer values are reported as a group because the screenshot shows several similarly named visuals.

A subsequent recording screenshot shows the analyzer capturing slicer activity and the same chart set again. The visible values include 539 ms (monthly revenue), 540 ms (genre), 613 ms (movie title), and 539 ms (city). A slicer-change event is listed separately and does not display a duration.

# 4. Analysis and observations

**Movie Title chart:** At 613 ms, this is the slowest of the four named chart visuals visible in the supplied recording. It is the first candidate to inspect if the report becomes slower as the number of movies or transactions grows.

**Genre and monthly revenue charts:** These show 540 ms and 539 ms respectively, close to the City chart at 539 ms. The visible results do not indicate a major performance difference among these three visuals.

**Cards:** The four card timings range from 547 ms to 592 ms in the visible list. Their duration is broadly similar to the named charts in this capture.

**Slicers:** The visible slicer durations are lower than the chart/card timings in this capture. A slicer-change event appears in the second capture, showing that the analyzer also records interactions, not just the initial visual refresh.

# 5. Recommendations

• Keep each visual focused on the fields required for its analysis; remove unused fields from visual wells and tooltips.

• Limit high-cardinality categories in charts where practical (for example, show a Top N list of movies rather than every title).

• Use measures for reusable calculations and avoid unnecessarily complex calculated columns when a measure is sufficient.

• Keep slicers purposeful. Use dropdown slicers for long lists such as Movie Title and compact dropdowns for City, Genre, and Booking Channel.

• After making a change, repeat the same recording and refresh process. Compare like-for-like visuals and note whether the duration improves.

• Treat a faster second run cautiously: caching can reduce subsequent timings, so a lower duration alone does not prove that the model or DAX has been optimized.


# 6. Expected outcome and conclusion

Performance Analyzer was successfully opened and used to record the Movie Analytics report. The supplied results show the Movie Title chart as the slowest named chart in the visible capture at 613 ms, while the City and Monthly Revenue charts are each shown at 539 ms. The analyzer also captured card and slicer activity. These measurements provide a baseline for future comparisons and help prioritize where to investigate if report responsiveness becomes a concern.


Note: These are timings from the screenshots provided, not a controlled performance benchmark. Results can vary with cache state, data volume, browser/device load, network conditions, and report interactions.

# 7. Screenshot evidence


## Evidence 1 – Performance Analyzer pane with visual durations recorded.




## Evidence 2 – Analyzer pane cleared/ready to start a fresh recording.



## Evidence 3 – Recording in progress after refresh and slicer interaction; visual and slicer timings are listed in the analyzer pane.




This evidence set documents the workflow: open Performance Analyzer, start recording, refresh visuals, inspect durations, clear results, and record again for comparison.