

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Amazon login page	17.804 s	5	1	4	0	16	7	4	5	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Amazon login page	TC01_Login Page
2		TC01_Login Page
3		TC01_Login Page
4		TC03_Select costly phone


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SSS	1	0	1	0	1	0	1	0

FEATURES SUMMARY

-- 5 --



1	#	Feature Name	T	P	F	S	Duration
-	1	Amazon login page	5	1	4	0	17.804 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon login page	TC01_Login Page	3	1	1	1	5.141 s
2		TC01_Login Page	3	3	0	0	3.761 s
3		TC01_Login Page	3	1	1	1	3.133 s
4		TC01_Login Page	3	1	1	1	3.282 s
5		TC03_Select costly phone	4	1	1	2	2.452 s

DETAILED SECTION -- 7 --


Amazon login page

FAILED	DURATION - 17.804 s	Scenarios		Steps	
		Total - 5		Total - 16	
/ 2:30:00.248 PM //	2:30:18.052 PM /	Pass - 1	5	Pass - 7	16
		Fail - 4	ŭ J	Fail - 4	
		Skip - 0		Skip - 5	




#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	3.508 s
2	When Enter email	FAILED	0.028 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44c7c348ca67c409f2a2ac91811d58d3, findElement {using=xpath, value=((//img[@src])[1])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a, userDataDir: C:\Users\kaarv\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51219}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51219/devtoo, se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 44c7c348ca67c409f2a2ac91811d58d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.getScreenshotAs(Unknown Source)		
	at Pages.Signin.extractText(Signin.java:99)		
	at Pages.Signin.enterEmail2(Signin.java:80)		
	at stepDefinition.pageLogin.enterEmail2(pageLogin.java:40)		
	at ?.Enter email(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:26)		
	* Not displayable characters are replaced by '?'.		
3	Then Click on continue	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.191 s
2	When Enter "Kaar@gamil.com" count 1	PASSED	0.878 s
3	Then Click on continue	PASSED	0.286 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.622 s
	TC01_Login Page		


#	Step / Hook Details	Status	Duration
	Alligno. * Discussions * Once See Allies of the Control of the C		
	Sign in the contract of the co		
	MODEL TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TO		
	To read the second of the seco		



#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	2.232 s
2	When Enter "Mani@gamil.com" count 2	FAILED	0.009 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82230285c962dc819f7a9f50ae25ce70, findElement (using=xpath, value=((//img[@src])[1])] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a, userDataDir: C:\Users\kaarv\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51281}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51281/devtoo, se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Chec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.Chec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.getScreenshotAs(Unknown Source)		
	at Pages.Signin.extractText(Signin.java:99)		
	at Pages.Signin.enterEmail(Signin.java:61)		
	at stepDefinition.pageLogin.enterEmail(pageLogin.java:33)		
	at ?.Enter "Mani@gamil.com" count 2(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:30)		
	* Not displayable characters are replaced by '?'.		
3	Then Click on continue	SKIPPED	0.001 s




#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	2.253 s
2	When Enter "Venky@gamil.com" count 3	FAILED	0.095 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df65f1ce4bd2064653ad8742f67ec5d4, findElement {using=xpath, value=((//img[@src])[1])}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a, userDataDir: C:\Users\kaarv\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51304}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51304/devtoo, se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	df65f1ce4bd2064653ad8742f67ec5d4		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.getScreenshotAs(Unknown Source)		
	at Pages.Signin.extractText(Signin.java:99)		
	at Pages.Signin.enterEmail(Signin.java:61)		
	at stepDefinition.pageLogin.enterEmail(pageLogin.java:33)		
	at ?.Enter "Venky@gamil.com" count 3(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:30)		
	* Not displayable characters are replaced by '?'.		
3	Then Click on continue	SKIPPED	0.001 s

TC03_Select costly phone



DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.574 s
2	When Search iphone	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: 14.27.0°, revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0°, java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 41c33c01697c20b17abdf640cdbb1722, findElement {using=xpath, value={(/imp{@src})[1])} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (521839e99a, userDataDir: C.UsersikaarvAppDataLoca); federmacocunts: true, goog:chromeOptions: {debuggerAddress: localhost51331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy), sec.octp. vsc./localhost51331/idevtoo, sec.opVersion: 131.0.6778.205, setWindowRect: true, strictFleinteractability: false, timeouts: {implicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:rinplicit: 0}, pageLoad: 300000, script: 300000, scrip		
3	Then Find costliest iphone	SKIPPED	0.000 s
4	And Select costliest iPhone	SKIPPED	0.000 s