Cucumber Report

| Start : Jan 05, 12:57:34.180 AM	End : Jan 05, 12:57:52.041 AM	Duration : 17.861 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 8 FAILED - 4 SKIPPED - 4
1	5	16
0 %	20 %	50 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Amazon login page	17.861 s	5	1	4	0	16	8	4	4

#	Feature Name	Scenario Name
1	*Amazon login page*	*TC01_Login Page*
2		*TC01_Login Page*
3		*TC01_Login Page*
4		*TC03_Select costly phone*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SSS	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Amazon login page	5	1	4	0	17.861 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Amazon login page*	*TC01_Login Page*	*3*	*3*	*0*	*0*	*5.836 s*
2		*TC01_Login Page*	*3*	*1*	*1*	*1*	*2.478 s*
3		*TC01_Login Page*	*3*	*1*	*1*	*1*	*2.457 s*
4		*TC01_Login Page*	*3*	*1*	*1*	*1*	*2.792 s*
5		*TC03_Select costly phone*	*4*	*2*	*1*	*1*	*4.267 s*

Amazon login page

FAILED	DURATION - 17.861 s		Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0		Steps Total - 16 Pass - 8 Fail - 4 Skip - 4	
/ 12:57:34.180 AM // 12:57:52.041 AM /						

TC01_Login Page

PASSED	DURATION - 5.836 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:57:34.185 AM // 12:57:40.021 AM /				
Amazon login page				

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.511 s
2	When Enter email	PASSED	0.907 s
3	Then Click on continue	PASSED	0.455 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser() TC01_Login Page	PASSED	0.605 s

TC01_Login Page

FAILED	DURATION - 2.478 s
/ 12:57:40.030 AM // 12:57:42.508 AM /	
Amazon login page	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.272 s
2	When Enter "Kaar@gamil.com" count 1	FAILED	0.266 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6c17d66279bf1a8e7e30b03fe4b7aba, findElement {using=xpath, value=((//img[@src])[1])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\kaarv\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55924}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55924/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6c17d66279bf1a8e7e30b03fe4b7aba

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy38.getScreenshotAs(Unknown Source)
   at Pages.Signin.extractText(Signin.java:99)

| #	Step / Hook Details	Status	Duration
	at Pages.Signin.enterEmail(Signin.java:61) at stepDefinition.pageLogin.enterEmail(pageLogin.java:33) at ?.Enter "Kaar@gamil.com" count 1(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:30) * Not displayable characters are replaced by '?'.		
3	Then Click on continue	SKIPPED	0.001 s

TC01_Login Page

FAILED	DURATION - 2.457 s		Steps
/ 12:57:42.516 AM // 12:57:44.973 AM /			Total - 3
			Pass - 1
Amazon login page			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.724 s
2	When Enter "Mani@gamil.com" count 2	FAILED	0.842 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ecbe3a741e85c62104121fc832f5392, isElementDisplayed {id=f.71F4B91CCA4FBD2D8644CEC565CAE108.d.70AF7632D8FF6C3022833C85D78816BA.e.33}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\kaarv\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55951}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55951/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (5ecbe3a741e85c62104121fc832f5392)] -> xpath: ((//img[@src])[1])] Session ID: 5ecbe3a741e85c62104121fc832f5392 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:282) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy38.isDisplayed(Unknown Source) at Pages.Signin.extractText(Signin.java:121) at Pages.Signin.enterEmail(Signin.java:61) at stepDefinition.pageLogin.enterEmail(pageLogin.java:33) at ?.Enter "Mani@gamil.com" count 2(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:30) * Not displayable characters are replaced by '?'.		
3	Then Click on continue	SKIPPED	0.001 s

TC01_Login Page

FAILED	DURATION - 2.792 s
/ 12:57:44.979 AM // 12:57:47.771 AM /	
Amazon login page	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.761 s
2	When Enter "Venky@gamil.com" count 3	FAILED	1.147 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [97118367ff71a69f1f3a791fd749f83a, isElementDisplayed {id=f.29A2E91D4BC6E3B6AA63B547F7AF5299.d.124D9E275AF9A1AAC20FD7B99B41F34D.e.55}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\kaarv\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55970}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55970/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (97118367ff71a69f1f3a791fd749f83a)] -> xpath: ((//img[@src])[1])] Session ID: 97118367ff71a69f1f3a791fd749f83a
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:282)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy38.isDisplayed(Unknown Source)
	    at Pages.Signin.extractText(Signin.java:121)
	    at Pages.Signin.enterEmail(Signin.java:61)
	    at stepDefinition.pageLogin.enterEmail(pageLogin.java:33)
	    at ?.Enter "Venky@gamil.com" count 3(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:30)
	* Not displayable characters are replaced by '?'.		

3	Then Click on continue	SKIPPED	0.000 s

TC03_Select costly phone

FAILED	DURATION - 4.267 s
/ 12:57:47.774 AM // 12:57:52.041 AM /	
Amazon login page	
@SSS	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.160 s

#	Step / Hook Details	Status	Duration
2	When Search iphone	PASSED	1.567 s
3	Then Find costliest iphone	FAILED	0.646 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ece41c58a026278cc7bbd30bc51da1a9, actions {actions=[org.openqa.selenium.interactions.Sequence@74bbc273]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\kaarv\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55988}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55988/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ece41c58a026278cc7bbd30bc51da1a9
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:631)
	    at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:613)
	    at org.openqa.selenium.interactions.Actions.perform(Actions.java:578)
	    at Pages.Signin.find_costliest_iphone(Signin.java:184)
	    at stepDefinition.pageLogin.find_costliest_iphone(pageLogin.java:58)
	    at ?.Find costliest iphone(file:///C:/Users/kaarv/Practice-workspace/test/src/test/resources/features/Login.feature:40)
	* Not displayable characters are replaced by '?'.		

4	And Select costliest iPhone	SKIPPED	0.001 s