Cucumber Report

| Start : Jan 19, 9:10:17.373 PM	End : Jan 19, 9:11:44.630 PM	Duration : 1 m 27.257 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 1

Features: 1 — 0 %

Scenarios: 5 — 80 %

Steps: 16 — 87 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Amazon login page	*1 m 27.257 s*	*5*	*4*	*1*	*0*	*16*	*14*	*1*	*1*

#	Feature Name	Scenario Name
1	*Amazon login page*	*TC03_Select costly phone*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SSS	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Amazon login page	5	4	1	0	1 m 27.257 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon login page	TC01_Login Page	3	3	0	0	4.325 s
2		TC01_Login Page	3	3	0	0	2.877 s
3		TC01_Login Page	3	3	0	0	2.997 s
4		TC01_Login Page	3	3	0	0	10.888 s
5		TC03_Select costly phone	4	2	1	1	1 m 6.156 s

Amazon login page

FAILED	DURATION - 1 m 27.257 s	Scenarios Total - 5 Pass - 4 Fail - 1 Skip - 0		Steps Total - 16 Pass - 14 Fail - 1 Skip - 1	
/ 9:10:17.373 PM // 9:11:44.630 PM /					

TC01_Login Page

PASSED	DURATION - 4.325 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:10:17.375 PM // 9:10:21.700 PM /				
Amazon login page				

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.312 s
2	When Enter email	PASSED	0.909 s
3	Then Click on continue	PASSED	0.020 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser() TC01_Login Page 	PASSED	0.234 s

TC01_Login Page

PASSED	*DURATION - 2.877 s*		Steps
/ 9:10:21.709 PM // 9:10:24.586 PM /			Total - 3
			Pass - 3
Amazon login page			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.009 s
2	When Enter "Kaar@gamil.com" count 1	PASSED	0.915 s
3	Then Click on continue	PASSED	0.013 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.192 s
	TC01_Login Page		

TC01_Login Page

PASSED	*DURATION - 2.997 s*		Steps
/ 9:10:24.588 PM // 9:10:27.585 PM /			Total - 3
			Pass - 3
Amazon login page			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.180 s
2	When Enter "Mani@gamil.com" count 2	PASSED	0.864 s
3	Then Click on continue	PASSED	0.011 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.195 s

#	Step / Hook Details	Status	Duration
	TC01_Login Page		

TC01_Login Page

PASSED	DURATION - 10.888 s		Steps	
/ 9:10:27.586 PM // 9:10:38.474 PM /			Total - 3	
			Pass - 3	
Amazon login page			Fail - 0	
			Skip - 0	
				3

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.996 s
2	When Enter "Venky@gamil.com" count 3	PASSED	8.872 s
3	Then Click on continue	PASSED	0.078 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.233 s
	TC01_Login Page		

TC03_Select costly phone

FAILED	DURATION - 1 m 6.156 s

/ 9:10:38.474 PM // 9:11:44.630 PM /

Amazon login page

@SSS

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.209 s
2	When Search iphone	PASSED	1.496 s
3	Then Find costliest iphone	FAILED	1 m 2.146 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: ((//a[@class='s-pagination-item s-pagination-next s-pagination-button s-pagination-button-accessibility s-pagination-separator'] | //span[@class='s-pagination-item s-pagination-next s-pagination-disabled ']))' (tried for 5 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at Kaar.test.BaseClass.presenceOfWebElement(BaseClass.java:208)		
	at Pages.Signin.find_costliest_iphone(Signin.java:203)		
	at stepDefinition.pageLogin.find_costliest_iphone(pageLogin.java:58)		
	at ?.Find costliest iphone(classpath:features/Login.feature:40)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"((//a[@class='s-pagination-item s-pagination-next s-pagination-button s-pagination-button-accessibility s-pagination-separator'] | //span[@class='s-pagination-item s-pagination-next s-pagination-disabled ']))"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b92642fe286a67a445e6355fdcf82e56, findElement {using=xpath, value=((//a[@class='s-pagination-item s-pagination-next s-pagination-button s-pagination-button-accessibility s-pagination-separator'] | //span[@class='s-pagination-item s-pagination-next s-pagination-disabled ']))}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\kaarv\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57101}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57101/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b92642fe286a67a445e6355fdcf82e56		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at Kaar.test.BaseClass.presenceOfWebElement(BaseClass.java:208)		
	at Pages.Signin.find_costliest_iphone(Signin.java:203)		
	at stepDefinition.pageLogin.find_costliest_iphone(pageLogin.java:58)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.platform.engine.CucumberEngineExecutionContext.lambda$runTestCase$4(CucumberEngineExecutionContext.java:114)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.platform.engine.CucumberEngineExecutionContext.runTestCase(CucumberEngineExecutionContext.java:111)		
	at io.cucumber.junit.platform.engine.NodeDescriptor$PickleDescriptor.execute(NodeDescriptor.java:168)		

#	Step / Hook Details	Status	Duration
	at io.cumber.junit.platform.engine.NodeDescriptor$PickleDescriptor.execute(NodeDescriptor.java:90)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:151)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:141)		
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:139)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. invokeAll(SameThreadHierarchicalTestExecutorService.java:41)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:155)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:141)		
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:139)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. invokeAll(SameThreadHierarchicalTestExecutorService.java:41)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:155)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:141)		
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:139)		
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138)		
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95)		
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. submit(SameThreadHierarchicalTestExecutorService.java:35)		
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)		
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:76)		
	at org.junit.platform.suite.engine.SuiteLauncher.execute(SuiteLauncher.java:63)		
	at org.junit.platform.suite.engine.SuiteTestDescriptor.executeTests(SuiteTestDescriptor.java:168)		

#	Step / Hook Details	Status	Duration
	at org.junit.platform.suite.engine.SuiteTestDescriptor.execute(SuiteTestDescriptor.java:137)		
	at org.junit.platform.suite.engine.SuiteTestEngine.lambda$execute$0(SuiteTestEngine.java:73)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:184)		
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1939)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:151)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:174)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.junit.platform.suite.engine.SuiteTestEngine.execute(SuiteTestEngine.java:73)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:58)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	* Not displayable characters are replaced by '?'.		
4	And Select costliest iPhone	SKIPPED	0.000 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser() TC03_Select costly phone 	PASSED	0.537 s