

Cucumber Report

Jan 19, 2025, 7:53:20 PM

Start : Jan 19, 7:50:07.338 PM

End : Jan 19, 7:53:19.190 PM

Duration : 3 m 11.852 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 0


PASSED - 15
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Amazon login page</u>	3 m 11.852 s	5	4	1	0	16	15	1	0

#	Feature Name	Scenario Name
1	<u>Amazon login page</u>	<u>TC03_Select costly phone</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SSS	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Amazon login page</u>	5	4	1	0	3 m 11.852 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Amazon login page</u>	<u>TC01_Login Page</u>	3	3	0	0	20.656 s
2		<u>TC01_Login Page</u>	3	3	0	0	36.725 s
3		<u>TC01_Login Page</u>	3	3	0	0	15.898 s
4		<u>TC01_Login Page</u>	3	3	0	0	17.594 s
5		<u>TC03_Select costly phone</u>	4	3	1	0	1 m 40.926 s

Amazon login page



FAILED	DURATION - 3 m 11.852 s	Scenarios		Steps	
/ 7:50:07.338 PM // 7:53:19.190 PM /		Total - 5		Total - 16	
		Pass - 4		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


TC01_Login Page

<div>PASSED</div>	<div>DURATION - 20.656 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:07.341 PM // 7:50:27.997 PM /</div>				
<div>Amazon login page</div>				



#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.779 s
2	When Enter email	PASSED	16.893 s
3	Then Click on continue	PASSED	0.140 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.505 s
	TC01_Login Page		
			

TC01_Login Page


<div>PASSED</div>	<div>DURATION - 36.725 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:28.022 PM // 7:51:04.747 PM /</div>				
<div>Amazon login page</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.060 s
2	When Enter "Kaar@gamil.com" count 1	PASSED	33.866 s
3	Then Click on continue	PASSED	0.087 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.734 s
	TC01_Login Page		
			



TC01_Login Page


<div>PASSED</div> <div>DURATION - 15.898 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:51:04.759 PM // 7:51:20.657 PM /				
Amazon login page				

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	1.325 s
2	When Enter "Mani@gamil.com" count 2	PASSED	12.476 s
3	Then Click on continue	PASSED	0.077 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.950 s

#	Step / Hook Details	Status	Duration
	TC01_Login Page 		

TC01_Login Page

<div>PASSED</div>	<div>DURATION - 17.594 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:51:20.666 PM // 7:51:38.260 PM /</div>				
<div>Amazon login page</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.201 s
2	When Enter "Venky@gamil.com" count 3	PASSED	15.838 s
3	Then Click on continue	PASSED	0.094 s
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.420 s
	TC01_Login Page		
			

TC03_Select costly phone

<div>FAILED</div> <div>DURATION - 1 m 40.926 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.292</td></tr><tr><td>2</td><td>1.536</td></tr><tr><td>3</td><td>82.146</td></tr><tr><td>4</td><td>14.467</td></tr></tbody></table></div>	Step	Duration (s)	1	0.292	2	1.536	3	82.146	4	14.467	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.292													
2	1.536													
3	82.146													
4	14.467													
<div>/ 7:51:38.264 PM // 7:53:19.190 PM /</div>														
<div>Amazon login page</div>														
<div>@SSS</div>														

#	Step / Hook Details	Status	Duration
1	Given Launch url	PASSED	0.292 s
2	When Search iphone	PASSED	1.536 s
3	Then Find costliest iphone	PASSED	1 m 23.073 s
4	And Select costliest iPhone org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (((a[@class="s-pagination-item s-pagination-previous s-pagination-button s-pagination-button-accessibility s-pagination-separator"] //span[@class="s-pagination-item s-pagination-previous s-pagination-disabled "]))' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Kaar.test.BaseClass.presenceOfWebElement(BaseClass.java:208) at Pages.Signin.selectcostliestphone(Signin.java:351) at stepDefinition.pageLogin.Select_costliest_iPhone(pageLogin.java:63) at ?.Select costliest iPhone(classpath:features/Login.feature:41) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(((a[@class="s-pagination-item s-pagination-previous s-pagination-button s-pagination-button-accessibility s-pagination-separator"] //span[@class="s-pagination-item s-pagination-previous s-pagination-disabled "]))' (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e4f7f4d3c3c64bca7d62c7331e16dbf, findElement {using=xpath, value=(((a[@class="s-pagination-item s-pagination-previous s-pagination-button s-pagination-button-accessibility s-pagination-separator"] //span[@class="s-pagination-item s-pagination-previous s-pagination-disabled "]))' Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\kaarv\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55454}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55454/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e4f7f4d3c3c64bca7d62c7331e16dbf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	14.467 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Kaar.test.BaseClass.presenceOfWebElement(BaseClass.java:208) at Pages.Signin.selectcostliestphone(Signin.java:351) at stepDefinition.pageLogin.Select_costliest_iPhone(pageLogin.java:63) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.platform.engine.CucumberEngineExecutionContext.lambda\$runTestCase\$4(CucumberEngineExecutionContext.java:114) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.platform.engine.CucumberEngineExecutionContext.runTestCase(CucumberEngineExecutionContext.java:111)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.platform.engine.NodeDescriptor\$PickleDescriptor.execute(NodeDescriptor.java:168) at io.cucumber.junit.platform.engine.NodeDescriptor\$PickleDescriptor.execute(NodeDescriptor.java:90) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$6(NodeTestTask.java:151) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:141) at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$9(NodeTestTask.java:139) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138) at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. invokeAll(SameThreadHierarchicalTestExecutorService.java:41) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$6(NodeTestTask.java:155) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:141) at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$9(NodeTestTask.java:139) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138) at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. invokeAll(SameThreadHierarchicalTestExecutorService.java:41) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$6(NodeTestTask.java:155) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:141) at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137) at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$9(NodeTestTask.java:139) at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73) at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:138) at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:95) at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService. submit(SameThreadHierarchicalTestExecutorService.java:35) at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57) at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:76) at org.junit.platform.suite.engine.SuiteLauncher.execute(SuiteLauncher.java:63)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.suite.engine.SuiteTestDescriptor.executeTests(SuiteTestDescriptor.java:168) at org.junit.platform.suite.engine.SuiteTestDescriptor.execute(SuiteTestDescriptor.java:137) at org.junit.platform.suite.engine.SuiteTestEngine.lambda\$execute\$0(SuiteTestEngine.java:73) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1939) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.junit.platform.suite.engine.SuiteTestEngine.execute(SuiteTestEngine.java:73) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinition.commonStepDefinition.closeBrowser()	PASSED	0.604 s
	TC03_Select costly phone 