

Database Name: `umass_hangout`

```
CREATE DATABASE IF NOT EXISTS umass_hangout;  
CREATE USER IF NOT EXISTS 'umassstudent'@'localhost' IDENTIFIED BY 'umassstudent';  
GRANT ALL PRIVILEGES ON umass_hangout.* TO 'umassstudent'@'localhost';  
FLUSH PRIVILEGES;
```

Tables:

User:

```
CREATE TABLE users (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  email VARCHAR(255) NOT NULL UNIQUE,  
  password VARCHAR(255) NOT NULL  
);
```


user_profile

```
CREATE TABLE user_profile (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  bio LONGTEXT NULL,  
  department VARCHAR(255) NULL,  
  first_name VARCHAR(255) NULL,  
  graduation_year INT NOT NULL,  
  last_name VARCHAR(255) NULL,  
  middle_name VARCHAR(255) NULL,  
  user_id BIGINT UNIQUE NULL,  
  email VARCHAR(255) NOT NULL,  
  first_time_update TINYINT(1) NOT NULL DEFAULT 1  
);  
ALTER TABLE user_profile ADD CONSTRAINT fk_user_profile FOREIGN KEY (user_id)  
REFERENCES users(id) ON DELETE SET NULL;
```

Data

Login:


Successful login



Valid login - 200


```
{
  "code": 10004,
  "data": {
    "id": 37,
    "email": "swethanehta@gmail.com"
  },
  "message": "User login successful"
}
```

Invalid password - 401




```
{
  "code": 10005,
  "message": "User login failed, invalid password"
}
```

Invalid User Id - 404




```
{  "code": 10003,  "message": "There's no account associated with the email ID. Please register!"}
```

Register:



Bad request - 400

```
{  
  "code": 10002,  
  "message": "There's already an account associated with the email ID. Please login!"  
}
```




User registration successful - 200


```
{  "code": 10001,  "data": {    "id": 40,    "email": "swethanehta4@gmail.com"  },  "message": "Email ID registered successfully!"}
```

Profile:

GET /profile/{emailId}



Get failure



POST /profile

The screenshot shows a REST client interface with a POST request to `http://localhost:8080/api/v1/auth/profile`. The request body is a JSON object with the following fields:

```
1 {
2   "email": "seppalapally13umass.edu",
3   "firstName": "swetha",
4   "middleName": null,
5   "lastName": "Netha",
6   "department": "Computer science",
7   "bio": null,
8   "graduationYear": 2024
9 }
```

The status bar at the bottom indicates a successful response: `200 OK`, `31 ms`, `498 B`.

Success response

The screenshot shows the success response for the POST request. The response body is a JSON object with the following fields:

```
1 {
2   "code": 10009,
3   "data": {
4     "userId": 46,
5     "email": "seppalapally13umass.edu",
6     "firstName": "swetha",
7     "middleName": null,
8     "lastName": "Netha",
9     "department": "Computer science",
10    "bio": null,
11    "graduationYear": 2024
12  },
13 }
```

The status bar at the bottom indicates a successful response: `200 OK`, `31 ms`, `498 B`.

Failure response

HTTP

http://localhost:8080/api/v1/auth/profile

Save

</>

POST

http://localhost:8080/api/v1/auth/profile

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

JSON

Beautify

```
1  {
2    "email": "seppalapally92@umass.edu",
3    "firstName": "swetha",
4    "middleName": null,
5    "lastName": "Netha",
6    "department": "Computer science",
7    "bio": null,
8    "graduationYear": 2024
9  }
```

Body

Cookies

Headers (8)

Test Results

404 Not Found

10 ms

314 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "code": 10008,
3    "message": "User Profile not found."
4  }
```