OPERATING SYSTEM - CS23431

EXP 6(C)

PRIORITY SCHEDULING

NAME: KAAVIYA.R ROLL NO: 230701504

PROGRAM:

```
#include <stdio.h>
int main() {
int n; printf("Enter Number of Processes: "); scanf("%d", &n);
int pid[n], b[n], p[n];
for (int i = 0; i < n; i++) {
  printf("Enter processid Burst Time and Priority Value for Process %d: ", i + 1);
  scanf("%d %d %d", &pid[i], &b[i], &p[i]);
}
for (int i = 0; i < n; i++) {
  int max priority = p[i];
  int max index = i;
  int swapped = 0;
  for (int j = i + 1; j < n; j++) {
    if (p[i] < max priority) {
       max priority = p[i];
       max index = j;
       swapped = 1;
    }
  }
  if (swapped) {
     int temp = p[i];
    p[i] = p[max\_index];
     p[max index] = temp;
     temp = b[i];
     b[i] = b[max index];
```

```
b[max index] = temp;
     temp = pid[i];
    pid[i] = pid[max_index];
    pid[max index] = temp;
  }
}
int wait time = 0, totalwt = 0, totalturn = 0;
printf("P ID\tBT\tWT\tTAT\n");
for (int i = 0; i < n; i++) {
  int tat = wait time + b[i];
  printf("\%d\t\%d\t\%d\n",pid[i],b[i],wait\_time,tat);
  totalwt += wait_time;
  totalturn += tat;
  wait_time += b[i];
}
printf("Average waiting time is %d\n", totalwt / n);
printf("Average turn around time is %d\n", totalturn / n);
return 0;
}
```

OUTPUT:

```
[csel64@fedora ~]$ vi priority.c
[csel64@fedora ~]$ gcc priority.c
[csel64@fedora ~]$ ./a.out
Enter Number of Processes: 4
Enter processid Burst Time and Priority Value for Process 1: 1 6 3
Enter processid Burst Time and Priority Value for Process 2: 2 2 2
Enter processid Burst Time and Priority Value for Process 3: 3 14 1
Enter processid Burst Time and Priority Value for Process 4: 4 6 4
P ID BT
            WT
                      TAT
       14
                      14
              14
                       16
       6
               16
                       22
               22
                       28
Average waiting time is 13
Average turn around time is 20
```