Status	Finished
Started	Saturday, 10 October 2026, 9:24 AM
Completed	Saturday, 10 October 2026, 9:28 AM
Duration	4 mins 37 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. d,e,f ✓
- b. b,c
- c. c,d,e
- d. a,b

Question **2**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A dictionary can have two same keys with different values.
- d. A python, a dictionary can neither have two same keys nor two same values.

Question **3**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

- a. del d["john"] ✓
- b. d.delete("john")
- c. del d("john":40)
- d. d.delete("john":40)

Question **5**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

- a. True
- b. False ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dI={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
d. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

a. Mutable data type
b. Mapping data type
c. Non-Mutable data type
d. Both Mutable data type and Mapping data type ✓

Question **8**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True
False ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. convert
- b. create
- c. dict ✓
- d. dictionary

Question **10**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

- a. Keys ✓
- b. Items
- c. None of the mentioned
- d. Values

Question **11**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Janice', 'Emily', 'John', 'Eleanor']
- b. ['Janice', 'Emily', 'John']
- c. ['Emily', 'John', 'Erik'] ✓
- d. ['Janice', 'John', 'Erik']

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )

b. None of the mentioned

c. D = { } ✓

d. L = [ ]

Question **13**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 =

b. d1 = dict{ }

c. d1 = [ ]

d. d1 = { } ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. mutable

b. integers

c. unique ✓

d. antique

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. delete
b. None of the mentioned
c. remove
d. pop ✓