
Optics *IdealPhysic*

9.1 Reflection and Refraction

Reflection

Reflection is the bouncing off of a wave from a surface.

Law of reflection:



The law of reflection states that the angle of incidence is equal to the angle of reflection.

Regular and diffuse reflection

- Regular reflection: if the parallel beam of light falls on a plane mirror it is reflected as a parallel beam.
- Diffuse reflection: Most surfaces reflect light irregularly and the rays in an incident parallel beam are reflected in many directions.




Image credit: Quora

IdealPhysic Optics

Refraction

Refraction is the bending of a wave when it passes from one medium to another.

The real and apparent depth

Rays of light from a point O on the bottom of a pool are refracted away from the normal at the water surface because they are passing into an optically less dense medium i.e. air on entering the eye appears to come from a point I that is above O. I is the virtual image of O formed by refraction. The apparent depth of the pool is less than its real depth.





Image credit: Cambridge IGCSE™ Physics Fourth edition by Hodder Education

Critical Angle



Refractive index and Critical angle

The critical angle (C): This is the angle of incidence which produces an angle of refraction of 90°.

Refracted index (n): This measures how much light or other electromagnetic radiation is bent or refracted when it enters from one medium to another.

IdealPhysic Optics

It is a measure of how much a material can bend or refract light.

$$n = \frac{\sin 90^{\circ}}{\sin C}$$

$$n = \frac{1}{\sin C} \text{ because Sin } 90^{\circ} \text{ is } 1$$

For example:

If the critical angle for a diamond is 24°, calculate its refractive index.

$$\rightarrow n = \frac{1}{Sin C}$$

$$\rightarrow n = \frac{1}{Sin 24^{\circ}} = \frac{1}{0.4} = 2.5$$

→ Refractive index= 2.5