



Interior fittings for kitchens

Technik für Möbel


Hettich

Publisher's imprint:

© Hettich FurnTech GmbH & Co. KG
32602 Vlotho · Germany

We reserve all rights to this catalogue
under copyright law.

It shall not be permissible to duplicate
this catalogue in any form either in whole
or in part without our written consent.

Subject to technical alterations.

Errors and omissions excepted.

Subject to colour variations.

September 2011

Product Code 9 126 268

Programme overview

Interior fittings for kitchens

Interior fittings for base units



Front pull-out, 2-tier

6



Front pull-out with towel rail

7



Front and internal pull-outs

8



Undersink pull-out unit

9



Towel rails

9

Corner solutions



Corner unit pull-out system

10 - 11

Pantry units



Pull-out pantry

12 - 13

Interior fittings for kitchens



„Solutions for narrow cabinet widths are optimising my kitchen.“
This pull out is the perfect solution for utilising small spaces in the kitchen. This 2-tier pull out system suits a cabinet width of 150 and 200 mm and the runners have integrated Silent System.



„No more waste of space in corner base units – you can now utilise space more efficiently.“
The moving corner pull out unit is the perfect solution for utilising space in the corner cabinet.



„Pull out pantries with ease of use.“

The pull out pantry with integrated Silent System utilises all storage space in a high cabinet. Everything is accessible from the side when the pantry is pulled out from the cabinet.




„Everything has it's specific place in the kitchen.“

The chrome wire baskets are an alternative to traditional drawer systems for great storage of groceries and other provisions.



„Under sink pull out units for efficient use.“

This under sink pull out unit is perfectly suited to use the space in these cabinets efficiently. It can be mounted either on the left or right hand side of the cabinet.




Interior fittings for base units Front pull-out, 2-tier



- For cabinet width 150 mm or 200 mm
- Loading capacity max. 20 kg
- Including Quadro full-extension slides with integrated Silent System
- Complete with 3 dimensional adjustable front connection
- Chrome-plated steel

For cabinet width mm	Minimum internal cabinet dimensions (width x depth x height) mm	Product code	PU
150	118 x 470 x 530	9 126 246	1 set
200	168 x 470 x 530	9 126 247	1 set

Assembly






Interior fittings for base units Front pull-out with towel rail



- For cabinet width 150 mm
- Load capacity 20 kg
- Minimum internal cabinet dimensions:
Width 118 mm
Depth 470 mm
Height 530 mm
- Including Quadro full-extension slides with integrated Silent System
- Chrome-plated steel

Product code	PU
9 126 248	1 set

Assembly




Interior fittings for base units Front and internal pull-outs



- For cabinet side panel thicknesses of 16 - 19 mm
- Minimum internal cabinet depth 470 mm
- Load capacity 20 kg
- Can be used as internal drawer / pull out or as front pull out by using the extra brackets supplied
- Including Quadro full-extension slides with integrated Silent System
- Chrome-plated steel

For cabinet width mm	Width x depth x height mm	Product code	PU
400	364 x 450 x 120	9 126 250	1
450	414 x 450 x 120	9 126 261	1
500	464 x 450 x 120	9 126 262	1
600	564 x 450 x 120	9 126 263	1
800	764 x 450 x 120	9 126 264	1
900	864 x 450 x 120	9 126 265	1

Assembly







Interior fittings for base units

Base unit equipment



Undersink pull-out unit

- Complete with KA ball bearing slide
- Can be mounted either left or right
- Load capacity 15 kg
- Width Pull out unit 240 mm
- Depth 402 mm
- Height 450 mm
- Chrome-plated steel



Product code	PU
9 126 249	1 set



Pull-out towel rail with 3 sliding bars

- Side mounted to the right or left
- Width 125 mm
- Length 450 mm
- Height 35 mm
- Chrome-plated steel

Product code	PU
9 126 266	1



Pull-out towel rail with 3 sliding bars

- Side mounted to the right or left
- Width 125 mm
- Length 450 mm
- Height 35 mm
- Powder-coated steel, silver

Product code	PU
9 126 267	1

Corner solutions Corner unit pull-out system




- Integrated Silent System
- Optimum utilisation of space giving full access to provisions stored in the corner unit
- Suitable for 900/1000 mm corner unit widths
- Load capacity 50 kg
- Minimum internal cabinet depth 505 mm
- With full-extension mounted in ball bearings
- Powder coated steel, silver

Set contains:
 Complete fitting with 4 baskets


Door width mm	Left-hand version	Right hand version	PU
450	9 126 241	9 126 243	1 set
500	9 126 244	9 126 245	1 set

Functional principle (right-hand version)


1 Closed position




2 Opening the front pull-out



3 The front pull-out is hinged away to the side. The rear basket begins to move to the right.




4 The rear basket is now fully accessible






Corner solutions Corner unit pull-out system Assembly

Door width 450 mm



Door width 500 mm



Pantry units

Pull-out pantry




- Pull-out pantry with integrated Silent System
- Contents can be accessed from both sides
- Full-extension slides
- Front can be adjusted in 3 directions
- Load capacity 120 kg

Height adjustable center upright with front brackets/rails


- Complete with integrated Silent System
- Height adjustable
- For use with cabinet widths 300, 400, 500 and 600 mm
- Minimum inside cabinet depth 495 mm
- Powder-coated steel, silver

Set contains:

Full-extension slides, silver
Height adjustable center upright
Height adjustable front brackets
Front rail
Baskets and supports



Cabinet width mm	Minimum cabinet width mm	Inside cabinet height mm	Number of baskets	Product code	PU
300	255	1900 - 2080	5	9 114 727	1 set
400	355	1900 - 2080	5	9 114 728	1 set
500	455	1900 - 2080	5	9 114 729	1 set
600	555	1510 - 1700	4	9 114 730	1 set




Additional basket


- Chrome-plated steel

Cabinet width mm	Width x depth x height mm	Product code	PU
300	219 x 439 x 75	9 114 731	1
400	319 x 439 x 75	9 114 732	1
500	419 x 439 x 75	9 114 733	1
600	519 x 439 x 75	9 114 734	1


Top cabinet slide



Bottom cabinet slide



Front brackets/rails



Please refer to our general catalogue for more information on other Hettich products.



Hettich Australia & New Zealand Contact Details

New South Wales – Head Office

1 Herbert Place
Smithfield. NSW. 2164
Phone: 1800 HETTICH
Fax: 1800 150 129
sales@hettich.com.au
www.hettich.com.au

Victoria

57 Haig Street
Southbank. VIC. 3006
Phone: (03) 8620 2710
Fax: (03) 8620 2720
sales@hettich.com.au
www.hettich.com.au

Queensland

725 Ann Street
Fortitude Valley QLD 4006
Phone: (07) 3251 8600
Fax: (07) 3251 8601
sales@hettich.com.au
www.hettich.com.au

Western Australia

1/50 Howe Street
Osborne Park. WA. 6017
Phone: (08) 9217 9500
Fax: (08) 9217 9501
sales@hettich.com.au
www.hettich.com.au

Tasmania

7-9 Franklin Wharf
Hobart TAS 7000
Phone: (03) 8620 2710
Fax: (03) 8620 2720
sales@hettich.com.au
www.hettich.com.au

South Australia

Unit 5, 59 Main North Road
Medindie Gardens. SA 5081
Phone: (08) 8269 3118
Fax: (08) 8269 4119
sales@hettich.com.au
www.hettich.com.au

New Zealand

18 Barmac Place
East Tamaki
Auckland 2013
Phone: 0800 HETTICH
Fax: 0800 737 847
sales@hettich.co.nz
www.hettich.co.nz

www.hettich.com.au
www.hettich.co.nz



Technik für Möbel

