
Deliverable: [Scrum] Remote Patient Vitals Alert & Monitoring App


Scrum_Project-Shreyas_P_Kulkarni_PES1UG24CS444 -BPS#16

Name: Shreyas P Kulkarni
SRN: PES1UG24CS444


Screenshot 1: Initially adding stories, tasks, etc to backlog (sprint not yet started)




Screenshot 2: Drag and drop stories to start sprint




Screenshot 3, 4 & 5: Starting the sprint 1 and mock/demo run screenshot and burndown chart







Ending sprint 1 with 1 in review and 2 done tasks, the in review task is moved to the next sprint.




Screenshot 6 & 7: Sprint 2 starting and ending all stories with done (mock)





Sprint 2 completed with all stories being done.

Burndown Chart:



Reflection

1. Did your estimations reflect the actual effort?

Yes, to a reasonable extent. The user stories were estimated using Fibonacci story points based on their relative complexity and effort. The stories ranged from 5 to 13 points. During the simulated sprints, the work was completed as planned, suggesting that the estimates provided a reasonable representation of the relative effort of the stories. However, since this was a simulated sprint completed in a short period, the estimates could not be compared against a real development team's actual working time.

2. Was your backlog well-prioritized?

Yes. The backlog was organized around the major functional areas of the Remote Patient Vitals Alert & Monitoring application, including Vital Monitoring & Detection, Alert Generation & Escalation, Clinical Threshold Management, and Emergency Dispatch & Security. Higher-priority functionality such as evaluating patient vitals and handling alerts was included in the earlier sprint, while the remaining functionality was handled in the second sprint. This gave the sprint plan a logical progression from monitoring and detection toward alert handling and emergency functionality.

3. How did your simulated sprint align with your plan?

The simulated sprints aligned well with the plan. Sprint 1 contained three user stories totalling 21 story points, while Sprint 2 contained the remaining five user stories totaling 42 story points. The stories were moved through the Scrum workflow and completed successfully. Since this was a simulation, the stories were progressed much faster than they would be in a real one-week sprint, but the exercise successfully demonstrated sprint planning, prioritization, status progression, and sprint completion.

4. What insights did the burndown chart give about your team's capacity?

The burndown chart showed that all 42 story points planned for Sprint 2 were completed. The actual remaining-work line dropped very sharply because the sprint was simulated and the stories were moved to Done within a short period rather than gradually throughout the week. The chart therefore demonstrates completion of the planned workload, but it does not provide a realistic measurement of daily team capacity. In a real sprint, the remaining-work line would be expected to decrease progressively toward zero and could then be compared with the guideline to determine whether the team was ahead of or behind schedule.