

SENTINELOPS

Cloud Identity Threat Detection & Incident Response

Microsoft Sentinel • Microsoft Entra ID • KQL • Logic Apps • ServiceNow

Recruiter-focused Microsoft Security Operations Portfolio Project

1. Executive Summary

SentinelOps is a Microsoft-native security operations lab demonstrating cloud identity telemetry ingestion, KQL-based detection engineering, incident investigation, Logic Apps automation, and ServiceNow incident management. The project was intentionally designed to add capabilities not already demonstrated in the user's earlier Splunk and Wazuh work.

The implemented workflow is: controlled Entra identity activity → Microsoft Sentinel/Log Analytics telemetry → KQL analytics rules → Sentinel incident → Logic Apps playbook → ServiceNow incident creation or update. A stable Sentinel incident identifier is used as the ServiceNow correlation key so repeat events update an existing ticket instead of creating duplicates.

The project also documents two important engineering limitations. Defender XDR was evaluated but not implemented because the available tenant did not provide the required licensing/access path without paid licensing. The unusual-sign-in detection successfully validated SigninLogs telemetry and tuning/noise suppression, but a positive alert was not reproduced under the final 10-minute baseline design; therefore it is reported as telemetry-positive and alert-inconclusive rather than overstated as fully validated.

2. Project Objectives

- Build a practical Microsoft Sentinel SOC workflow around cloud identity telemetry.
- Ingest and validate Microsoft Entra AuditLogs and SigninLogs.
- Develop KQL detections for OAuth consent activity and unusual cloud sign-in context.
- Investigate generated incidents using Microsoft security tooling.
- Automate incident handoff to ServiceNow using Azure Logic Apps.
- Implement correlation-based deduplication with create and update paths.
- Validate work-note/data preservation during repeated incident updates.
- Maintain an evidence pack suitable for a technical report, portfolio, and recruiter discussion.

3. Scope and Differentiation from Earlier Projects


The project deliberately avoids making failed-login/brute-force detection, Apache path scanning, generic firewall-port analysis, or basic SIEM timeline reconstruction the main demonstration. Those areas were already covered in the user's Splunk/Wazuh work.

Earlier SOC work avoided as the main focus	SentinelOps capability	Why it matters
Failed-login/brute-force detection	OAuth consent / delegated permission telemetry	Cloud identity and application-consent monitoring
Apache/web path hunting	Entra SigninLogs context	Cloud authentication telemetry
Generic firewall connection attempts	KQL analytics-rule engineering	Microsoft-native detection development
Manual ticket documentation	Logic Apps → ServiceNow automation	SOC workflow engineering and ITSM integration

4. Architecture

The final architecture uses Microsoft-native services for collection and detection, with ServiceNow acting as the ITSM destination.

Microsoft Entra ID




Defender XDR is a conditional component in the design. It was evaluated during implementation but excluded from the final operational path because the available tenant did not provide a viable no-cost licensing/access route.

5. Environment and Telemetry Foundation

The lab was built in Azure using the user's Azure subscription, a dedicated resource group, a Log Analytics workspace, and Microsoft Sentinel. Entra diagnostic settings were configured to send AuditLogs and SigninLogs to the workspace.

Evidence — 14.png




Azure subscription used for the lab environment.

Evidence of the Azure subscription context.

Evidence — 18.png


SENTINELOPS | Microsoft Cloud SOC Engineering Project



Log Analytics workspace creation for the Sentinel lab.

The workspace is the central telemetry store for the project.

Evidence — 21.png




Lab deployment completed.

Confirms successful deployment of the core Azure/Sentinel lab resources.

Evidence — 24.png


SENTINELOPS | Microsoft Cloud SOC Engineering Project



Microsoft Sentinel environment and data connector area.

Shows the Sentinel workspace in the operational environment.


Evidence — 32.png



Entra diagnostic setting configured for Sentinel telemetry.

The selected identity logs were routed to the Log Analytics workspace.

Evidence — 35.png



AuditLogs populated after ingestion.

Confirms that Entra identity audit telemetry reached the Sentinel/Log Analytics environment.

6. KQL Detection Engineering — OAuth Consent


The first primary detection targets successful tenant-wide OAuth administrative consent. The detection was built from actual populated AuditLogs fields rather than assuming a tutorial schema.

Final detection logic:

```
AuditLogs
| where TimeGenerated > ago(24h)
| where Category == "ApplicationManagement"
| where OperationName == "Consent to application"
| where Result == "success"
| extend Target = todynamic(TargetResources)
| extend AppName = tostring(Target[0].displayName)
| extend Modified = todynamic(Target[0].modifiedProperties)
| mv-expand Modified
| summarize
    Properties = make_bag(
        pack(
            tostring(Modified.displayName),
            tostring(Modified.newValue)
        )
    )
    by TimeGenerated, AppName, Result
| extend
    AdminConsent = trim('', tostring(Properties["ConsentContext.IsAdminConsent"])),
    AppOnly = trim('', tostring(Properties["ConsentContext.IsAppOnly"])),
    OnBehalfOfAll = trim('', tostring(Properties["ConsentContext.OnBehalfOfAll"])),
    Permissions = tostring(Properties["ConsentAction.Permissions"])
| where AdminConsent == "True"
| where OnBehalfOfAll == "True"
| project
    TimeGenerated, AppName, Result,
    AdminConsent, AppOnly, OnBehalfOfAll, Permissions
| order by TimeGenerated desc
```

SENTINELOPS | Microsoft Cloud SOC Engineering Project

Evidence — 43.png



AuditLogs query used to inspect the populated identity audit data.

Demonstrates schema-first KQL development.

Evidence — 64.png

Microsoft Sentinel - Microsoft

Ask Gemini

portal.azure.com/#view/Microsoft_Azure_Security_Insights/M...

All Bookmarks

Microsoft Azure

Home > Microsoft Sentinel

Microsoft Sentinel | Logs

Selected workspace: 'law-sentinel-lab'

New Query 1

Observability agent

Queries hub

Run

Time range : Set in query

Show : 1000 results

KQL mode

```
23 | project
24   TimeGenerated,
25   AppName,
26   Result,
27   AdminConsent,
28   AppOnly,
29   OnBehalfOfAll,
30   Permissions
31 | order by TimeGenerated desc
```

Results

Chart


Add bookmark

	TimeGenerated [UTC]	AppName	Result	AdminConse
	24/9/2026, 11:45:55.643 am	Sentinel-OAuth-Lab-A...	success	True
		Result	success	
		AdminConsent	True	
		AppOnly	False	
		OnBehalfOfAll	True	False
		Permissions	"[> => [[Id: f_-tcl6ZLECuejozKemxDHI7WwOuPX1MshmijJAudm0, ser.Read, CreatedDateTime: , LastModifiedDateTime]]; "	

OAuth consent event extracted from AuditLogs.

Shows the target ApplicationManagement event.

Evidence — 69.png



OAuth analytics rule configuration.

The detection was implemented as an enabled Sentinel analytics rule with incident creation.

Evidence — 75.png

The screenshot displays the Microsoft Sentinel 'Logs' view within the Azure portal. The left-hand navigation pane is expanded, showing categories like General, Threat management, and Content management. The 'Logs' option is selected. The main area shows a query for 'OAuth Admin Consent' with a 'Run' button and a 'Time range' set to 'Set in query'. The query results are displayed in a table with two columns: 'TimeGenerated [UTC]' and 'OperationName'. The first result shows a timestamp of '24/9/2026, 11:45:55.643 am' and the operation name 'Consent to application'.

TimeGenerated [UTC]	OperationName
> 24/9/2026, 11:45:55.643 am	Consent to application

OAuth consent event details.

The controlled lab event contains the application and consent context used by the detection.

Evidence — 76.png

The screenshot shows the Microsoft Sentinel 'Logs' view in a web browser. The left sidebar contains navigation options: General (Overview, Logs, Guides, Search), Threat management (Incidents, Workbooks, Hunting, Notebooks, Entity behavior, Threat intelligence, MITRE ATT&CK (Preview), SOC optimization), and Content management. The main area displays a KQL query for 'OAuth Admin Consent' events. The query is as follows:

```
1 SecurityAlert
2 | where TimeGenerated > ago(30m)
3 | where AlertName == "OAuth Admin
4 | project TimeGenerated, AlertName,
5 | order by TimeGenerated desc
```


The results table shows one entry:

TimeGenerated [UTC]	AlertName
24/9/2026, 1:35:51.679 pm	OAuth Admin Consent - Tenant Wide Delegated Access

Detection query/result view for the OAuth event.

Supports the positive detection path.

Evidence — 82.png



Generated incident for the OAuth consent detection.

The incident was investigated and classified as expected controlled lab activity, not malicious activity.

7. OAuth Investigation and Disposition

- Controlled application: Sentinel-OAuth-Lab-App.
- Controlled permission: Microsoft Graph delegated User.Read.
- The test included tenant-wide/admin consent to generate realistic ApplicationManagement telemetry.
- The event exposed consent context such as AdminConsent=True, OnBehalfOfAll=True, and the delegated permission scope.
- The incident was classified as expected controlled lab activity. OAuth consent alone was not treated as proof of compromise.

8. KQL Detection Engineering — Unusual Cloud Sign-In Context

The second detection was designed around a user's recent sign-in city being outside the cities observed in the preceding 24-hour baseline. The design was tuned to reduce repeated alerts caused by a broad 24-hour lookup window.

```
let RecentWindow = 10m;
let BaselineWindow = 24h;

let RecentSignIns =
    SigninLogs
    | where TimeGenerated > ago(RecentWindow)
    | summarize
        RecentTime = max(TimeGenerated),
        RecentIP = any(IPAddress),
        RecentCity = any(tostring(LocationDetails.city)),
        RecentCountry = any(tostring(LocationDetails.countryOrRegion)),
        RecentApp = any(AppDisplayName)
    by UserPrincipalName;


let BaselineCities =
```

SENTINELOPS | Microsoft Cloud SOC Engineering Project

```
SigninLogs
| where TimeGenerated between (ago(BaselineWindow) .. ago(RecentWindow))
| summarize KnownCities = make_set(tostring(LocationDetails.city))
  by UserPrincipalName;
```

```
RecentSignIns
| join kind=leftouter BaselineCities on UserPrincipalName
| where isnotempty(RecentCity)
| where isnotempty(KnownCities)
| where not(set_has_element(KnownCities, RecentCity))
| project
  RecentTime, UserPrincipalName, RecentIP,
  RecentCity, RecentCountry, RecentApp, KnownCities
```


Evidence — 91.png



Final tuned unusual-sign-in analytics rule.

Shows the final 10-minute recent window / 24-hour baseline design.

Evidence — 107.png



SigninLogs telemetry from the controlled lab user.

Confirms cloud sign-in telemetry and location context were available.

9. Sign-In Detection Validation and Limitation


The lab user generated SigninLogs telemetry and the tenant contained multiple city contexts. The final rule was also checked for duplicate/noise behavior after tuning. However, the exact final positive-alert condition was not reproduced after the required recent-window interval elapsed. The final report therefore does not claim a fully validated positive alert for this rule.

- Telemetry validation: successful.
- Multi-city context validation: successful.
- Final rule configuration: successful.
- Duplicate/noise suppression check: successful.
- Positive alert reproduction under the final tuned window: not reproduced.
- Conclusion: detection remains an implemented and tuned capability with a documented validation limitation.

10. Defender XDR Assessment

Defender XDR was explicitly evaluated because EDR experience was a desired project outcome. The available tenant exposed the Defender portal but did not provide a practical no-cost route to the required Defender XDR licensing/trial configuration.


Evidence — 96.png



Defender XDR settings/access state.

Shows the Defender XDR environment available in the tenant.


Evidence — 98.png



Defender access limitation.

Documents the account/tenant permission limitation encountered.

Evidence — 102.png



Available security-trial state.

Shows the available trial options rather than implying an E5/Defender trial was active.


Decision: Defender XDR was not forced into the project through paid licensing or an unnecessary second tenant. It is documented as evaluated/unavailable rather than represented as implemented.

11. ServiceNow ITSM Integration

A free ServiceNow Personal Developer Instance was used for learning and testing. The ServiceNow Table API was first validated independently, followed by OAuth-based Logic Apps connectivity and live incident creation.

Evidence — 117.png


SENTINELOPS | Microsoft Cloud SOC Engineering Project



ServiceNow REST API Explorer and Incident Table API.

Initial API capability validation.


Evidence — 154.png



Logic Apps workflow connecting a Microsoft Sentinel incident to ServiceNow.

The final automation uses a Sentinel incident trigger and ServiceNow actions.

Evidence — 170.png




Number	Opened	Short description	Caller	Priority	State	C
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Ir
INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	New	Ir
INC0008001	2021-01-15 13:04:14	ATF:TEST2	survey user	5 - Planning	New	Ir
INC0000050	2026-05-22 14:58:24	Can't access Exchange server - is it down?	Jerrold Bennett	1 - Critical	In Progress	F
INC0000046	2026-05-22 15:04:15	Can't access SFA software	Bud Richman	3 - Moderate	New	S
INC0000019	2026-03-01 15:44:39	Can't launch 64-bit Windows 7 virtual machine	Fred Luddy	2 - High	In Progress	S
	2026-03-14	Can't log into SAP from			In	

ServiceNow incidents created in the lab.

Confirms that the automation produced ServiceNow incident records.

Evidence — 171.png




Number	Opened	Short description	Caller	Priority	State
INC0010001	2026-09-25 21:59:58	Sentinel OAuth Consent - ServiceNow Integration Test	(empty)	5 - Planning	New
INC0000053	2026-05-22 13:48:46	The SAP HR application is not accessible	Margaret Grey	1 - Critical	In Progress
INC0000039	2026-03-14 17:41:01	Trouble getting to Oregon mail server	Bud Richman	5 - Planning	New
INC0000059	2016-08-10 09:14:29	Unable to access team file share	Rick Berzle	3 - Moderate	New
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New
2026-03-13		Wireless access is down		1 -	In

ServiceNow incident list containing automation-generated records.

Provides operational ticket evidence.

Evidence — 234.png



ServiceNow incident priority/SLA information.

Demonstrates that the created incident participates in ServiceNow's incident/SLA model.

12. Correlation and Deduplication Design

The automation uses the Sentinel incident number as a stable correlation value. Before creating a ticket, the Logic App queries ServiceNow for an existing incident with the same `correlation_id`.

Sentinel incident trigger

→ ServiceNow List Records

→ Query: `correlation_id = Sentinel incident number`

→ Condition: `length(result) > 0`

TRUE → Update existing ServiceNow incident

FALSE → Create a new ServiceNow incident

Evidence — 236.png

SENTINELOPS | Microsoft Cloud SOC Engineering Project

The screenshot displays the Microsoft Azure portal interface. On the left, the 'Run history' tab for the 'la-sentinel-servicenow' Logic App is active, showing a list of runs with columns for 'Start time' and 'Duration'. The main pane shows the workflow diagram for 'la-sentinel-servicenow'. The workflow starts with a 'Microsoft Sentinel incident' trigger, followed by a 'List Records' action, a 'Condition' action, and a 'Create Record' action. The 'Condition' action is currently set to '2 Cases'.

New-ticket branch of the Logic App deduplication workflow.

When no matching correlation ID exists, Create Record executes.

Evidence — 237.png

The screenshot displays the Microsoft Azure portal interface. On the left, the 'Run history' tab for the 'la-sentinel-servicenow' Logic App is active, showing a list of runs with columns for 'Start time' and 'Duration'. The main pane shows the workflow diagram for 'la-sentinel-servicenow'. The workflow starts with a 'Microsoft Sentinel incident' trigger, followed by a 'List Records' action, a 'Condition' action, and two parallel actions: 'Update Record 1' (True branch) and 'Create Record 1' (False branch). The 'Condition' action is currently set to '0.6s'.

Existing-ticket branch of the Logic App deduplication workflow.

When a matching correlation ID exists, Update Record executes and the Create branch is skipped.

Evidence — 209.png

SENTINELOPS | Microsoft Cloud SOC Engineering Project

Home > Logic apps > la-sentinel-servicenow | Run history

la-sentinel-servicenow | Run history

Search

Refresh

All

Pick a date

Pick a time

Search to filter items by identifier

Start time	Duration
1/10/2026, 9:59 am	1.94 Seconds
30/9/2026, 7:40 pm	2.09 Seconds
30/9/2026, 7:29 pm	4.39 Seconds
28/9/2026, 2:43 pm	785 Milliseconds
28/9/2026, 2:37 pm	3.96 Seconds
28/9/2026, 2:32 pm	6.96 Seconds
28/9/2026, 2:16 pm	1.06 Seconds
28/9/2026, 1:58 pm	1.27 Seconds
27/9/2026, 7:16 pm	11.04 Seconds

la-sentinel-servicenow

You are using the previous Logic Apps experience. Switch to preview experience

Run details Resubmit Edit Cancel run Refresh Info

Microsoft Sentinel incident

0.4s

List Records

0.3s

Condition

True

0.2s

update Record 1

False

0s

Create Record 1

ActionBranchingCondition...

Submit from this action

Parameters Settings Code view About

expressionResult

true

Properties

Start time

10/1/2026, 9:59:39 AM (Local time)

End time

10/1/2026, 9:59:39 AM (Local time)

Status

Succeeded

Successful live deduplication update path.

The condition evaluated true and the existing record was updated rather than creating a duplicate.

13. Data Integrity / Work-Note Preservation

A controlled work note was added to INC0010012 before rerunning the same Sentinel incident through the deduplication path. The resulting ServiceNow activity stream showed the existing note and the subsequent automation-related activity, demonstrating that the incident record was retained rather than replaced.

Evidence — 229.png

INC0010012 | Incident | ServiceNow

dev318522.service-now.com/how/nav/ui/classic/params/target/incident.do%3Fsys_id%3D4987b21f836b810062c7a6fead341%26sysparm_record_target%3Dincident%26sysparm_record_row...

serviceNow All Favorites History Workspaces Admin Incident - INC0010012 Search

Incident INC0010012

Watch list

Work notes list

Work notes

Comments (Customer visible) Post

Activities: 3

System Administrator

Manual preservation test - existing ServiceNow incident note.

Work notes • 2026-10-01 01:40:32

System Administrator

Deduplication preservation test: existing Sentinel incident updated by the Logic App. Original incident record retained.

Work notes • 2026-10-01 01:26:50

System Administrator

Field changes • 2026-09-30 21:34:07

Impact 2 - Medium

Incident state New

Opened by System Administrator

Priority 3 - Moderate

Update Resolve Delete

ServiceNow activity stream showing preserved work notes on INC0010012.

This is the primary evidence for update-path data preservation.

14. End-to-End Validation Matrix

Component	Test	Observed result	Evidence
Azure/Sentinel foundation	Workspace/Sentinel deployment	Completed	14.png, 18.png, 21.png, 24.png
Entra ingestion	AuditLogs and SigninLogs arrive	Validated	32.png, 35.png, 107.png
OAuth detection	Controlled consent event	Positive detection / incident generated	64.png, 75.png, 76.png, 82.png
Sign-in detection	Telemetry + tuned rule	Telemetry positive; positive alert not reproduced	91.png, 107.png
Defender XDR	Access/licensing assessment	Evaluated; unavailable under current lab constraints	96.png, 98.png, 102.png
ServiceNow API	GET/create/update/correlation tests	Validated	117.png, 170.png, 171.png
Live automation	Sentinel → Logic App → ServiceNow	Validated	154.png, 170.png
Deduplication create path	No existing correlation ID	Create Record succeeded	236.png
Deduplication update path	Existing correlation ID	Update Record succeeded; create skipped	209.png, 237.png
Work-note preservation	Existing record updated	Original notes retained	229.png

15. Security and Cost Controls

- The lab uses controlled test identities and a controlled test OAuth application.
- No production account-disable or application-revocation action was automated.
- The Logic App was created using the Consumption model to keep the student lab lightweight.
- Logic App Log Analytics was not enabled when unnecessary to reduce additional telemetry cost.
- Defender XDR was not purchased solely to complete the portfolio project.
- Secrets and authentication tokens are excluded from the final evidence set.
- Screenshots containing exposed ServiceNow authentication/session token material are explicitly excluded from the portfolio pack.

16. Evidence Handling Rules

The final evidence pack intentionally contains selected screenshots rather than the full 237-image capture set. Intermediate troubleshooting screenshots are useful for a private development archive but add noise to a recruiter-facing report.

Evidence class	Use	Handling
Final evidence	Technical report / portfolio	Keep selected screenshots embedded in this report.
Recruiter evidence	LinkedIn / portfolio	Use only the strongest 7–9 screenshots and redact identifiers.
Troubleshooting archive	Private development record	Retain separately if desired; not part of

public portfolio.

Credential/token exposure

Security-sensitive

Delete from public/shared evidence immediately; rotate/invalidate if exposed publicly.

17. Final Project Status

Workstream	Status
Azure + Log Analytics + Sentinel foundation	COMPLETE
Entra AuditLogs ingestion	COMPLETE
Entra SigninLogs ingestion	COMPLETE
OAuth consent KQL detection	COMPLETE
OAuth incident investigation	COMPLETE
Unusual sign-in KQL detection	IMPLEMENTED + TUNED; POSITIVE ALERT INCONCLUSIVE
Defender XDR	EVALUATED; NOT IMPLEMENTED DUE TO ACCESS/LICENSING
ServiceNow PDI/API	COMPLETE
Logic Apps Sentinel trigger	COMPLETE
Live ServiceNow ticket creation	COMPLETE
Correlation ID mapping	COMPLETE
Create/update deduplication	COMPLETE
Work-note preservation validation	COMPLETE
Final evidence pack	COMPLETE

18. Recruiter-Facing Technical Summary

Implemented a Microsoft-native SOC workflow using Microsoft Sentinel, Microsoft Entra ID, KQL, Azure Logic Apps, and ServiceNow. Ingested and validated Entra AuditLogs/SigninLogs; engineered KQL analytics for tenant-wide OAuth consent and unusual cloud sign-in context; investigated Sentinel incidents; built a Logic Apps → ServiceNow automation with correlation-based deduplication; and validated both incident creation and update paths while preserving existing ServiceNow work notes.

Technical keywords demonstrated: Microsoft Sentinel, Microsoft Entra ID, Log Analytics, KQL, Analytics Rules, SecurityAlert, Sentinel Incidents, Azure Logic Apps, ServiceNow REST API, OAuth 2.0, ITSM integration, incident correlation, deduplication, validation testing, evidence handling.

19. Appendix A — Selected Evidence Index

Filename	Purpose	Recommended use
----------	---------	-----------------

SENTINELOPS | Microsoft Cloud SOC Engineering Project

14.png	Azure subscription and lab environment	Report / appendix
18.png	Log Analytics workspace creation	Report / appendix
21.png	Log Analytics/Sentinel lab deployment completed	Report / appendix
24.png	Microsoft Sentinel workspace/data connector environment	Report / appendix
32.png	Entra diagnostic settings for Sentinel telemetry	Report + portfolio
35.png	Entra AuditLogs populated in the lab	Report + portfolio
43.png	AuditLogs query and returned identity audit data	Report + portfolio
64.png	OAuth consent event extracted from AuditLogs	Report + LinkedIn candidate
69.png	OAuth analytics rule configuration	Report + portfolio
75.png	OAuth consent event details	Report + portfolio
76.png	OAuth detection query/result in Sentinel	Report + LinkedIn candidate
82.png	Generated OAuth incident in the Defender/Sentinel experience	Report + LinkedIn candidate
91.png	Final tuned unusual sign-in analytics rule	Report + LinkedIn candidate
107.png	SigninLogs telemetry showing cloud sign-in context	Report + portfolio
96.png	Defender XDR access/settings state	Report only
98.png	Defender access limitation	Report only
102.png	Available security trial/licensing state	Report only
117.png	ServiceNow REST API Explorer / Table API	Report / appendix
154.png	Sentinel incident → Logic App → ServiceNow workflow	Report + LinkedIn candidate
170.png	ServiceNow incident records created by automation	Report / appendix
171.png	ServiceNow incident record listing	Report / appendix
209.png	Logic App deduplication update path succeeded	Report + LinkedIn candidate
229.png	ServiceNow work-note preservation after update	Report + LinkedIn candidate
234.png	ServiceNow incident priority/SLA state	Report / appendix
236.png	Logic App new-incident creation path	Report + LinkedIn candidate
237.png	Logic App existing-incident update / duplicate-prevention path	Report + LinkedIn candidate

20. Appendix B — Important Evidence Exclusions

The following filenames were identified during evidence review as unsuitable for the final public evidence set because they expose or may expose authentication/session token material: 115.png, 118.png, 121.png, 124.png, 126.png, 127.png, and 132.png. They should not be included in the final report, LinkedIn post, GitHub repository, or other public portfolio location.

The remaining screenshots from the original 237-image capture set were treated as intermediate setup, troubleshooting, duplicate run-history, or low-value evidence and are intentionally not embedded in this final report.

Document prepared from the implemented project state and selected evidence screenshots. Claims are intentionally limited to what the captured validation supports.