

EXP-02

```
mysql> CREATE DATABASE college_exp2;
Query OK, 1 row affected (0.03 sec)

mysql> USE college_exp2;
Database changed
mysql> CREATE TABLE department (
->     dept_id INT PRIMARY KEY,
->     dept_name VARCHAR(50) NOT NULL UNIQUE,
->     location VARCHAR(50) DEFAULT 'Chennai'
-> );
Query OK, 0 rows affected (0.11 sec)

mysql> INSERT INTO department VALUES
-> (1, 'CSE', 'Chennai'),
-> (2, 'ECE', 'Vellore'),
-> (3, 'IT', DEFAULT);
Query OK, 3 rows affected (0.03 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM department;
+-----+-----+-----+
| dept_id | dept_name | location |
+-----+-----+-----+
|      1 | CSE      | Chennai  |
|      2 | ECE      | Vellore  |
|      3 | IT       | Chennai  |
+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> CREATE TABLE student (
->     student_id INT PRIMARY KEY,
->     student_name VARCHAR(50) NOT NULL,
->     email VARCHAR(100) UNIQUE,
->     age INT CHECK (age >= 18),
->     dept_id INT,
->     FOREIGN KEY (dept_id) REFERENCES department(dept_id)
-> );
Query OK, 0 rows affected (0.11 sec)

mysql> INSERT INTO student VALUES
-> (101, 'Arun', 'arun@gmail.com', 19, 1),
```

```
mysql> INSERT INTO student VALUES
-> (101, 'Arun', 'arun@gmail.com', 19, 1),
-> (102, 'Karthik', 'karthik@gmail.com', 20, 2),
-> (103, 'Rahul', 'rahul@gmail.com', 18, 3);
```

```
Query OK, 3 rows affected (0.03 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM student;
```

student_id	student_name	email	age	dept_id
101	Arun	arun@gmail.com	19	1
102	Karthik	karthik@gmail.com	20	2
103	Rahul	rahul@gmail.com	18	3

```
3 rows in set (0.00 sec)
```

```
mysql> ^BINSERT INTO department (dept_id, dept_name)
```

```
-> VALUES (4, 'MECH');
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual t
hat corresponds to your MySQL server version for the right syntax to use nea
r 'INSERT INTO department (dept_id, dept_name)
VALUES (4, 'MECH')' at line 1
```

```
mysql> INSERT INTO department (dept_id, dept_name)
```

```
-> VALUES (4, 'MECH');
```

```
Query OK, 1 row affected (0.02 sec)
```

```
mysql> SELECT * FROM department;
```

dept_id	dept_name	location
1	CSE	Chennai
2	ECE	Vellore
3	IT	Chennai
4	MECH	Chennai

```
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO student
```

```
-> VALUES (104, 'Vijay', 'arun@gmail.com', 19, 1);
```

```
mysql> INSERT INTO student
-> VALUES (104, 'Vijay', 'arun@gmail.com', 19, 1);
ERROR 1062 (23000): Duplicate entry 'arun@gmail.com' for key 'student.email'
mysql> INSERT INTO student
-> VALUES (105, 'Ajay', 'ajay@gmail.com', 16, 1);
ERROR 3819 (HY000): Check constraint 'student_chk_1' is violated.
mysql> INSERT INTO student
-> VALUES (106, 'Ravi', 'ravi@gmail.com', 20, 10);
ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails ('college_exp2`.`student`, CONSTRAINT `student_ibfk_1` FOREIGN KEY (`dept_id`) REFERENCES `department` (`dept_id`))
mysql> INSERT INTO student
-> VALUES (106, 'Ravi', 'ravi@gmail.com', 20, 10);
ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails ('college_exp2`.`student`, CONSTRAINT `student_ibfk_1` FOREIGN KEY (`dept_id`) REFERENCES `department` (`dept_id`))
mysql> DESC department;
```

Field	Type	Null	Key	Default	Extra
dept_id	int	NO	PRI	NULL	
dept_name	varchar(50)	NO	UNI	NULL	
location	varchar(50)	YES		Chennai	

3 rows in set (0.00 sec)

```
mysql> DESC student;
```

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI	NULL	
student_name	varchar(50)	NO		NULL	
email	varchar(100)	YES	UNI	NULL	
age	int	YES		NULL	
dept_id	int	YES	MUL	NULL	

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM department;
```

dept_id	dept_name	location
1	CSE	Chennai
2	ECE	Vellore
3	IT	Chennai
4	MECH	Chennai

4 rows in set (0.00 sec)

```
mysql> SELECT * FROM student;
```

student_id	student_name	email	age	dept_id
101	Arun	arun@gmail.com	19	1
102	Karthik	karthik@gmail.com	20	2
103	Rahul	rahul@gmail.com	18	3

3 rows in set (0.00 sec)