

EXP-03

```
mysql> USE college_exp3;
Database changed
mysql>
mysql> CREATE TABLE student (
->     student_id INT,
->     student_name VARCHAR(50),
->     department VARCHAR(30),
->     marks INT
-> );
Query OK, 0 rows affected (0.04 sec)

mysql>
mysql> INSERT INTO student VALUES
-> (101, 'Arun', 'CSE', 85),
-> (102, 'Karthik', 'ECE', 78),
-> (103, 'Rahul', 'CSE', 92),
-> (104, 'Vijay', 'IT', 88),
-> (105, 'Ajay', 'CSE', 76);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM student;
```

student_id	student_name	department	marks
101	Arun	CSE	85
102	Karthik	ECE	78
103	Rahul	CSE	92
104	Vijay	IT	88
105	Ajay	CSE	76

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT student_id, student_name  
-> FROM student;
```

student_id	student_name
101	Arun
102	Karthik
103	Rahul
104	Vijay
105	Ajay

5 rows in set (0.00 sec)

```
mysql>  
mysql> SELECT *  
-> FROM student  
-> WHERE department = 'CSE';
```

student_id	student_name	department	marks
101	Arun	CSE	85
103	Rahul	CSE	92
105	Ajay	CSE	76

3 rows in set (0.00 sec)

```
mysql>  
mysql> SELECT *  
-> FROM student  
-> WHERE marks > 80;
```

student_id	student_name	department	marks
101	Arun	CSE	85
103	Rahul	CSE	92
104	Vijay	IT	88

3 rows in set (0.00 sec)

```
mysql> SELECT student_name  
-> FROM student;
```

student_name
Arun
Karthik
Rahul
Vijay
Ajay

5 rows in set (0.00 sec)