

# EXP-05

```
mysql> CREATE DATABASE college_exp5;
Query OK, 1 row affected (0.03 sec)

mysql> USE college_exp5;
Database changed
mysql>
mysql> CREATE TABLE student (
  ->     student_id INT,
  ->     student_name VARCHAR(50),
  ->     department VARCHAR(30),
  ->     marks INT
  -> );
Query OK, 0 rows affected (0.04 sec)

mysql>
mysql> INSERT INTO student VALUES
  -> (101, 'Arun', 'CSE', 85),
  -> (102, 'Karthik', 'ECE', 78),
  -> (103, 'Rahul', 'CSE', 92);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> COMMIT;
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> INSERT INTO student VALUES
  -> (104, 'Vijay', 'IT', 88);
Query OK, 1 row affected (0.00 sec)

mysql>
mysql> SAVEPOINT sp1;
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> INSERT INTO student VALUES
  -> (105, 'Ajay', 'CSE', 76);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM student;
```

| student_id | student_name | department | marks |
|------------|--------------|------------|-------|
| 101        | Arun         | CSE        | 85    |
| 102        | Karthik      | ECE        | 78    |
| 103        | Rahul        | CSE        | 92    |
| 104        | Vijay        | IT         | 88    |
| 105        | Ajay         | CSE        | 76    |

```
5 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> ROLLBACK TO sp1;
```

```
ERROR 1305 (42000): SAVEPOINT sp1 does not exist
```

```
mysql>
```

```
mysql> SELECT * FROM student;
```

| student_id | student_name | department | marks |
|------------|--------------|------------|-------|
| 101        | Arun         | CSE        | 85    |
| 102        | Karthik      | ECE        | 78    |
| 103        | Rahul        | CSE        | 92    |
| 104        | Vijay        | IT         | 88    |
| 105        | Ajay         | CSE        | 76    |

```
5 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> COMMIT;
```

```
Query OK, 0 rows affected (0.00 sec)
```