

QUESTIONS 5 / 5 completed

Student

STUDENT

Write a C++ program to create a class for a student with a constructor and a destructor.

PROGRAM EDITOR

C++

✓ Updated

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Student
5 {
6 public:
7     Student()
8     {
9         cout << "Student Constructor Called" << endl;
10    }
11
12    ~Student()
13    {
14        cout << "Student Destructor Called" << endl;
15    }
16 };
17
18 int main()
19 {
20     Student s;
21     return 0;
```

OUTPUT

```
Student Constructor Called
Student Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Book

BOOK

Write a C++ program to create a class for a book with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Book
5 {
6 public:
7     Book()
8     {
9         cout << "Book Constructor Called" << endl;
10    }
11
12    ~Book()
13    {
14        cout << "Book Destructor Called" << endl;
15    }
16 };
17
18 int main()
19 {
20     Book b;
21     return 0;
```

OUTPUT

```
Book Constructor Called
Book Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Rectangle

RECTANGLE

Write a C++ program to create a class for a rectangle with a constructor and a destructor.

PROGRAM EDITOR

C++

Run Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Rectangle
5 {
6 public:
7     Rectangle()
8     {
9         cout << "Rectangle Constructor Called" << endl;
10    }
11
12    ~Rectangle()
13    {
14        cout << "Rectangle Destructor Called" << endl;
15    }
16 };
17
18 int main()
19 {
20     Rectangle r;
21     return 0;
22 }
```

OUTPUT

Rectangle Constructor Called
Rectangle Destructor Called

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Car

CAR

Write a C++ program to create a class for a car with a constructor and a destructor.

PROGRAM EDITOR

C++

Run Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Car
5 {
6 public:
7     Car()
8     {
9         cout << "Car Constructor Called" << endl;
10    }
11
12    ~Car()
13    {
14        cout << "Car Destructor Called" << endl;
15    }
16 };
17
18 int main()
19 {
20     Car c;
21     return 0;
22 }
```

OUTPUT

Car Constructor Called
Car Destructor Called

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Bank

BANK

Write a C++ program to create a class for a bank account with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Bank
5 {
6 public:
7     Bank()
8     {
9         cout << "Bank Constructor Called" << endl;
10    }
11
12    ~Bank()
13    {
14        cout << "Bank Destructor Called" << endl;
15    }
16 };
17
18 int main()
19 {
20     Bank b;
21     return 0;
```

OUTPUT

```
Bank Constructor Called
Bank Destructor Called
```

INPUT

Your INPUT goes here!