

Virtual Internship Program- Salesforce Developer

Catalyst

Apex specialist SuperBadge Codes:

1. **General Quiz**
2. **Automate Record Creation:**

Trigger: MaintenanceRequest

trigger MaintenanceRequest on Case (before update, after update) {

```
    if (Trigger.isUpdate && Trigger.isAfter) {  
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);  
    }  
}
```

Class: MaintenanceRequestHelper

public with sharing class

MaintenanceRequestHelper {

```
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>  
nonUpdCaseMap) {
```

```
        Set<Id> validIds = new Set<Id>();
```

```
        For (Case c : updWorkOrders){
```

```
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
```

```
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
```

```
validIds.add(c.Id);
```

```
            }
```

```
        }
```

```
    }
```

//When an existing maintenance request of type Repair or Routine

Maintenance is closed,

```
//create a new maintenance request for a future routine
checkout.    if (!validIds.isEmpty()){
    Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    //calculate the maintenance request due dates by using the maintenance
cycle defined on the related equipment records.
    AggregateResult[] results = [SELECT Maintenance_Request__c,
                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                FROM Equipment_Maintenance_Item__c
                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];
    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
    }
    List<Case> newCases = new List<Case>();
    for(Case cc : closedCases.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
```

```

        Date_Reported__c = Date.Today()
    );

    //If multiple pieces of equipment are used in the maintenance request,
    //define the due date by applying the shortest maintenance cycle to today's
    date.

    //If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
    //} else {
        //  nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
    //}
    newCases.add(nc);
}

insert newCases;
List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c item = clonedListItem.clone();
        item.Maintenance_Request__c = nc.Id;
        clonedList.add(item);
    }
}
insert clonedList;
}
}
}

```

Test Class: Maintenance Request Helper Test

@istest

```
public with sharing class MaintenanceRequestHelperTest {  
    private static final string STATUS_NEW = 'New';  
    private static final string WORKING = 'Working';  
    private static final string CLOSED = 'Closed';  
    private static final string REPAIR = 'Repair';  
    private static final string REQUEST_ORIGIN = 'Web';  
    private static final string REQUEST_TYPE = 'Routine Maintenance';  
    private static final string REQUEST_SUBJECT = 'Testing subject';  
    PRIVATE STATIC Vehicle__c createVehicle(){  
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');  
        return Vehicle;  
    }  
    PRIVATE STATIC Product2 createEq(){  
        product2 equipment = new product2(name = 'SuperEquipment',  
            lifespan_months__C = 10,  
            maintenance_cycle__C = 10,  
            replacement_part__c = true);  
        return equipment;  
    }  
  
    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){  
        case cs = new case(Type=REPAIR,  
            Status=STATUS_NEW,
```

```
        Origin=REQUEST_ORIGIN,  
        Subject=REQUEST_SUBJECT,  
        Equipment__c=equipmentId,  
        Vehicle__c=vehicleId);  
    return cs;  
}
```

```
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id  
equipmentId,id requestId){
```

```
    Equipment_Maintenance_Item__c wp = new  
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,  
Maintenance_Request__c = requestId);  
    return wp;  
}
```

```
@istest
```

```
private static void testMaintenanceRequestPositive(){
```

```
    Vehicle__c vehicle = createVehicle();  
    insert vehicle;  
    id vehicleId = vehicle.Id;
```

```
    Product2 equipment = createEq();  
    insert equipment;  
    id equipmentId = equipment.Id;
```

```
    case somethingToUpdate =  
createMaintenanceRequest(vehicleId,equipmentId);  
    insert somethingToUpdate;
```

```
Equipment_Maintenance_Item__c workP =  
createWorkPart(equipmentId,somethingToUpdate.id);
```

```
insert workP;
```

```
test.startTest();
```

```
somethingToUpdate.status = CLOSED;
```

```
update somethingToUpdate;
```

```
test.stopTest();
```

```
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,  
Vehicle__c, Date_Due__c
```

```
from case
```

```
where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id  
from Equipment_Maintenance_Item__c  
where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
```

```
system.assert(newReq.Subject != null);
```

```
system.assertEquals(newReq.Type, REQUEST_TYPE);
```

```
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
```

```
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
```

```
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
```

```
}
```

```
@istest
```

```
private static void testMaintenanceRequestNegative(){
```

```

Vehicle__C vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
insert workP;
test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
                        from case];

Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c = :emptyReq.Id];

system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}
@istest

```

```
private static void testMaintenanceRequestBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();

    for(integer i = 0; i < 300; i++){
        vehicleList.add(createVehicle());
        equipmentList.add(createEq());
    }
    insert vehicleList;
    insert equipmentList;

    for(integer i = 0; i < 300; i++){
        requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
    }
    insert requestList;

    for(integer i = 0; i < 300; i++){
        workPartList.add(createWorkPart(equipmentList.get(i).id,
requestList.get(i).id));
    }
    insert workPartList;
```



```

test.startTest();
for(case req : requestList){
    req.Status = CLOSED;
    oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();
list<case> allRequests = [select id
                        from case
                        where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
from Equipment_Maintenance_Item__c where Maintenance_Request__c in:
oldRequestIds];
system.assert(allRequests.size() == 300);
}
}

```

3. Synchronize Salesforce Data with an External System:

Class: WarehouseCalloutService

```

public with sharing class WarehouseCalloutService {
    private static final String WAREHOUSE_URL = 'https://th-
superbadge-apex.herokuapp.com/equipment';
    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){
        Http http = new Http();
        HttpRequest request = new HttpRequest();
    }
}

```

```

request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);

List<Product2> warehouseEq = new List<Product2>();

if (response.getStatusCode() == 200){
    List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());
    for (Object eq : jsonResponse){
        Map<String,Object> mapJson =
(Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean)
mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer)
mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String)
mapJson.get('sku');
        myEq.Current_Inventory__c = (Double)
mapJson.get('quantity');
        warehouseEq.add(myEq);
    }
    if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the

```

```

warehouse one');
        System.debug(warehouseEq);
    }
}
}
}
}

```

1. Schedule Synchronization:

Class: WarehouseSyncSchedule

```

global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}

```

2. Test Automation Logic:

Trigger: MaintenanceRequest

```

trigger MaintenanceRequest on Case (before update, after
update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

Class: MaintenanceRequestHelper

```

public with sharing class
MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){

```

```

        if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
            }
        }
    }
}

```

//When an existing maintenance request of type Repair or Routine Maintenance is closed,

```

//create a new maintenance request for a future routine
checkup.    if (!validIds.isEmpty()){
        Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c, (SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);

```

```

        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

```

//calculate the maintenance request due dates by using the maintenance cycle defined on the related equipment records.

```

AggregateResult[] results = [SELECT Maintenance_Request__c,
                                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                                FROM Equipment_Maintenance_Item__c
                                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

```

```

        for (AggregateResult ar : results){
            maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
        }
        List<Case> newCases = new List<Case>();
        for(Case cc : closedCases.values()){

```

```

Case nc = new Case (
    ParentId = cc.Id,
    Status = 'New',
    Subject = 'Routine Maintenance',
    Type = 'Routine Maintenance',
    Vehicle__c = cc.Vehicle__c,
    Equipment__c = cc.Equipment__c,
    Origin = 'Web',
    Date_Reported__c = Date.Today()
);

//If multiple pieces of equipment are used in the maintenance request,
//define the due date by applying the shortest maintenance cycle to
today's date.
//If (maintenanceCycles.containsKey(cc.Id)){
    nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
//} else {
    // nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
//}

newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c clonedListItem :

```

```
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
    Equipment_Maintenance_Item__c item = clonedListItem.clone();
    item.Maintenance_Request__c = nc.Id;
    clonedList.add(item);
}
}
insert clonedList;
}
}
}
```

Test Class: MaintenanceRequestHelperTest

@istest

```
public with sharing class MaintenanceRequestHelperTest {
```

```
private static final String STATUS_NEW = 'New';
private static final String WORKING = 'Working';
private static final String CLOSED = 'Closed';
private static final String REPAIR = 'Repair';
private static final String REQUEST_ORIGIN = 'Web';
private static final String REQUEST_TYPE = 'Routine Maintenance';
private static final String REQUEST_SUBJECT = 'Testing subject';
```

```
PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
}
```

```
PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
        lifespan_months__C = 10,
```

```

        maintenance_cycle__C = 10,
        replacement_part__c = true);
    return equipment;
}

```

```

PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
        Status=STATUS_NEW,
        Origin=REQUEST_ORIGIN,
        Subject=REQUEST_SUBJECT,
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);
    return cs;
}

```

```

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id
equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
    Maintenance_Request__c = requestId);
    return wp;
}

```

@istest

```

private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

```

```

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

```

```
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
```

```
Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
```

```
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
```

```
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
               from case
               where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
```

```
@istest
private static void testMaintenanceRequestNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
```



```
id vehicleId = vehicle.Id;
```

```
product2 equipment = createEq();
```

```
insert equipment;
```

```
id equipmentId = equipment.Id;
```

```
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
```

```
insert emptyReq;
```

```
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,  
emptyReq.Id);
```

```
insert workP;
```

```
test.startTest();
```

```
emptyReq.Status = WORKING;
```

```
update emptyReq;
```

```
test.stopTest();
```

```
list<case> allRequest = [select id from case];
```

```
Equipment_Maintenance_Item__c workPart = [select id  
from Equipment_Maintenance_Item__c  
where Maintenance_Request__c = :emptyReq.Id];
```

```
system.assert(workPart != null);
```

```
system.assert(allRequest.size() == 1);
```

```
}
```

```
@istest
```

```
private static void testMaintenanceRequestBulk(){
```

```
list<Vehicle__C> vehicleList = new list<Vehicle__C>();
```

```
list<Product2> equipmentList = new list<Product2>();
```

```
list<Equipment_Maintenance_Item__c> workPartList = new
```

```
list<Equipment_Maintenance_Item__c>();
```

```

list<case> requestList = new list<case>();
list<id> oldRequestIds = new list<id>();

for(integer i = 0; i < 300; i++){
    vehicleList.add(createVehicle());
    equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;

for(integer i = 0; i < 300; i++){
    requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert requestList;
for(integer i = 0; i < 300; i++){
    workPartList.add(createWorkPart(equipmentList.get(i).id,
requestList.get(i).id));
}
insert workPartList;

test.startTest();
for(case req : requestList){
    req.Status = CLOSED;
    oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();

list<case> allRequests = [select id
                        from case
                        where status =: STATUS_NEW];

```

```

        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in:
oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}

```

6. Test Callout Logic:

Class: WarehouseCalloutService

```

public with sharing class WarehouseCalloutService {
    private static final String WAREHOUSE_URL = 'https://th-
superbadge-apex.herokuapp.com/equipment';
    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();
        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

```

```

        for (Object eq : jsonResponse){
            Map<String,Object> mapJson =
(Map<String,Object>)eq;
            Product2 myEq = new Product2();
            myEq.Replacement_Part__c = (Boolean)
mapJson.get('replacement');
            myEq.Name = (String) mapJson.get('name');
            myEq.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months__c = (Integer)
mapJson.get('lifespan');
            myEq.Cost__c = (Decimal) mapJson.get('lifespan');
            myEq.Warehouse_SKU__c = (String)
mapJson.get('sku');
            myEq.Current_Inventory__c = (Double)
mapJson.get('quantity');
            warehouseEq.add(myEq);
        }
        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the
warehouse one');
            System.debug(warehouseEq);
        }
    }
}
}
}
}

```

Test Class: WearhouseCalloutServiceTest

@isTest

```
private class WarehouseCalloutServiceTest {
```

@isTest

```
    static void testWareHouseCallout(){
```

```
        Test.startTest();
```

```
        // implement mock callout test here
```

```
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
        WarehouseCalloutService.runWarehouseEquipmentSync();
```

```
        Test.stopTest();
```

```
        System.assertEquals(1, [SELECT count() FROM Product2]);
```

```
    }
```

```
}
```

Test Class: WarehouseCalloutServiceMock

@isTest

global class WarehouseCalloutServiceMock implements

HttpCalloutMock {

```
    // implement http mock callout
```

```
    global static HttpResponse respond(HttpRequest request){
```

```
        System.assertEquals('https://th-superbadge-  
apex.herokuapp.com/equipment', request.getEndpoint());
```

```
        System.assertEquals('GET', request.getMethod());
```

```
        // Create a fake response
```

```
        HttpResponse response = new HttpResponse();
```

```
        response.setHeader('Content-Type', 'application/json');
```

```
        response.setBody('{"_id":"55d66226726b611100aaf741","repl
```

```

acement":false,"quantity":5,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku
":"100003"]]);
    response.setStatusCode(200);
    return response;
}
}

```

7. Test Scheduling Logic:

Class: WarehouseSyncSchedule

```

global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}

```

Test Class: WarehouseCalloutServiceMock

@isTest

global class WarehouseCalloutServiceMock implements
HttpCalloutMock {

// implement http mock callout

```

    global static HttpResponse respond(HttpRequest request){
        System.assertEquals('https://th-superbadge-
apex.herokuapp.com/equipment', request.getEndpoint());
        System.assertEquals('GET', request.getMethod());
    }

```

// Create a fake response

```

    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');

```

```

response.setBody('[{ "_id": "55d66226726b611100aaf741", "replacement": false, "quantity": 5, "name": "Generator 1000 kW", "maintenanceperiod": 365, "lifespan": 120, "cost": 5000, "sku": "100003" }]');
    response.setStatusCode(200);
    return response;
}
}

```

Test Class: WarehouseSyncScheduleTest

```

@isTest
public with sharing class WarehouseSyncScheduleTest {
    // implement scheduled code here

    @isTest static void test() {
        String scheduleTime = '00 00 00 * * ? *';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobId = System.schedule('Warehouse Time to Schedule to test',
            scheduleTime, new WarehouseSyncSchedule());

        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');
        Test.stopTest();
    }
}

```