

```
In [1]: import pandas as pd
```

```
In [2]: # TASK 1: Bollywood Movies - sort_values()
movies = pd.DataFrame({"title": ["3 Idiots", "Dangal", "Sholay", "Lagaan", "Taare Za
"rating": [8.4, 8.3, 8.1, 8.1, 8.3, 8.2, 8.2, 8.2],
"release_year": [2009, 2016, 1975, 2001, 2007, 2011, 2018, 2015]})

sorted_movies = movies.sort_values(by="rating", ascending=False)
print("TASK 1 - Bollywood Movies Sorted by Rating")
print(sorted_movies)
```

TASK 1 - Bollywood Movies Sorted by Rating

	title	rating	release_year
0	3 Idiots	8.4	2009
1	Dangal	8.3	2016
4	Taare Zameen Par	8.3	2007
5	Zindagi Na Milegi Dobara	8.2	2011
6	Andhadhun	8.2	2018
7	Drishyam	8.2	2015
3	Lagaan	8.1	2001
2	Sholay	8.1	1975

```
In [3]: # TASK 2: IPL Teams - sort_index()
ipl_teams = pd.DataFrame({"team": ["Mumbai Indians", "Chennai Super Kings",
"Royal Challengers Bengaluru", "Kolkata Knight Riders", "Rajasthan Royals"],
"points": [16, 14, 18, 12, 10], "net_run_rate": [0.450, 0.320, 0.650, 0.210, -0.120]})

sorted_teams = ipl_teams.sort_index(ascending=False)
print("\nTASK 2 - IPL Teams Sorted by Index")
print(sorted_teams)
```

TASK 2 - IPL Teams Sorted by Index

	team	points	net_run_rate
4	Rajasthan Royals	10	-0.12
3	Kolkata Knight Riders	12	0.21
2	Royal Challengers Bengaluru	18	0.65
1	Chennai Super Kings	14	0.32
0	Mumbai Indians	16	0.45

```
In [4]: # TASK 3: YouTube Videos - reset_index()

youtube_videos = pd.DataFrame({"video_title": ["India vs Australia Highlights", "
Python Tutorial for Beginners", "IPL Best Moments", "Top 10 AI Tools"],
"views": [15000000, 8500000, 3200000, 12000000, 4500000],
"likes": [850000, 520000, 180000, 700000, 250000]})

youtube_videos = youtube_videos.reset_index(drop=True)
print("\nTASK 3 - YouTube Videos After Resetting Index")
print(youtube_videos)
```

TASK 3 - YouTube Videos After Resetting Index

	video_title	views	likes
0	India vs Australia Highlights	15000000	850000
1	New Bollywood Song	8500000	520000
2	Python Tutorial for Beginners	3200000	180000
3	IPL Best Moments	12000000	700000
4	Top 10 AI Tools	4500000	250000

```
In [5]: # TASK 4: Zomato Restaurants - reindex()

zomato_restaurants = pd.DataFrame({
    "restaurant": [
        "Domino's Pizza",
        "The Good Bowl",
        "Behrouz Biryani",
        "Biryani Blues",
        "Pizza Hut"
    ],
    "rating": [
        4.2,
        4.1,
        4.4,
        4.3,
        4.0]})

new_order = [2, 0, 1, 3, 4]

zomato_reindexed = zomato_restaurants.reindex(new_order)

print("\nTASK 4 - Zomato Restaurants with Favorite First")
print(zomato_reindexed)
```

TASK 4 - Zomato Restaurants with Favorite First

	restaurant	rating
2	Behrouz Biryani	4.4
0	Domino's Pizza	4.2
1	The Good Bowl	4.1
3	Biryani Blues	4.3
4	Pizza Hut	4.0

```
In [6]: # TASK 5: Flipkart Products - sort_values() + reset_index()

flipkart_products = pd.DataFrame({
    "product_name": [
        "Samsung Galaxy S24",
        "Apple iPhone 15",
        "Sony Headphones",
        "Dell Laptop",
        "Boat Smartwatch",
        "OnePlus Nord"
    ],
    "price": [
        64999,
        69999,
        7999,
        54999,
        2999,
        24999
    ],
    "discount": [
        15,
        10,
        25,
        20,
        35,
        18]})
```

```
sorted_products = flipkart_products.sort_values(by="discount",ascending=False)

sorted_products = sorted_products.reset_index(drop=True)

print("\nTASK 5 - Flipkart Products Sorted by Discount")
print(sorted_products)
```

TASK 5 - Flipkart Products Sorted by Discount

	product_name	price	discount
0	Boat Smartwatch	2999	35
1	Sony Headphones	7999	25
2	Dell Laptop	54999	20
3	OnePlus Nord	24999	18
4	Samsung Galaxy S24	64999	15
5	Apple iPhone 15	69999	10

In []: