

```
In [1]: import pandas as pd

# TASK 1 - Combine January and February orders

jan = pd.DataFrame({"order_id": ["J01", "J02", "J03"], "item": ["Pizza", "Burger"]
feb = pd.DataFrame({"order_id": ["F01", "F02", "F03"], "item": ["Pasta", "Pizza"],

print("TASK 1")
print(pd.concat([jan, feb], ignore_index=True))
```

TASK 1

	order_id	item	amount
0	J01	Pizza	300
1	J02	Burger	200
2	J03	Biryani	350
3	F01	Pasta	250
4	F02	Pizza	400
5	F03	Burger	220

```
In [2]: # TASK 2 - Combine products and ratings column

products = pd.DataFrame({"product": ["Laptop", "Mobile", "Shoes", "Watch"]})

ratings = pd.DataFrame({"rating": [4.5, 4.2, 4.7, 4.0]})

print("\nTASK 2")
print(pd.concat([products, ratings], axis=1))
```

TASK 2

	product	rating
0	Laptop	4.5
1	Mobile	4.2
2	Shoes	4.7
3	Watch	4.0

```
In [3]: # TASK 3 - Spotify Pivot

spotify = pd.DataFrame({"user": ["Kahan", "Rahul", "Dhir", "Sanika", "Kunjan", "
"streams": [100, 150, 200, 180, 120, 160]})

print("\nTASK 3")
print(spotify.pivot(index="user", columns="day", values="streams"))
```

TASK 3

day	Mon	Tue
user		
Dhir	200.0	NaN
Kahan	100.0	NaN
Kunjan	120.0	160.0
Rahul	NaN	150.0
Sanika	NaN	180.0

```
In [4]: # TASK 4 - Zomato Pivot Table

zomato = pd.DataFrame({"restaurant": ["Dominos", "Dominos", "Subway", "Subway"],
"total_amount": [500, 600, 300, 400]})

print("\nTASK 4")
print(zomato.pivot_table(index="restaurant", columns="month", values="total_amount"
```

TASK 4

month	Feb	Jan
restaurant		
Dominos	600.0	500.0
Subway	400.0	300.0

```
In [7]: # TASK 5 - Myntra Monthly Sales
jan = pd.read_csv("sales_jan.csv")
feb = pd.read_csv("sales_feb.csv")
mar = pd.read_csv("sales_mar.csv")

sales = pd.concat([jan, feb, mar])

print("\nTASK 5")
print(sales.groupby("product")["sales"].sum())
```

TASK 5

product	
Jeans	8300
Shoes	10500
T-Shirt	4400
Watch	6000

Name: sales, dtype: int64

```
In [ ]:
```