


```
In [1]: import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
In [2]: # TASK 1 - Flipkart Product Prices


flipkart = pd.read_csv("flipkart_prices.csv")

sns.boxplot(y="price", data=flipkart)
plt.title("Flipkart Product Price Distribution")
plt.ylabel("Price (₹)")
plt.show()
```



```
In [3]: # TASK 2 - Zomato Restaurant Categories


zomato = pd.DataFrame({"category": ["Fast Food"] * 10 + ["Desserts"] * 10,
"order_amount": [250, 300, 350, 400, 280, 320, 450, 500, 275, 380, 150, 200, 250,
sns.violinplot(x="category", y="order_amount", data=zomato)
plt.title("Order Amount by Restaurant Category")
plt.xlabel("Restaurant Category")
plt.ylabel("Order Amount (₹)")
plt.show()
```



```
In [4]: # TASK 3 - IPL Ticket Prices

ticket_prices = [500, 600, 550, 700, 650, 750, 800, 600, 700, 650, 900, 850, 700,


sns.boxplot(ticket_prices)
plt.title("IPL Match Ticket Price Distribution")
plt.ylabel("Ticket Price (₹)")
plt.show()
```



In [6]: `# TASK 4 - Daily Step Counts`

```
steps = [6500, 7200, 8100, 5900, 9000, 7500, 6800, 8200, 7100, 6400, 9500, 8800, 6700, 8500, 8000, 7400, 6300, 8900, 7700, 7200, 8300, 6800]
sns.violinplot(y=steps, inner="points")

plt.title("Daily Step Count Distribution")
plt.ylabel("Steps")
plt.show()
```



Analysis Task 1: The boxplot illustrates the distribution and variability of Flipkart product prices. Values beyond the whiskers indicate potential price outliers. Task 2: Fast Food orders generally have higher order amounts than Desserts. The violin plot also shows the concentration and spread of spending within each category. Task 3: The ₹5,000 ticket price appears as a potential outlier because it is substantially higher than the typical ticket prices in the dataset. Task 4: The violin plot indicates that daily step counts are concentrated around 7,000–8,000 steps, suggesting relatively consistent activity levels across the observed days.