

	TESTER NAME: IQBAL KAHARMIES	PROJECT / TEST CYCLE: USER REGISTRATION	TEST PURPOSE: Functional Testing
	TEST DATE: 26 Januari 2024	TEST PLATFORM: POSTMAN	BUILD ID: -
	LANGUAGE TESTED: English	DEVICE / BROWSER: -	

Test Id	Test Case	Expected Result (dokumentasi)	Actual Result (postman)	Pass/Fail (pass jika actual sama dengan expected)	Test Step	Positive/Negative Case	Note
Test Condition: Verify Functional Login Feature							
1	Success Login, with registered email and password	{ "credentials": { "access_token": "cb8b9ddb850b3850ebbb691af02d75bcf7846ac529cc8a990ebb3bd481cc9cdc", "expired_in": 1647003484, "refresh_token": "d62599cc70f81c8f2e726f79f79332b97c6298d7321404fbc0cd9fed170fcd16" }, "data": "Welcome tester ganteng", "message": "Anda Berhasil Login", "status": "SUCCESS_LOGIN" }	{ "credentials": { "access_token": "0366225cf264dca48fa9d15bdc6b56ef0f455d5dfcc3157f1418d1e7404e91d5", "expired_in": 1706084286, "refresh_token": "278a8d01480257401b92fe39ec191e334528774d6ec55eafaa274def965c1fb" }, "data": "Welcome Iqbal K", "message": "Anda Berhasil Login", "status": "SUCCESS_LOGIN" }	Pass	1. Input valid & registered value email 2. Input valid value password 3. Submit/Send	Positive	
2	Failed login, with unregistered email	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	Fail	1. Input unregistered value email 2. Input valid value password 3. Submit/Send	Negative	Different status codes
3	Failed login, with incorrect password	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	Fail	1. Input valid & registered value email 2. Input invalid value password 3. Submit/Send	Negative	Different status codes
4	Failed login, with incorrect format email	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" }	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" }	Pass	1. Input invalid value/format email 2. Input invalid value password 3. Submit/Send	Negative	
5	Failed login, with empty email	{ "data": "Cek Formulir Anda", "message": "Email tidak boleh kosong", "status": "FAILED_LOGIN" }	{ "data": "Cek Formulir Anda", "message": "Email tidak boleh kosong", "status": "FAILED_LOGIN" }	Fail	1. Empty value email 2. Input invalid value password 3. Submit/Send	Negative	Different status codes
6	Failed login, with empty password	{ "data": "Cek Formulir Anda", "message": "Password tidak boleh kosong", "status": "FAILED_LOGIN" }	{ "data": "Cek Formulir Anda", "message": "Password tidak boleh kosong", "status": "FAILED_LOGIN" }	Fail	1. Input valid & registered value email 2. Empty value password 3. Submit/Send	Negative	Different status codes
7	Failed login, with deleted user account	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	Fail	1. Input deleted value email 2. Input valid value password 3. Submit/Send	Negative	Different status codes

Test Id	Test Case	Expected Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case	Note
Test Condition: Register Feature							
1	Success register	{ "data": "berhasil", "message": "created user!", "status": "SUCCESS_REGISTER" }	{ "data": "berhasil", "message": "created user!", "status": "SUCCESS_REGISTER" }	Pass	1. Input valid value email 2. Input valid value password 3. Input valid value username 4. Submit/Send	Positive	
2	Failed register, with empty name	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" }	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" }	Pass	1. Input valid value email 2. Input valid value password 3. Empty value username 4. Submit/Send	Negative	

3	Failed register, with empty email	<pre>{   "data": "Email/Username/Password tidak boleh kosong",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email/Username/Password tidak boleh kosong",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Pass	1. Empty value email 2. Input valid value password 3. Input validvalue username 4. Submit/Send	Negative	
	status code = 420	status code = 420					
4	Failed register, with empty password	<pre>{   "data": "Email/Username/Password tidak boleh kosong",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email/Username/Password tidak boleh kosong",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Pass	1. Input valid value email 2. Empty value password 3. Input valid value username 4. Submit/Send	Negative	
	status code = 420	status code = 420					
5	Failed register, with registered email	<pre>{   "data": "Email sudah terdaftar, gunakan Email lain",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email sudah terdaftar, gunakan Email lain",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Pass	1. Input registered email 2. Input valid value password 3. Input valid value username 4. Submit/Send	Negative	
	status code = 420	status code = 420					
6	Failed register, with incorrect format email	<pre>{   "data": "Email tidak valid",   "message": "Cek kembali email anda",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email tidak valid",   "message": "Cek kembali email anda",   "status": "FAILED_REGISTER" }</pre>	Pass	1. Input invalid value / format email e.g "test.com" 2. Input valid value password 3. Input valid value username 4. Submit/Send	Negative	
	status code = 420	status code = 420					
7	Failed register, with long email ( > 50 character )	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Fail	1. Input invalid value / format email ( > 50 character ) 2. Input valid value password 3. Input valid value username 4. Submit/Send	Negative	There's typo text <b>"melebihi"</b>
	status code = 420	status code = 420					
8	Failed register, with symbol name	<pre>{   "data": "Nama atau password tidak valid",   "message": "Tidak boleh mengandung symbol",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Password tidak valid",   "message": "Tidak boleh mengandung symbol",   "status": "FAILED_REGISTER" }</pre>	Fail	1. Input valid value email 2. Input valid value password 3. Input invalid value username ( symbol ) e.g "lqbal!" 4. Submit/Send	Negative	Differences text in data
	status code = 420	status code = 420					
9	Failed register, with long name ( > 20 character )	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Fail	1. Input valid value email 2. Input valid value password 3. Input invalid value username ( > 20 character ) 4. Submit/Send	Negative	There's typo text <b>"melebihi"</b>
	status code = 420	status code = 420					
10	Failed register, with symbol password	<pre>{   "data": "Nama atau password tidak valid",   "message": "Tidak boleh mengandung symbol",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "berhasil",   "message": "created user!",   "status": "SUCCESS_REGISTER" }</pre>	Fail	1. Input valid value email 2. Input invalid value password (symbol ) e.g "Password!?" 3. Input valid value username 4. Submit/Send	Negative	Actual do not match with expected
	status code = 420	status code = 200					
11	Failed register, with space password	<pre>{   "data": "Nama atau password tidak valid",   "message": "Tidak boleh mengandung symbol",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "berhasil",   "message": "created user!",   "status": "SUCCESS_REGISTER" }</pre>	Fail	1. Input valid value email 2. Input invalid value password (space ) e.g "Pass word" 3. Input valid value username 4. Submit/Send	Negative	Actual do not match with expected
	status code = 420	status code = 200					
12	Failed register, with long password ( > 20 character )	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	<pre>{   "data": "Email/Username/Password melebihi maksimal karakter",   "message": "Gagal Registrasi",   "status": "FAILED_REGISTER" }</pre>	Fail	1. Input valid value email 2. Input invalid value password ( > 20 character ) 3. Input valid value username 4. Submit/Send	Negative	Terdapat typo text pada kata2 <b>melebihi</b>
	status code = 420	status code = 420					

Test Id	Test Case	Expected Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case	Note
Test Condition: List User Feature							

1	Success get List User, without param	<pre>{   "data": [     {       "email": "sitampan@gmail.com",       "username": "tampan berani"     },     {       "email": "deinuritasari@gmail.com",       "username": "dwi nurita sari"     },     {       "email": "dnrinnes@gmail.com",       "username": "innes"     },     {       "email": "hidayatiyulvi@gmail.com",       "username": "yulvi"     },     {       "email": "dwinuritasari@gmail.com",       "username": "dwi nurita sari"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 2725   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [     {       "email": "sitampan@gmail.com",       "username": "tampan berani"     },     {       "email": "deinuritasari@gmail.com",       "username": "dwi nurita sari"     },     {       "email": "dnrinnes@gmail.com",       "username": "innes"     },     {       "email": "hidayatiyulvi@gmail.com",       "username": "yulvi"     },     {       "email": "dwinuritasari@gmail.com",       "username": "dwi nurita sari"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 2725   },   "status": "SUCCESS_USER_LIST" }</pre>	Pass	1. Hit API List User without param	Positive	
2	Success get List User, with empty email and empty username parameter	<pre>{   "data": [     {       "email": "sitampan@gmail.com",       "username": "tampan berani"     },     {       "email": "deinuritasari@gmail.com",       "username": "dwi nurita sari"     },     {       "email": "dnrinnes@gmail.com",       "username": "innes"     },     {       "email": "hidayatiyulvi@gmail.com",       "username": "yulvi"     },     {       "email": "dwinuritasari@gmail.com",       "username": "dwi nurita sari"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 2725   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [     {       "email": "sitampan@gmail.com",       "username": "tampan berani"     },     {       "email": "deinuritasari@gmail.com",       "username": "dwi nurita sari"     },     {       "email": "dnrinnes@gmail.com",       "username": "innes"     },     {       "email": "hidayatiyulvi@gmail.com",       "username": "yulvi"     },     {       "email": "dwinuritasari@gmail.com",       "username": "dwi nurita sari"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 2725   },   "status": "SUCCESS_USER_LIST" }</pre>	Pass	1. Hit API List User 2. Empty param email 3. Empty param username 4. Submit/Send	Positive	

3	Success get List User, with empty email parameter and valid username	<pre>{   "data": [     {       "email": "iqbal007@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal99@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal999@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal100@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal101@gmail.com",       "username": "iqbal"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 14   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [     {       "email": "iqbal007@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal99@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal999@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal100@gmail.com",       "username": "iqbal"     },     {       "email": "iqbal101@gmail.com",       "username": "iqbal"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 14   },   "status": "SUCCESS_USER_LIST" }</pre>	Pass	1. Hit API List User 2. Empty param email 3. Input param username with valid value 4. Submit/Send	Positive	param username : iqbal
4	Success get List User, with valid email and empty username parameter	<pre>{   "data": [     {       "email": "iqbal12@mail.com",       "username": "Iqbal Ya"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 1   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [     {       "email": "iqbal12@mail.com",       "username": "Iqbal Ya"     }   ],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 1   },   "status": "SUCCESS_USER_LIST" }</pre>	Pass	1. Hit API List User 2. Input param email with valid value 3. Empty param username 4. Submit/Send	Positive	param email : iqbal12@mail.com
5	Failed get List User, with invalid email value and invalid username	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	Fail	1. Hit API List User 2. Input param email with invalid value 3. Input param username with invalid value 4. Submit/Send	Negative	param email: iqbal12mail.com username : iqbal@
6	Failed get List User, with invalid email and valid username	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	Fail	1. Hit API List User 2. Input param email with invalid value 3. Input param username with valid value 4. Submit/Send	Negative	param email: iqbal12mail.com username : iqbal
7	Failed get List User, with valid email and invalid username	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	<pre>{   "data": [],   "message": "List of registered users",   "pagination": {     "current_page": 1,     "limit_per_page": 5,     "total_data": 0   },   "status": "SUCCESS_USER_LIST" }</pre>	Fail	1. Hit API List User 2. Input param email with valid value 3. Input param username with invalid value 4. Submit/Send	Negative	param email: iqbal12@mail.com username : iqbal@