Training rig TD-01

FICTIONAL TRAINING MANUAL
Revision TRAINING R1 | 9 October 2026

This document exists only to exercise TorqueDoc upload, search and page citations.
It does not describe real equipment. Never use its values for maintenance.

Select the Training rig workspace when importing this PDF.
Equipment variant: TD-01 (fictional)

Try these questions:
- What is the cover bolt torque?
- Where is connector TR-204?
- What is the coolant capacity? (No answer is supplied.)

The visible page labels start at TRAIN-7. PDF page numbers start at 1.
TorqueDoc shows both so citations can be checked against the original.

Cover assembly | fictional example

FICTIONAL TRAINING ONLY - NOT A SERVICE INSTRUCTION

Component: inspection cover C-17 on training rig TD-01.
Cover bolt torque: 12 N m.
Condition: use dry, clean threads on the fictional M6 training fastener.
This example specifies a single torque pass and no angle turn.
Sequence for four example cover bolts: 1, 2, 3, 4.

The example value must never be applied to an actual machine.
No cylinder head torque specification is provided in this manual.

Always read the complete original page, including applicability and conditions.
Tables, illustrations and scanned text can be missing from a text-only search.

Connector reference | fictional example

FICTIONAL TRAINING ONLY - NOT A SERVICE INSTRUCTION

Connector TR-204 is mounted on the left side of the TD-01 training panel. Harness identifier: HAR-17. Component label: training pressure sensor B-4.

This manual provides identifiers and a location only. It does not provide pin voltages, live-circuit test instructions, or troubleshooting probabilities.

No coolant capacity, cylinder head specification, or real equipment diagnosis is supplied by this fictional test document.