

Class 9: Halloween Candy

Kai Christman (A17522126)

Table of contents

Background	1
Importing the Candy Data Set	1
Exploratory Analysis	4
Overall Candy Ranking	6
Taking a look at PricePercent	14
Exploring Correlation Structure	23
Principal Component Analysis	24

Background

This analysis will explore a Halloween Candy Dataset by FiveThirtyEight. The goal is to analyze and interpret: **“What is the top ranked snack-sized candy?”** What makes this candy more desirable: price? sugar? chocolate?

Importing the Candy Data Set

This is importating the Candy Data Set

```
candy_file <- "candy-data.csv"
candy = read.csv(candy_file, row.name = 1)
head(candy)
```

	chocolate	fruity	caramel	peanut	almondy	nougat	crisped	rice	wafer
100 Grand	1	0	1		0	0			1
3 Musketeers	1	0	0		0	1			0
One dime	0	0	0		0	0			0
One quarter	0	0	0		0	0			0

Air Heads	0	1	0	0	0	0
Almond Joy	1	0	0	1	0	0
	hard	bar	pluribus	sugarpercent	pricepercent	winpercent
100 Grand	0	1	0	0.732	0.860	66.97173
3 Musketeers	0	1	0	0.604	0.511	67.60294
One dime	0	0	0	0.011	0.116	32.26109
One quarter	0	0	0	0.011	0.511	46.11650
Air Heads	0	0	0	0.906	0.511	52.34146
Almond Joy	0	1	0	0.465	0.767	50.34755

Q1: How many different candy types are in this dataset?

```
nrow(candy)
```

```
[1] 85
```

Q2: How many fruity candy types are in the dataset?

```
sum(candy$fruity)
```

```
[1] 38
```

Q3: What is your favorite candy (other than Twix) in the dataset and what is it's winpercent value?

```
candy["Snickers", ]$winpercent
```

```
[1] 76.67378
```

Q4: What is the winpercent value for "Kit Kat"?

```
candy["Kit Kat", ]$winpercent
```

```
[1] 76.7686
```

Q5: What is the winpercent value for "Tootsie Roll Snack Bars"?

```
candy["Tootsie Roll Snack Bars", ]$winpercent
```

```
[1] 49.6535
```

An alternative way to find the preference for a candy over another randomly chosen is with `dplyr`. Loading `dplyr` using `library(dplyr)` will bring this into R.

```
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

filter, lag

The following objects are masked from 'package:base':

intersect, setdiff, setequal, union

```
candy |>
  filter(row.names(candy)=="Twix") |>
  select(winpercent)
```

```
      winpercent
Twix    81.64291
```

Installing the `skim()` function can also be helpful to quickly gain an overview of the data set. It is important to install the **skimr** package in the R Console prior to calling it with the `library` function.

```
skimr::skim(candy)
```

Table 1: Data summary

Name	candy
Number of rows	85
Number of columns	12
Column type frequency: numeric	12
Group variables	None

Variable type: numeric

skim_vari- able	n_miss- ing	com- plete_rate	mean	sd	p0	p25	p50	p75	p100	hist
chocolate	0	1	0.44	0.50	0.00	0.00	0.00	1.00	1.00	
fruity	0	1	0.45	0.50	0.00	0.00	0.00	1.00	1.00	
caramel	0	1	0.16	0.37	0.00	0.00	0.00	0.00	1.00	
peanutyal- mondy	0	1	0.16	0.37	0.00	0.00	0.00	0.00	1.00	
nougat	0	1	0.08	0.28	0.00	0.00	0.00	0.00	1.00	
crispedrice- wafer	0	1	0.08	0.28	0.00	0.00	0.00	0.00	1.00	
hard	0	1	0.18	0.38	0.00	0.00	0.00	0.00	1.00	
bar	0	1	0.25	0.43	0.00	0.00	0.00	0.00	1.00	
pluribus	0	1	0.52	0.50	0.00	0.00	1.00	1.00	1.00	
sugarpercent	0	1	0.48	0.28	0.01	0.22	0.47	0.73	0.99	
pricepercent	0	1	0.47	0.29	0.01	0.26	0.47	0.65	0.98	
winpercent	0	1	50.32	14.71	22.45	39.14	47.83	59.86	84.18	

Q6. Is there any variable/column that looks to be on a different scale to the majority of the other columns in the dataset?

Winpercent because it categorizes on percentage rather than on a “logical” value of 0 or 1

Q7. What do you think a zero and one represent for the candy\$chocolate column?

These represent logical values of TRUE or FALSE.


Exploratory Analysis

A good place to start for exploratory analysis is with a histogram. The base R function `hist()` is perfect for this, although more complex plots with `ggplot()` using `geom_hist()` can also be achieved.

Q8. Plot a histogram of winpercent values using both base R and ggplot2.

```
library(ggplot2)

ggplot(candy) +
  aes(winpercent) +
  geom_histogram(bins = 20, fill = "steelblue")
```



Q9: Is the distribution of winpercent values symmetrical?

The distribution is not symmetrical as measured by the center. We can use **median** to measure centrality because it represents the “middle” of the data

```
summary(candy$winpercent)
```

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
22.45	39.14	47.83	50.32	59.86	84.18

```
median(candy$winpercent)
```

```
[1] 47.82975
```

Q10: Is the center of the distribution above or below 50%?

the center of the distribution is below 50% given that the median lies at 47.83.

```
summary(candy$winpercent)
```

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
22.45	39.14	47.83	50.32	59.86	84.18

Q11: On average is chocolate candy higher or lower ranked than fruit candy?

On average, chocolate candy is higher ranked than fruity candy.

```
choc.ind <- as.logical(candy$chocolate)
choc.candy <- candy[choc.ind, ]
choc.win <- choc.candy$winpercent
mean(choc.win)
```

```
[1] 60.92153
```

```
fruit.ind <- as.logical(candy$fruity)
fruit.candy <- candy[fruit.ind, ]
fruit.win <- fruit.candy$winpercent
mean(fruit.win)
```

```
[1] 44.11974
```

Q12: Is this difference statistically significant?

This data is statistically significant due to the extremely low P-value.

```
t.test(choc.win, fruit.win)
```

Welch Two Sample t-test

```
data:  choc.win and fruit.win
t = 6.2582, df = 68.882, p-value = 2.871e-08
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
 11.44563 22.15795
sample estimates:
mean of x mean of y
 60.92153  44.11974
```

Overall Candy Ranking

Using the Base R `order()` function with `head()` to sort the whole data-set by a variable/column of interest, we can answer the following questions. Alternatively you can use `dplyr` instead of Base R.

Q13: What are the five least liked candy types in this set?

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v forcats 1.0.1      v stringr 1.6.0
v lubridate 1.9.4    v tibble 3.3.1
v purrr 1.2.1       v tidyr 1.3.2
v readr 2.1.6
```

```
-- Conflicts ----- tidyverse_conflicts() --
```

```
x dplyr::filter() masks stats::filter()
```

```
x dplyr::lag() masks stats::lag()
```

```
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
head(candy)
```

	chocolate	fruity	caramel	peanutyalmondy	nougat	crispedricewafer
100 Grand	1	0	1	0	0	1
3 Musketeers	1	0	0	0	1	0
One dime	0	0	0	0	0	0
One quarter	0	0	0	0	0	0
Air Heads	0	1	0	0	0	0
Almond Joy	1	0	0	1	0	0

	hard	bar	pluribus	sugarpercent	pricepercent	winpercent
100 Grand	0	1	0	0.732	0.860	66.97173
3 Musketeers	0	1	0	0.604	0.511	67.60294
One dime	0	0	0	0.011	0.116	32.26109
One quarter	0	0	0	0.011	0.511	46.11650
Air Heads	0	0	0	0.906	0.511	52.34146
Almond Joy	0	1	0	0.465	0.767	50.34755

```
arrange(candy, winpercent) %>%
```

```
head(5)
```

	chocolate	fruity	caramel	peanutyalmondy	nougat
Nik L Nip	0	1	0	0	0
Boston Baked Beans	0	0	0	1	0
Chiclets	0	1	0	0	0
Super Bubble	0	1	0	0	0
Jawbusters	0	1	0	0	0

	crispedricewafer	hard	bar	pluribus	sugarpercent	pricepercent
Nik L Nip	0	0	0	1	0.197	0.976
Boston Baked Beans	0	0	0	1	0.313	0.511
Chiclets	0	0	0	1	0.046	0.325
Super Bubble	0	0	0	0	0.162	0.116
Jawbusters	0	1	0	1	0.093	0.511

	winpercent
Nik L Nip	22.44534
Boston Baked Beans	23.41782
Chiclets	24.52499
Super Bubble	27.30386
Jawbusters	28.12744

Q14: What are the top 5 all time favorite candy types out of this set?

```
arrange(candy, winpercent) %>%
  tail(5)
```


	chocolate	fruity	caramel	peanutyalmondy	nougat
Snickers	1	0	1	1	1
Kit Kat	1	0	0	0	0
Twix	1	0	1	0	0
Reese's Miniatures	1	0	0	1	0
Reese's Peanut Butter cup	1	0	0	1	0

	crispedricewafer	hard	bar	pluribus	sugarpercent
Snickers	0	0	1	0	0.546
Kit Kat	1	0	1	0	0.313
Twix	1	0	1	0	0.546
Reese's Miniatures	0	0	0	0	0.034
Reese's Peanut Butter cup	0	0	0	0	0.720

	pricepercent	winpercent
Snickers	0.651	76.67378
Kit Kat	0.511	76.76860
Twix	0.906	81.64291
Reese's Miniatures	0.279	81.86626
Reese's Peanut Butter cup	0.651	84.18029


Q15: Make a first barplot of candy ranking based on winpercent values.

```
ggplot(candy) +
  aes(winpercent, rownames(candy)) +
  geom_col()
```



Q16: This is quite ugly, use the `reorder()` function to get the bars sorted by winpercent?


```
ggplot(candy) +  
  aes(winpercent, reorder(rownames(candy), winpercent)) +  
  geom_col()
```



Adding a color vector for each candy may make visualization easier.

```
my_cols <- rep("black", nrow(candy))
my_cols[as.logical(candy$chocolate)] = "chocolate"
my_cols[as.logical(candy$fruity)] = "pink"
my_cols[as.logical(candy$bar)] = "brown"

ggplot(candy) +
  aes(winpercent, reorder(rownames(candy), winpercent)) +
  geom_col(fill=my_cols) +
  ylab("")
```



Q17. What is the worst ranked chocolate candy?

The worse ranked chocolar candy is Sixlets.


Q18. What is the best ranked fruity candy?

The best ranked fruity candy is Starburst.

Taking a look at PricePercent

Now we can approach thins from an economic viewpoint and evaluate what is the best candy for the least money?

```
ggplot(candy) +  
  aes(winpercent, pricepercent, label = rownames(candy)) +  
  geom_point(col=my_cols) +  
  geom_text()
```




We can fix the label text overplotting with an add-on package called **ggrepel** and its `geom_text_repel()`

```
library(ggrepel)

ggplot(candy) +
  aes(winpercent, pricepercent, label = rownames(candy)) +
  geom_point(col=my_cols) +
  geom_text_repel(col=my_cols, max.overlaps = 5)
```

Warning: ggrepel: 74 unlabeled data points (too many overlaps). Consider increasing max.overlaps



Q19. Which candy type is the highest ranked in terms of winpercent for the least money - i.e. offers the most bang for your buck?

```
candy %>%
  mutate(best_value = (winpercent / pricepercent)) %>%
  arrange(desc(best_value)) %>%
  head(10)
```

	chocolate	fruity	caramel	peanut	almond	nougat
Tootsie Roll Midgies	1	0	0		0	0
Pixie Sticks	0	0	0		0	0

Fruit Chews	0	1	0	0	0	
Dum Dums	0	1	0	0	0	
Strawberry bon bons	0	1	0	0	0	
Hershey's Kisses	1	0	0	0	0	
Sour Patch Kids	0	1	0	0	0	
Sour Patch Tricksters	0	1	0	0	0	
Root Beer Barrels	0	0	0	0	0	
Sixlets	1	0	0	0	0	
	crisped	ricewafer	hard bar	pluribus	sugarpercent	
Tootsie Roll Midgies		0	0	0	1	0.174
Pixie Sticks		0	0	0	1	0.093
Fruit Chews		0	0	0	1	0.127
Dum Dums		0	1	0	0	0.732
Strawberry bon bons		0	1	0	1	0.569
Hershey's Kisses		0	0	0	1	0.127
Sour Patch Kids		0	0	0	1	0.069
Sour Patch Tricksters		0	0	0	1	0.069
Root Beer Barrels		0	1	0	1	0.732
Sixlets		0	0	0	1	0.220
	pricepercent	winpercent	best_value			
Tootsie Roll Midgies	0.011	45.73675	4157.8862			
Pixie Sticks	0.023	37.72234	1640.1016			
Fruit Chews	0.034	43.08892	1267.3212			
Dum Dums	0.034	39.46056	1160.6045			
Strawberry bon bons	0.058	34.57899	596.1895			
Hershey's Kisses	0.093	55.37545	595.4350			
Sour Patch Kids	0.116	59.86400	516.0689			
Sour Patch Tricksters	0.116	52.82595	455.3961			
Root Beer Barrels	0.069	29.70369	430.4883			
Sixlets	0.081	34.72200	428.6667			

Q20. What are the top 5 most expensive candy types in the dataset and of these which is the least popular?

```
candy %>%
  arrange(desc(pricepercent)) %>%
  arrange(winpercent)
```

	chocolate	fruity	caramel	peanutyalmondy	nougat
Nik L Nip	0	1	0	0	0
Boston Baked Beans	0	0	0	1	0
Chiclets	0	1	0	0	0

Super Bubble	0	1	0	0	0
Jawbusters	0	1	0	0	0
Root Beer Barrels	0	0	0	0	0
Sugar Daddy	0	0	1	0	0
One dime	0	0	0	0	0
Sugar Babies	0	0	1	0	0
Haribo Happy Cola	0	0	0	0	0
Caramel Apple Pops	0	1	1	0	0
Strawberry bon bons	0	1	0	0	0
Sixlets	1	0	0	0	0
Ring pop	0	1	0	0	0
Chewey Lemonhead Fruit Mix	0	1	0	0	0
Red vines	0	1	0	0	0
Pixie Sticks	0	0	0	0	0
Nestle Smarties	1	0	0	0	0
Candy Corn	0	0	0	0	0
Charleston Chew	1	0	0	0	1
Warheads	0	1	0	0	0
Lemonhead	0	1	0	0	0
Fun Dip	0	1	0	0	0
Now & Later	0	1	0	0	0
Dum Dums	0	1	0	0	0
Pop Rocks	0	1	0	0	0
Laffy Taffy	0	1	0	0	0
Werther's Original Caramel	0	0	1	0	0
Haribo Twin Snakes	0	1	0	0	0
Dots	0	1	0	0	0
Runts	0	1	0	0	0
Tootsie Roll Juniors	1	0	0	0	0
Fruit Chews	0	1	0	0	0
Welch's Fruit Snacks	0	1	0	0	0
Twizzlers	0	1	0	0	0
Tootsie Roll Midgies	1	0	0	0	0
Smarties candy	0	1	0	0	0
One quarter	0	0	0	0	0
Payday	0	0	0	1	1
Mike & Ike	0	1	0	0	0
Gobstopper	0	1	0	0	0
Trolli Sour Bites	0	1	0	0	0
Mounds	1	0	0	0	0
Tootsie Pop	1	1	0	0	0
Whoppers	1	0	0	0	0
Tootsie Roll Snack Bars	1	0	0	0	0

Almond Joy	1	0	0	1	0
Haribo Sour Bears	0	1	0	0	0
Air Heads	0	1	0	0	0
Sour Patch Tricksters	0	1	0	0	0
Lifesavers big ring gummies	0	1	0	0	0
Mr Good Bar	1	0	0	1	0
Swedish Fish	0	1	0	0	0
Milk Duds	1	0	1	0	0
Skittles wildberry	0	1	0	0	0
Nerds	0	1	0	0	0
Hershey's Kisses	1	0	0	0	0
Hershey's Milk Chocolate	1	0	0	0	0
Baby Ruth	1	0	1	1	1
Haribo Gold Bears	0	1	0	0	0
Junior Mints	1	0	0	0	0
Hershey's Special Dark	1	0	0	0	0
Snickers Crisper	1	0	1	1	0
Sour Patch Kids	0	1	0	0	0
Milky Way Midnight	1	0	1	0	1
Hershey's Krackel	1	0	0	0	0
Skittles original	0	1	0	0	0
Milky Way Simply Caramel	1	0	1	0	0
Rolo	1	0	1	0	0
Nestle Crunch	1	0	0	0	0
M&M's	1	0	0	0	0
100 Grand	1	0	1	0	0
Starburst	0	1	0	0	0
3 Musketeers	1	0	0	0	1
Peanut M&Ms	1	0	0	1	0
Nestle Butterfinger	1	0	0	1	0
Peanut butter M&M's	1	0	0	1	0
Reese's stuffed with pieces	1	0	0	1	0
Milky Way	1	0	1	0	1
Reese's pieces	1	0	0	1	0
Snickers	1	0	1	1	1
Kit Kat	1	0	0	0	0
Twix	1	0	1	0	0
Reese's Miniatures	1	0	0	1	0
Reese's Peanut Butter cup	1	0	0	1	0
crispedricewafer hard bar pluribus sugarpercent					
Nik L Nip		0	0	1	0.197
Boston Baked Beans		0	0	1	0.313
Chiclets		0	0	1	0.046

Super Bubble	0	0	0	0	0.162
Jawbusters	0	1	0	1	0.093
Root Beer Barrels	0	1	0	1	0.732
Sugar Daddy	0	0	0	0	0.418
One dime	0	0	0	0	0.011
Sugar Babies	0	0	0	1	0.965
Haribo Happy Cola	0	0	0	1	0.465
Caramel Apple Pops	0	0	0	0	0.604
Strawberry bon bons	0	1	0	1	0.569
Sixlets	0	0	0	1	0.220
Ring pop	0	1	0	0	0.732
Chewey Lemonhead Fruit Mix	0	0	0	1	0.732
Red vines	0	0	0	1	0.581
Pixie Sticks	0	0	0	1	0.093
Nestle Smarties	0	0	0	1	0.267
Candy Corn	0	0	0	1	0.906
Charleston Chew	0	0	1	0	0.604
Warheads	0	1	0	0	0.093
Lemonhead	0	1	0	0	0.046
Fun Dip	0	1	0	0	0.732
Now & Later	0	0	0	1	0.220
Dum Dums	0	1	0	0	0.732
Pop Rocks	0	1	0	1	0.604
Laffy Taffy	0	0	0	0	0.220
Werther's Original Caramel	0	1	0	0	0.186
Haribo Twin Snakes	0	0	0	1	0.465
Dots	0	0	0	1	0.732
Runts	0	1	0	1	0.872
Tootsie Roll Juniors	0	0	0	0	0.313
Fruit Chews	0	0	0	1	0.127
Welch's Fruit Snacks	0	0	0	1	0.313
Twizzlers	0	0	0	0	0.220
Tootsie Roll Midgies	0	0	0	1	0.174
Smarties candy	0	1	0	1	0.267
One quarter	0	0	0	0	0.011
Payday	0	0	1	0	0.465
Mike & Ike	0	0	0	1	0.872
Gobstopper	0	1	0	1	0.906
Trolli Sour Bites	0	0	0	1	0.313
Mounds	0	0	1	0	0.313
Tootsie Pop	0	1	0	0	0.604
Whoppers	1	0	0	1	0.872
Tootsie Roll Snack Bars	0	0	1	0	0.465

Almond Joy	0	0	1	0	0.465
Haribo Sour Bears	0	0	0	1	0.465
Air Heads	0	0	0	0	0.906
Sour Patch Tricksters	0	0	0	1	0.069
Lifesavers big ring gummies	0	0	0	0	0.267
Mr Good Bar	0	0	1	0	0.313
Swedish Fish	0	0	0	1	0.604
Milk Duds	0	0	0	1	0.302
Skittles wildberry	0	0	0	1	0.941
Nerds	0	1	0	1	0.848
Hershey's Kisses	0	0	0	1	0.127
Hershey's Milk Chocolate	0	0	1	0	0.430
Baby Ruth	0	0	1	0	0.604
Haribo Gold Bears	0	0	0	1	0.465
Junior Mints	0	0	0	1	0.197
Hershey's Special Dark	0	0	1	0	0.430
Snickers Crisper	1	0	1	0	0.604
Sour Patch Kids	0	0	0	1	0.069
Milky Way Midnight	0	0	1	0	0.732
Hershey's Krackel	1	0	1	0	0.430
Skittles original	0	0	0	1	0.941
Milky Way Simply Caramel	0	0	1	0	0.965
Rolo	0	0	0	1	0.860
Nestle Crunch	1	0	1	0	0.313
M&M's	0	0	0	1	0.825
100 Grand	1	0	1	0	0.732
Starburst	0	0	0	1	0.151
3 Musketeers	0	0	1	0	0.604
Peanut M&Ms	0	0	0	1	0.593
Nestle Butterfinger	0	0	1	0	0.604
Peanut butter M&M's	0	0	0	1	0.825
Reese's stuffed with pieces	0	0	0	0	0.988
Milky Way	0	0	1	0	0.604
Reese's pieces	0	0	0	1	0.406
Snickers	0	0	1	0	0.546
Kit Kat	1	0	1	0	0.313
Twix	1	0	1	0	0.546
Reese's Miniatures	0	0	0	0	0.034
Reese's Peanut Butter cup	0	0	0	0	0.720

pricepercent winpercent

Nik L Nip	0.976	22.44534
Boston Baked Beans	0.511	23.41782
Chiclets	0.325	24.52499

Super Bubble	0.116	27.30386
Jawbusters	0.511	28.12744
Root Beer Barrels	0.069	29.70369
Sugar Daddy	0.325	32.23100
One dime	0.116	32.26109
Sugar Babies	0.767	33.43755
Haribo Happy Cola	0.465	34.15896
Caramel Apple Pops	0.325	34.51768
Strawberry bon bons	0.058	34.57899
Sixlets	0.081	34.72200
Ring pop	0.965	35.29076
Chewey Lemonhead Fruit Mix	0.511	36.01763
Red vines	0.116	37.34852
Pixie Sticks	0.023	37.72234
Nestle Smarties	0.976	37.88719
Candy Corn	0.325	38.01096
Charleston Chew	0.511	38.97504
Warheads	0.116	39.01190
Lemonhead	0.104	39.14106
Fun Dip	0.325	39.18550
Now & Later	0.325	39.44680
Dum Dums	0.034	39.46056
Pop Rocks	0.837	41.26551
Laffy Taffy	0.116	41.38956
Werther's Original Caramel	0.267	41.90431
Haribo Twin Snakes	0.465	42.17877
Dots	0.511	42.27208
Runts	0.279	42.84914
Tootsie Roll Juniors	0.511	43.06890
Fruit Chews	0.034	43.08892
Welch's Fruit Snacks	0.313	44.37552
Twizzlers	0.116	45.46628
Tootsie Roll Midgies	0.011	45.73675
Smarties candy	0.116	45.99583
One quarter	0.511	46.11650
Payday	0.767	46.29660
Mike & Ike	0.325	46.41172
Gobstopper	0.453	46.78335
Trolli Sour Bites	0.255	47.17323
Mounds	0.860	47.82975
Tootsie Pop	0.325	48.98265
Whoppers	0.848	49.52411
Tootsie Roll Snack Bars	0.325	49.65350

Almond Joy	0.767	50.34755
Haribo Sour Bears	0.465	51.41243
Air Heads	0.511	52.34146
Sour Patch Tricksters	0.116	52.82595
Lifesavers big ring gummies	0.279	52.91139
Mr Good Bar	0.918	54.52645
Swedish Fish	0.755	54.86111
Milk Duds	0.511	55.06407
Skittles wildberry	0.220	55.10370
Nerds	0.325	55.35405
Hershey's Kisses	0.093	55.37545
Hershey's Milk Chocolate	0.918	56.49050
Baby Ruth	0.767	56.91455
Haribo Gold Bears	0.465	57.11974
Junior Mints	0.511	57.21925
Hershey's Special Dark	0.918	59.23612
Snickers Crisper	0.651	59.52925
Sour Patch Kids	0.116	59.86400
Milky Way Midnight	0.441	60.80070
Hershey's Krackel	0.918	62.28448
Skittles original	0.220	63.08514
Milky Way Simply Caramel	0.860	64.35334
Rolo	0.860	65.71629
Nestle Crunch	0.767	66.47068
M&M's	0.651	66.57458
100 Grand	0.860	66.97173
Starburst	0.220	67.03763
3 Musketeers	0.511	67.60294
Peanut M&Ms	0.651	69.48379
Nestle Butterfinger	0.767	70.73564
Peanut butter M&M's	0.651	71.46505
Reese's stuffed with pieces	0.651	72.88790
Milky Way	0.651	73.09956
Reese's pieces	0.651	73.43499
Snickers	0.651	76.67378
Kit Kat	0.511	76.76860
Twix	0.906	81.64291
Reese's Miniatures	0.279	81.86626
Reese's Peanut Butter cup	0.651	84.18029

Exploring Correlation Structure


We can calculate the pairwise correlation of all our columns

```
cij <- cor(candy)
```

```
library(corrplot)
```

corrplot 0.95 loaded

```
corrplot(cij)
```



Q22. Examining this plot what two variables are anti-correlated (i.e. have minus values)?

Fruity and chocolate variables are extremely negatively- or anti-correlated.

Q23. Use your corrplot result to make a prediction: which variables do you expect will have the largest contributions (i.e. loadings) to PC1 (i.e., drive the most separation between candies along the first principal component)?

I expect that chocolate to have the strongest contributions to PC1 given that it is strongly correlated to almost every characteristic of the data except fruity, hard, and pluribus candies. It also seems to be very strongly correlated with “winpercent”.

Principal Component Analysis

In this case we want to be sure to set `scale=TRUE` argument for `prcomp()` because we have one variable, `winpercent`, that is on a very different scale than all other and would otherwise dominate the PCA results.

```
pca <- prcomp(candy, scale=TRUE)
summary(pca)
```

Importance of components:

	PC1	PC2	PC3	PC4	PC5	PC6	PC7
Standard deviation	2.0788	1.1378	1.1092	1.07533	0.9518	0.81923	0.81530
Proportion of Variance	0.3601	0.1079	0.1025	0.09636	0.0755	0.05593	0.05539
Cumulative Proportion	0.3601	0.4680	0.5705	0.66688	0.7424	0.79830	0.85369

	PC8	PC9	PC10	PC11	PC12
Standard deviation	0.74530	0.67824	0.62349	0.43974	0.39760
Proportion of Variance	0.04629	0.03833	0.03239	0.01611	0.01317
Cumulative Proportion	0.89998	0.93832	0.97071	0.98683	1.00000

First major result figure is the “score plot” of PC1 vs PC2 - how the different candy are related to each other on our new PC axis:


```
ggplot(pca$x) +
  aes(PC1, PC2, label = row.names(pca$x)) +
  geom_point(col=my_cols) +
  geom_text_repel(size=3.3, col=my_cols, max.overlaps = 7, col = my_cols) +
  theme(legend.position = "none") +
  labs(title = "Halloween Candy PCA Space",
       subtitle="Colored by type: chocolate bar (dark brown), chocolate other (light brown),
       caption="Data from 538")
```

Warning in `geom_text_repel(size = 3.3, col = my_cols, max.overlaps = 7, :`
Ignoring unknown parameters: ``col``

Warning: `ggrepel`: 59 unlabeled data points (too many overlaps). Consider increasing `max.overlaps`

Halloween Candy PCA Space


Colored by type: chocolate bar (dark brown), chocolate other (light brown),



Data from 538

The second major results figure from PCA, that is often neglected by Field Professionals, is called a Loading Plot.

```
ggplot(pca$rotation) +
  aes(PC1, reorder( row.names(pca$rotation), PC1)) +
  geom_col()
```



Q25. Based on your exploratory analysis, correlation findings, and PCA results, what combination of characteristics appears to make a “winning” candy? How do these different analyses (visualization, correlation, PCA) support or complement each other in reaching this conclusion?

A “winning candy” seems to encompass a Chocolatey background and is packaged as a bar. It seems like there is consistent variability surrounding fillings, such as peanut, caramel, nougat ... but the one constant is the influence that chocolate has over fruity candies.