



PetPal API

Overview

Documentation for PetPal REST API

Version information

Version : v1

URI scheme

Host : 127.0.0.1:8000

BasePath : /

Schemes : HTTP

Consumes

- `application/json`

Produces

- `application/json`

Security

Basic

Type : basic

Paths

POST /accounts/seeker/

Description

Create new pet seeker based on the given information. The required fields includes: username, password, and email Errors include: 1. Username: A user with that username already exists. 2. Email: Enter a valid email address. 3. All: This field may not be blank. A 400 Bad request would be returned. Authentication is not required for the sign up.

Parameters

| Type | Name | Schema |
|------|--------------------------------|---------------------------|
| Body | data <i>required</i> | PetSeeker |

Responses

| HTTP Code | Schema |
|-----------|---------------------------|
| 201 | PetSeeker |

Tags

- accounts

GET /accounts/seeker/{id}/

Description

Pet seeker profile with given ID will be retrieved. User must either be pet seeker himself or pet shelter account that has a pending application with the intended pet seeker.

Parameters

| Type | Name | Description | Schema |
|------|------------------------------|---|---------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |

Responses

| HTTP Code | Schema |
|-----------|---------------------------|
| 200 | PetSeeker |

Tags

- accounts

PUT /accounts/seeker/{id}/

Description

Update seeker profile info with given ID based on the given info User is required to be logged in as the current pet seeker account.

Parameters

| Type | Name | Description | Schema |
|------|--------------------------------|---|---------------------------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |
| Body | data <i>required</i> | | PetSeeker |

Responses

| HTTP Code | Schema |
|-----------|---------------------------|
| 200 | PetSeeker |

Tags

- accounts

DELETE /accounts/seeker/{id}/

Description

Delete pet seeker with the given ID. User are required to be logged in as the current pet seeker account.

Parameters

| Type | Name | Description | Schema |
|------|------------------------------|---|---------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |

Responses

| HTTP Code | Schema |
|-----------|------------|
| 204 | No Content |

Tags

- accounts

PATCH /accounts/seeker/{id}/

Description

Partial update seeker profile info with given ID based on the given info of pet seeker. User is

required to be logged in as the current pet seeker account.

Parameters

| Type | Name | Description | Schema |
|------|--------------------------------|---|---------------------------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |
| Body | data <i>required</i> | | PetSeeker |

Responses

| HTTP Code | Schema |
|-----------|---------------------------|
| 200 | PetSeeker |

Tags

- accounts

POST /accounts/shelter/

Description

Create new pet shelter based on the given information. The required fields includes: username, password, and email Errors include: 1. Username: A user with that username already exists. 2. Email: Enter a valid email address. 3. All: This field may not be blank. A 400 Bad request would be returned. Authentication is not required for the sign up.

Parameters

| Type | Name | Schema |
|------|--------------------------------|----------------------------|
| Body | data <i>required</i> | PetShelter |

Responses

| HTTP Code | Schema |
|-----------|----------------------------|
| 201 | PetShelter |

Tags

- accounts

GET /accounts/shelter/

Description

Get a list of all shelter profiles with the pet shelter information. Authentication is not required.

Parameters

| Type | Name | Description | Schema |
|-------|--------------------------------|-------------|---------|
| Query | page <i>optional</i> | Page number | integer |
| Query | size <i>optional</i> | Page size | integer |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|--------------------------------------|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < PetShelter > array |

Tags

- accounts

GET /accounts/shelter/{id}/

Description

Pet shelter profile with given ID will be retrieved. Authentication is not required.

Parameters

| Type | Name | Description | Schema |
|------|------------------------------|---|---------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |

Responses

| HTTP Code | Schema |
|-----------|----------------------------|
| 200 | PetShelter |

Tags

- accounts

PUT /accounts/shelter/{id}/

Description

Update shelter profile info with given ID based on the given info User is required to be logged in as the current pet shelter account.

Parameters

| Type | Name | Description | Schema |
|------|--------------------------------|---|----------------------------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |
| Body | data <i>required</i> | | PetShelter |

Responses

| HTTP Code | Schema |
|-----------|----------------------------|
| 200 | PetShelter |

Tags

- accounts

DELETE /accounts/shelter/{id}/

Description

Delete pet shelter with the given ID. User are required to be logged in as the current pet shelter account.

Parameters

| Type | Name | Description | Schema |
|------|------------------------------|---|---------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |

Responses

| HTTP Code | Schema |
|-----------|------------|
| 204 | No Content |

Tags

- accounts

PATCH /accounts/shelter/{id}/

Description

Partial update shelter profile info with given ID based on the given info of pet shelter. User is required to be logged in as the current pet shelter account.

Parameters

| Type | Name | Description | Schema |
|------|--------------------------------|---|----------------------------|
| Path | id <i>required</i> | A unique integer value identifying this user. | integer |
| Body | data <i>required</i> | | PetShelter |

Responses

| HTTP Code | Schema |
|-----------|----------------------------|
| 200 | PetShelter |

Tags

- accounts

POST /accounts/token/

Description

Login the user with the given username and password credentials. 400 Bad request will be

returned if 1). User Does Not Exist. 2). The password does not match with the username.

A JWT corresponding to the logged-in user would be returned if authentication succeeds.

Parameters

| Type | Name | Schema |
|------|--------------------------------|---------------------------------------|
| Body | data <i>required</i> | CustomizedTokenObtain |

Responses

| HTTP Code | Schema |
|-----------|---------------------------------------|
| 201 | CustomizedTokenObtain |

Tags

- accounts

POST /accounts/token/refresh/

Description

Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

Parameters

| Type | Name | Schema |
|------|--------------------------------|------------------------------|
| Body | data <i>required</i> | TokenRefresh |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 201 | TokenRefresh |

Tags

- accounts

POST /applications/

Description

Creates application based on the given details about the application. User can only create application for a pet listing that is "available". User is required to be logged in as a pet seeker.

Parameters

| Type | Name | Schema |
|------|--------------------------------|-----------------------------------|
| Body | data <i>required</i> | CreateApplication |

Responses

| HTTP Code | Schema |
|-----------|-----------------------------------|
| 201 | CreateApplication |

Tags

- applications

GET /applications/

Description

If user is logged in as pet shelter, it will return a list of applications sent to the pet that user owns. If user is logged in as pet seeker, it will return all the applications that pet seeker sent. User are required to be logged in. You can provide query parameters to filter applications by status and sort by creation time or last update time. If no query parameter is provided it will not apply any filter.

Parameters

| Type | Name | Description | Schema |
|-------|------------------------------------|--|---|
| Query | order_by <i>required</i> | Options for sorting. Negative sign (-) indicates descending order. | enum (created_at, -created_at, last_updated, -last_updated) |
| Query | page <i>optional</i> | Page number | integer |
| Query | size <i>optional</i> | Page size | integer |
| Query | status <i>optional</i> | Status to be filtered. | enum (accepted, denied, pending, withdrawn) |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|--|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < CreateApplication > array |

Tags

- applications

GET /applications/{id}/

Description

Retrieves application with the given ID. User is required to be logged in either as pet seeker or pet shelter. Pet seeker can only retrieve application that they sent and pet shelter can only retrieve application that they received.

Parameters

| Type | Name | Schema |
|-------------|------------------------------|--------|
| Path | id <i>required</i> | string |

Responses

| HTTP Code | Schema |
|-----------|-----------------------------------|
| 200 | UpdateApplication |

Tags

- applications

PUT /applications/{id}/

Description

Updates application with the given ID. User is required to be logged in either as pet seeker or pet shelter. - Shelter can only update the status of an application from pending to accepted or denied. - Pet seeker can only update the status of an application from pending or accepted to withdrawn.

Pet seeker can only update application that they sent and pet shelter can only update application that they received.

Note: there are no difference between put and patch because we only have 1 required field.

Parameters

| Type | Name | Schema |
|------|--------------------------------|-----------------------------------|
| Path | id <i>required</i> | string |
| Body | data <i>required</i> | UpdateApplication |

Responses

| HTTP Code | Schema |
|-----------|-----------------------------------|
| 200 | UpdateApplication |

Tags

- applications

PATCH /applications/{id}/

Description

Do partial update on the application with the given ID. User is required to be logged in either as pet seeker or pet shelter. - Shelter can only update the status of an application from pending to accepted or denied. - Pet seeker can only update the status of an application from pending or accepted to withdrawn.

Pet seeker can only update application that they sent and pet shelter can only update application that they received.

Note: there are no difference between put and patch because we only have 1 required field.

Parameters

| Type | Name | Schema |
|------|--------------------------------|-----------------------------------|
| Path | id <i>required</i> | string |
| Body | data <i>required</i> | UpdateApplication |

Responses

| HTTP Code | Schema |
|-----------|-----------------------------------|
| 200 | UpdateApplication |

Tags

- applications

POST /comments/application/

Description

Create comment on an Application. Ensures that the User who wishes to comment is part of the Application, whether that be a Seeker or Shelter of the Application. Verifies that comment replies cannot be directed across models (e.g. Cannot reply to Application when on PetShelter, Cannot reply to Application from a different Application).

Parameters

| Type | Name | Schema |
|------|--------------------------------|-------------------------|
| Body | data <i>required</i> | Comment |

Responses

| HTTP Code | Schema |
|-----------|-------------------------|
| 201 | Comment |

Tags

- comments

GET /comments/application/

Description

Returns paginated list of comments for an Application given the object_id (primary key) of the Application. Orders by creation date.

Parameters

| Type | Name | Description | Schema |
|-------|--------------------------------|-------------|---------|
| Query | page <i>optional</i> | Page number | integer |
| Query | size <i>optional</i> | Page size | integer |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|-----------------------------------|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < Comment > array |

Tags

- comments

POST /comments/rating/

Description

Create rating for a PetShelter from a User.

Parameters

| Type | Name | Schema |
|------|--------------------------------|------------------------|
| Body | data <i>required</i> | Rating |

Responses

| HTTP Code | Schema |
|-----------|------------------------|
| 201 | Rating |

Tags

- comments

GET /comments/rating/

Description

Returns all the ratings for a given shelter.

Parameters

| Type | Name | Description | Schema |
|-------|--------------------------------|-------------|---------|
| Query | page <i>optional</i> | Page number | integer |
| Query | size <i>optional</i> | Page size | integer |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|----------------------------------|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < Rating > array |

Tags

- comments

POST /comments/shelter/

Parameters

| Type | Name | Schema |
|------|--------------------------------|-------------------------|
| Body | data <i>required</i> | Comment |

Responses

| HTTP Code | Schema |
|-----------|-------------------------|
| 201 | Comment |

Tags

- comments

GET /comments/shelter/

Description

Returns paginated list of comments for a PetShelter given the `object_id` (primary key) of the PetShelter. Orders by creation date.

Parameters

| Type | Name | Description | Schema |
|-------|--------------------------------|-------------|---------|
| Query | page <i>optional</i> | Page number | integer |
| Query | size <i>optional</i> | Page size | integer |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|-----------------------------------|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < Comment > array |

Tags

- comments

GET /comments/{id}/

Description

Retrieves a single comment given the primary key in URL.

Parameters

| Type | Name | Description | Schema |
|-------------|------------------------------|--|---------|
| Path | id <i>required</i> | A unique integer value identifying this comment. | integer |

Responses

| HTTP Code | Schema |
|-----------|-------------------------|
| 200 | Comment |

Tags

- comments

POST /notifications/

Description

Create a new notification based on the provided data. The notification type and user association are determined by the type of user and the type of content object involved. - If the user is a PetSeeker and the content type represents an Application, it creates a status update notification. - If the user is a PetShelter and the content type represents an Application, it creates an application creation notification. - If the user is a PetShelter and the content type represents a Comment, and the

comment is made on Shelter, it creates a new review notification. - If the content type represents a Comment and comment was made on an Application, it creates a new message notification. - If the content type represents a Pet, it creates a new pet listing notification.

Parameters

| Type | Name | Schema |
|------|--------------------------------|------------------------------|
| Body | data <i>required</i> | Notification |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 201 | Notification |

Tags

- notifications

GET /notifications/

Description

Retrieve a list of notifications for the authenticated user with filtering. - Users (shelter and seeker) can only view their own notifications. - User can filter notifications by read/unread to get all unread notifications. - It is sorted by creation time in descending order (latest first).

Parameters

| Type | Name | Description | Schema |
|-------|--------------------------------|--------------------------------|---------|
| Query | page <i>optional</i> | Page number | integer |
| Query | read <i>optional</i> | Read attribute used to filter. | boolean |
| Query | size <i>optional</i> | Page size | integer |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|---|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < Notification > array |

Tags

- notifications

GET /notifications/{id}/

Description

Retrieve details of a user's notification and provide links to associated models. - If the notification refers to a comment, link to the new comment added. - If the notification refers to an application, link to application creation and status update. - If the application refers to a pet, link to a new pet listing. It also updates the state of a notification from "unread" to "read".

Parameters

| Type | Name | Schema |
|-------------|------------------------------|--------|
| Path | id <i>required</i> | string |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Notification |

Tags

- notifications

DELETE /notifications/{id}/

Description

Delete the notification with the given id. The notification has to be associated with the user.

Parameters

| Type | Name | Schema |
|------|------------------------------|--------|
| Path | id <i>required</i> | string |

Responses

| HTTP Code | Schema |
|-----------|------------|
| 204 | No Content |

Tags

- notifications

POST /pets/

Description

Create new pet based on the given details of the pet. User are required to be logged in as pet shelter.

Parameters

| Type | Name | Schema |
|------|--------------------------------|---------------------|
| Body | data <i>required</i> | Pet |

Responses

| HTTP Code | Schema |
|-----------|---------------------|
| 201 | Pet |

Tags

- pets

GET /pets/

Description

Searches pets based on various filters and sorting options. Authentication is not required. 400 Bad Request will be returned when filter options for the query parameters are invalid. When filter options are not given, it will return all pets.

Parameters

| Type | Name | Description | Schema |
|-------|---|---|---|
| Query | adoption_fee <i>optional</i> | Fee associated with adopting the pet. | string (decimal) |
| Query | adoption_feegt <i>optional__</i> | Upper bound (exclusive) of adoption_fee for filtering. | string (decimal) |
| Query | adoption_feegte <i>optional__</i> | Upper bound (inclusive) of adoption_fee for filtering. | string (decimal) |
| Query | adoption_feelt <i>optional__</i> | Lower bound (exclusive) of adoption_fee for filtering. | string (decimal) |
| Query | adoption_feelte <i>optional__</i> | Lower bound (inclusive) of adoption_fee for filtering. | string (decimal) |
| Query | age <i>optional</i> | Age of the pet. | number |
| Query | agegt <i>optional__</i> | Upper bound (exclusive) of age for filtering. | number |
| Query | agegte <i>optional__</i> | Upper bound (inclusive) of age for filtering. | number |
| Query | agelt <i>optional__</i> | Lower bound (exclusive) of age for filtering. | number |
| Query | agelte <i>optional__</i> | Lower bound (inclusive) of age for filtering. | number |
| Query | breed <i>optional</i> | Id of the Breed model, representing the breed of the pet (e.g. American Bobtail). | integer |
| Query | color <i>optional</i> | Color of the pet. null represents unknown/others. | enum (brown, gray, white, black, orange) |
| Query | order_by <i>optional</i> | Options for sorting. Negative sign (-) indicates descending order. | enum (name, -name, age, -age, weight, -weight, adoption_fee, -adoption_fee) |
| Query | owner <i>optional</i> | Pet shelter that owns the pet. | string |
| Query | page <i>optional</i> | Page number | integer |
| Query | pet_type <i>optional</i> | Id of the PetType model, representing the type (or category) of the pet such as dog, cat, birds, etc. null represents unknown/others. | integer |

| Type | Name | Description | Schema |
|-------|---------------------------------------|--|---|
| Query | sex <i>optional</i> | Sex of the pet. null represents unknown/others. | enum (male, female) |
| Query | size <i>optional</i> | Page size | integer |
| Query | status <i>optional</i> | Pet adoption status. | enum (withdrawn, pending, adopted, available) |
| Query | weight <i>optional</i> | Weight of the pet. | number |
| Query | weightgt <i>optional__</i> | Upper bound (exclusive) of weight for filtering. | number |
| Query | weightgte <i>optional__</i> | Upper bound (inclusive) of weight for filtering. | number |
| Query | weightlt <i>optional__</i> | Lower bound (exclusive) of weight for filtering. | number |
| Query | weightlte <i>optional__</i> | Lower bound (inclusive) of weight for filtering. | number |

Responses

| HTTP Code | Schema |
|-----------|------------------------------|
| 200 | Response 200 |

Response 200

| Name | Description | Schema |
|------------------------------------|---------------------------------|-------------------------------|
| count <i>optional</i> | Total number of items returned. | integer |
| next <i>optional</i> | Link for next page. | string (uri) |
| previous <i>optional</i> | Link for previous page. | string (uri) |
| results <i>required</i> | | < Pet > array |

Tags

- pets

GET /pets/{id}/

Description

Pet with given ID will be retrieved. Authentication is not required.

Parameters

| Type | Name | Schema |
|------|------------------------------|--------|
| Path | id <i>required</i> | string |

Responses

| HTTP Code | Schema |
|-----------|---------------------|
| 200 | Pet |

Tags

- pets

PUT /pets/{id}/

Description

Update pet with given ID based on the given details of the pet. User are required to be logged in as pet shelter. User are required to be the owner of the pet.

Parameters

| Type | Name | Schema |
|------|--------------------------------|---------------------|
| Path | id <i>required</i> | string |
| Body | data <i>required</i> | Pet |

Responses

| HTTP Code | Schema |
|-----------|---------------------|
| 200 | Pet |

Tags

- pets

DELETE /pets/{id}/

Description

Delete pet with the given ID. User are required to be logged in as pet shelter. User are required to be the owner of the pet.

Parameters

| Type | Name | Schema |
|------|------------------------------|--------|
| Path | id <i>required</i> | string |

Responses

| HTTP Code | Schema |
|-----------|------------|
| 204 | No Content |

Tags

- pets

PATCH /pets/{id}/

Description

Partial update pet with given ID based on the given details of the pet. User are required to be logged in as pet shelter. User are required to be the owner of the pet.

Parameters

| Type | Name | Schema |
|------|--------------------------------|---------------------|
| Path | id <i>required</i> | string |
| Body | data <i>required</i> | Pet |

Responses

| HTTP Code | Schema |
|-----------|---------------------|
| 200 | Pet |

Tags

- pets

Definitions

Comment

| Name | Description | Schema |
|--|--|--------------------|
| content_type <i>optional</i> <i>read-only</i> | Model type that is being commented on | integer |
| created_at <i>optional</i> <i>read-only</i> | Date when the comment was created | string (date-time) |
| id <i>optional</i> <i>read-only</i> | | integer |
| object_id <i>required</i> | Primary Key of the model being commented on | integer |
| reply_to <i>optional</i> | Who the comment is referring to | integer |
| text <i>required</i> | Text of the comment Length : 1 - 500 | string |
| user <i>optional</i> <i>read-only</i> | User who wrote the comment | integer |

CreateApplication

| Name | Description | Schema |
|--|---|--------------------|
| address <i>required</i> | Sender's address. Length : 1 - 128 | string |
| created_at <i>optional</i> <i>read-only</i> | Timestamp when the application was created. | string (date-time) |
| digital_signature <i>required</i> | Digital signature of the sender. Length : 1 - 128 | string |
| email <i>required</i> | Sender's email address. Length : 1 - 254 | string (email) |

| Name | Description | Schema |
|--|---|---|
| id <i>optional</i> <i>read-only</i> | Identifier of the application. | integer |
| last_updated <i>optional</i> <i>read-only</i> | Timestamp when the most recent update was made on the application. Adding comment for this application will also update this value. | string (date-time) |
| name <i>required</i> | Name of the sender who sent the application (can be different from the username). Length : 1 - 128 | string |
| pet <i>required</i> | Pet associated with the application. | integer |
| phone_number <i>required</i> | Sender's phone number. Length : 1 - 12 | string |
| qualifications <i>required</i> | Sender's qualifications for adopting the pet. Minimum length : 1 | string |
| status <i>optional</i> | Status of the application indicating whether application | enum (accepted, denied, pending, withdrawn) |
| user <i>optional</i> <i>read-only</i> | Pet seeker who sent the application. | string |

CustomizedTokenObtain

| Name | Description | Schema |
|------------------------------------|---------------------------|--------|
| password <i>required</i> | Minimum length : 1 | string |
| username <i>required</i> | Minimum length : 1 | string |

Notification

| Name | Description | Schema |
|--|---|--------------------|
| content_type <i>required</i> | The content type of the referenced object (used to find the notification type). | integer |
| created_at <i>optional</i> <i>read-only</i> | The timestamp when the notification was created. | string (date-time) |

| Name | Description | Schema |
|--|---|--------------|
| id <i>optional</i> <i>read-only</i> | Identifier of the notifications. | integer |
| model_link <i>optional</i> <i>read-only</i> | Link to its associated model. Minimum length : 1 | string (uri) |
| notification_type <i>optional</i> | The type of notification. Maximal length : 50 | string |
| object_id <i>required</i> | The ID of the referenced object. | integer |
| read <i>optional</i> <i>read-only</i> | Indicates whether the notification has been read (True) or not (False). | boolean |
| user <i>optional</i> <i>read-only</i> | The user associated with this notification. | integer |

Pet

| Name | Description | Schema |
|---|---|--|
| adoption_fee <i>required</i> | Fee associated with adopting the pet. | string (decimal) |
| adoption_location <i>required</i> | Location where this pet is available for adoption. Length : 1 - 128 | string |
| age <i>required</i> | Age of the pet. Minimum value : 0 | number |
| breed <i>optional</i> | Id of the Breed model, representing the breed of the pet (e.g. American Bobtail). | integer |
| color <i>optional</i> | Color of the pet. null represents unknown/others. | enum (brown, gray, white, black, orange) |
| id <i>optional</i> <i>read-only</i> | Id of the pet. | integer |
| last_modified <i>optional</i> <i>read-only</i> | Time when the most recent update was made on pet. | string (date-time) |

| Name | Description | Schema |
|---|---|---|
| medical_history <i>required</i> | Medical history of the pet. Minimum length : 1 | string |
| name <i>required</i> | Name of the pet. Length : 1 - 128 | string |
| notes <i>required</i> | Additional notes that Pet Shelter can provide about the pet. Minimum length : 1 | string |
| owner <i>optional</i> <i>read-only</i> | Pet shelter that owns the pet. | string |
| pet_type <i>optional</i> | Id of the PetType model, representing the type (or category) of the pet such as dog, cat, birds, etc. null represents unknown/others. | integer |
| picture_1 <i>optional</i> <i>read-only</i> | Picture of the pet. | string (uri) |
| picture_2 <i>optional</i> <i>read-only</i> | Picture of the pet. | string (uri) |
| picture_3 <i>optional</i> <i>read-only</i> | Picture of the pet. | string (uri) |
| sex <i>optional</i> | Sex of the pet. null represents unknown/others. | enum (male, female) |
| status <i>optional</i> | Pet adoption status. | enum (withdrawn, pending, adopted, available) |
| weight <i>required</i> | Weight of the pet. Minimum value : 0 | number |

PetSeeker

| Name | Description | Schema |
|--|--|--------------|
| address <i>optional</i> | address of the user Maximal length : 128 | string |
| banner <i>optional</i> <i>read-only</i> | user profile banner | string (uri) |
| description <i>optional</i> | user description | string |

| Name | Description | Schema |
|---|--|----------------|
| email <i>required</i> | email of the user Length : 1 - 254 | string (email) |
| first_name <i>optional</i> | Maximal length : 150 | string |
| id <i>optional</i> <i>read-only</i> | | integer |
| last_name <i>optional</i> | Maximal length : 150 | string |
| password <i>required</i> | Minimum length : 1 | string |
| phone_number <i>optional</i> | phone number of the user Maximal length : 12 | string |
| profile_picture <i>optional</i> <i>read-only</i> | user profile picture | string (uri) |
| username <i>required</i> | Required. 150 characters or fewer. Letters, digits and @/./-/_ only. + Length : `1 - 150` + Pattern : `^[\\w.@-]+` | string |

PetShelter

| Name | Description | Schema |
|--|--|----------------|
| address <i>optional</i> | address of the user Maximal length : 128 | string |
| banner <i>optional</i> <i>read-only</i> | user profile banner | string (uri) |
| description <i>optional</i> | user description | string |
| email <i>required</i> | email of the user Length : 1 - 254 | string (email) |
| first_name <i>optional</i> | Maximal length : 150 | string |
| id <i>optional</i> <i>read-only</i> | | integer |

| Name | Description | Schema |
|---|--|--------------|
| last_name <i>optional</i> | Maximal length : 150 | string |
| mission_statement <i>optional</i> | mission_statement of the pet shelter | string |
| mission_title <i>optional</i> | mission_title of the pet shelter Maximal length : 128 | string |
| password <i>required</i> | Minimum length : 1 | string |
| phone_number <i>optional</i> | phone number of the user Maximal length : 12 | string |
| profile_picture <i>optional</i> <i>read-only</i> | user profile picture | string (uri) |
| username <i>required</i> | Required. 150 characters or fewer. Letters, digits and @/./-/_ only. + **Length** : `1 - 150` + **Pattern** : `^[\\w.@-]+\$` | string |

Rating

| Name | Description | Schema |
|--|--|---------|
| rating <i>optional</i> | Integer value between 0-5 that depicts the rating of the shelter by the user Maximum value : 5 | integer |
| shelter <i>required</i> | Shelter that the rating is for | string |
| user <i>optional</i> <i>read-only</i> | User who gave the rating | integer |

TokenRefresh

| Name | Description | Schema |
|--|---------------------------|--------|
| access <i>optional</i> <i>read-only</i> | Minimum length : 1 | string |
| refresh <i>required</i> | Minimum length : 1 | string |

UpdateApplication

| Name | Description | Schema |
|---|---|---|
| address <i>optional</i> <i>read-only</i> | Sender's address. Minimum length : 1 | string |
| created_at <i>optional</i> <i>read-only</i> | Timestamp when the application was created. | string (date-time) |
| digital_signature <i>optional</i> <i>read-only</i> | Digital signature of the sender. Minimum length : 1 | string |
| email <i>optional</i> <i>read-only</i> | Sender's email address. Minimum length : 1 | string (email) |
| id <i>optional</i> <i>read-only</i> | | integer |
| last_updated <i>optional</i> <i>read-only</i> | Timestamp when the most recent update was made on the application. Adding comment for this application will also update this value. | string (date-time) |
| name <i>optional</i> <i>read-only</i> | Name of the sender who sent the application (can be different from the username). Minimum length : 1 | string |
| pet <i>optional</i> <i>read-only</i> | Pet associated with the application. | integer |
| phone_number <i>optional</i> <i>read-only</i> | Sender's phone number. Minimum length : 1 | string |
| qualifications <i>optional</i> <i>read-only</i> | Sender's qualifications for adopting the pet. Minimum length : 1 | string |
| status <i>required</i> | Status of the application indicating whether application | enum (accepted, denied, pending, withdrawn) |
| user <i>optional</i> <i>read-only</i> | Pet seeker who sent the application. | string |