Hands-on Infrastructure Automation with Terraform on AWS

Alexander Savchuk

Modifying resources

Section 3

Managing state

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3_tags"
]
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
},
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3_tags"
]
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
},
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3_tags"
]
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
},
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3_tags"
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3_tags"
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3 tags"
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
},
"meta": {},
"tainted": false
"deposed": [],
"provider": "provider.aws"
}
},
```

```
"resources": {
"aws_s3_bucket.main": {
"type": "aws_s3_bucket",
"depends_on": [
"local.s3 tags"
],
"primary": {
"id": "packt-terraform-backbone-test-ap-southeast-2",
"attributes": {
"acceleration_status": "",
"acl": "private",
"arn": "arn:aws:s3:::packt-terraform-backbone-test-ap-southeast-2",
"bucket": "packt-terraform-backbone-test-ap-southeast-2",
"bucket_domain_name": "packt-terraform-backbone-test-ap-southeast-2.s3.amazonaws.com"
"meta": {},
"tainted": false
},
"deposed": [],
"provider": "provider.aws"
}
},
```

State

Local state

「(ツ)」

ITWORKS on my machine

State

- Local state
- Version control?

Using git to store state is a **bad** idea

- maintenance overhead
- secrets in plain text

State

- Local state
- Version control
- Remote state

Backends

- Terraform Enterprise
- S3
- Consul
- etcd
- HTTP
- and more

Managed infrastructure

- Managed infrastructure
- High durability and availability

- Managed infrastructure
- High durability and availability
- Not expensive to use

- Managed infrastructure
- High durability and availability
- Not expensive to use
- Supports encryption in transit and at rest

- Managed infrastructure
- High durability and availability
- Not expensive to use
- Supports encryption in transit and at rest
- Supports versioning

Best practices

- Do not store state locally
- Do not commit state to version control
- If using S3:
 - Enable versioning
 - Enforce encryption
 - Store state close to the infrastructure
 - Limit access to the bucket

Building a multi-tier environment

Next Section