Hamar Planning Brief: An Evidence-Linked Walking Skeleton for Public Notices

Kai Arne Hage
Mohammad Almojtaba Elhajj A Elhajj
Group 12, KIUA-2003
University of Inland Norway

Abstract

Public planning notices ask residents to understand a proposal, identify its location, and respond by a stated deadline. We propose a Norwegian draft-brief workflow that extracts these facts with supporting passages and makes missing information visible. The current Python skeleton loads a selected public-source extract, calls a local model, formats a draft deterministically, and checks the output before saving it. Five repeated runs on one short Ringgata extract passed the implemented checks. A rejected model run and a synthetic injection case show why those checks cannot replace human review. This report describes the working checkpoint, its limits, and the plan for broader evaluation and stress testing before the examination.

1 Problem, users, and definition of success

The intended user is a Hamar resident seeking a traceable explanation of what a planning notice proposes, where it applies, its stage, and when and how to respond. The first example concerns Ringgata between Solvangvegen and Disenvegen (Hamar kommune, 2026). The official local source and Norwegian output give the project a concrete Innlandet focus. Resident need is a hypothesis: no user interviews or usability measurements have been completed.

Scope is official Hamar-area land-use or transport planning notices inviting public input. Grants, unrelated news, and completed decisions are out of scope. A reviewer selects an extract before the workflow runs. The prototype combines structured extraction, evidence, explicit uncertainty, and repeatable checks.

The first input contains three non-contiguous short passages selected and source-checked by Codex on 28 October 2026, with no individual names or personal contact details. Metadata records provenance and partial-source status. The response route is omitted. Wider collection and redistribution require a source-policy review; no general reuse license has been verified.

Checkable success. A run must save either an explicit failure report or a Norwegian draft whose substantive fields have source evidence. For the selected Ringgata extract, the draft should describe the cycleway and pavement proposal, the two street endpoints, the start of planning work, and the stated input deadline of 18 November 2026. Participation details and the response route must remain `unknown` because they are absent from this input. The output must identify the source, show a check date, and carry `needs_human_review`. Mechanical checks establish format and locally checkable evidence. A person must still assess meaning, completeness, and source freshness.

Preprint.

2 Architecture and context as implemented

Repository: `https://github.com/Kaiju77/hamar-planning-brief`. It contains the context prompt, Python code, synthetic fixtures, the selected real extract and metadata, saved runs, tests, and reproduction instructions. The implementation uses Python's standard library and Ollama's local generation endpoint (Ollama, 2026).

Stage 1: load and bound the input. `run.py` reads the metadata JSON and selected text file. It validates the check date and limits the source to 12,000 characters. The model receives only `context/extract_prompt.md` and the selected extract inside source delimiters. It receives neither the full website nor conversation history, other notices, credentials, or filesystem access. The URL is provenance, not a page that the model independently fetches. Source selection and privacy screening are currently human responsibilities.

Stage 2: extract structured facts. One local model call proposes a Boolean scope decision and six objects: `proposal`, `location`, `planning_stage`, `deadline`, `participation`, and `response_route`. Each contains a string value and an evidence passage. Instructions require unknown or ambiguous values instead of guesses. A deadline may be normalized to an ISO date only when day, month, and year are stated. The response route must be explicitly present, rather than inferred from the website domain. The selected model is `qwen2.5-coder:7b`, at temperature zero, in JSON output mode.

Stage 3: format a Norwegian draft. A deterministic template renders the facts. It leads with the proposal, location, deadline and status, participation, and response route, followed by planning stage, evidence, and source. There is no second drafting model. This departs from the initial two-model proposal and removes one opportunity for new unsupported prose. It also limits the quality of plain-language rewriting. Missing routes direct the reader to the original notice, and partial-source status is visible.

Stage 4: check and save. Before any draft is saved, `checks.py` checks types, provenance format, field evidence, and deadline validity. Evidence matching ignores case and repeated whitespace. The normalized deadline must correspond to a recognized Norwegian date string inside its own evidence. A code-computed status compares the deadline with the recorded Europe/Oslo check date. A date-only deadline remains open through that date; an unknown or ambiguous deadline has unknown status. Notices with precise cutoff times require future handling. Failed checks save structured errors rather than a draft. Exact passage matching does not establish semantic entailment.

Automation and execution limits. One command runs the stages without manual handoffs. Python reads and writes local files, invokes the local HTTP service, and performs checks. The model has no tools that execute commands or publish results. Each invocation gets a distinct directory with raw response, counts, elapsed time, facts, and an input/prompt snapshot. There is one model call, no automatic retry, an 800-token generation cap, and a 120-second HTTP timeout. These are bounded settings, not yet a measured total token budget. Ctrl+C stops the client; stopping the model may additionally require `ollama stop`. Automatic publication is excluded and human approval is required.

3 Walking-skeleton evidence and limitations

The recorded final batch uses the response-route prompt and the selected Ringgata extract, with check date 28 October 2026. Each of five Qwen runs passed mechanical checks and saved a draft. The table is generated from the preserved `run.json` files. Token counts come from Ollama; seconds are client wall time through extraction and checking, excluding final file writes.

Run	Input tokens	Output tokens	Seconds	Outcome
1	465	264	15.366	Saved
2	465	264	5.637	Saved
3	465	264	5.670	Saved
4	465	264	5.616	Saved
5	465	264	5.682	Saved

Table 1: Five repetitions of one short real-source input, not five distinct notices.

All five drafts contain the intended normalized deadline. Narrow reference checks also find both location endpoints and the expected proposal and stage terms in 5/5 runs; participation and response route remain unknown in 5/5. These are word-based proxies, not independent semantic grading. Assistant inspection agrees with the selected extract, but student review remains to be performed. The batch used 3645 input-plus-output tokens and 37.971 seconds in total. Longer first-run latency includes model loading, so this is not a controlled performance comparison. A temperature of zero does not guarantee reproducibility across model versions, machines, or runtime changes.

Earlier exploratory evidence is retained separately. One `llama3.2:3b` response rejected the real notice as out of scope and produced invented quotations and a non-ISO date. The pipeline saved a failure report. Because scope rejection short-circuits later checks, this does not demonstrate detection of every invented quotation. Five earlier Qwen successes predate the response-route field and are not combined with the final batch as independent evidence.

Eleven unit tests pass. Seven original fixture cases exercise normal output, missing and ambiguous dates, scope rejection, altered evidence, and two injection outcomes. Four added tests cover malformed deadlines, date boundaries, missing input, and preservation of repeated runs. The fixture backend supplies canned model outputs: a test labeled as model resistance proves only that the checker accepts that prewritten response. It is not an observed attack against a live model.

The known injection gap is explicit. A synthetic source contains an instruction and an injected date. If a model adopts that date and quotes it, exact matching can pass. A word-pattern warning is raised, but the draft is still saved for review. The fixture demonstrates a weakness of evidence matching, not a solved defense. Other limitations are the extremely short input, untested multi-deadline reasoning, no live collection, no general personal-data detector, and no resident usability study. The current skeleton meets the four-stage technical path of the brief (University of Inland Norway, 2026); the evaluation plan must broaden before the examination.

4 Plan, risks, and progression to the examination

Canvas details supplied by Kai identify Group 12 and a Compulsory 2 deadline of 7 November 2026 at 23:59. Earlier working notes used 30 October; this plan uses the newer Canvas information. The exact demonstration slot is still to be announced. We plan backwards from weeks 46–47 and the white-paper deadline of 3 December 2026 at 11:59 (University of Inland Norway, 2026).

Target	Deliverable or decision gate
28 Oct–6 Nov	Review source and outputs together; confirm group roles and template; edit this report; reproduce from a clean clone.
7 Nov, 23:59	Submit reviewed Compulsory 2 report and repository link through Canvas.
8 Nov	Freeze a representative, privacy-screened test set with reference outcomes and a baseline evaluation.
9–22 Nov	Attend the mandatory live demonstration in weeks 46–47; log observed failures and feedback.
By 25 Nov	Complete two fault classes, implement repairs and rerun all regression cases; revise architecture to match the built system.
26 Nov–2 Dec	Final quantitative and qualitative analysis, eight genuine meeting records, report editing and reproduction check.
3 Dec, 11:59	Submit the 7–8-page white paper via Wiseflow; tag the submitted public repository commit `exam` and preserve it.

Table 2: Proposed milestones; intermediate dates are group planning targets.

The main risk is plausible output without valid support. A review gate remains mandatory while broader reference cases and stronger evidence checks are developed. Missing or conflicting deadlines must not be silently resolved. The examination test set should include ordinary notices, absent dates, ambiguous years, multiple dates, closed notices, and out-of-scope material. Format and date properties belong in deterministic checks; meaning and clarity need a documented human assessment. An LLM judge would be supplementary and would require its own sanity checks.

The planned stress classes are **input perturbation** and **dependency failure**. Input tests will embed misleading instructions and conflicting facts in synthetic notices. Dependency tests will simulate a refused connection, timeout, or malformed model response. We will record the failure path, repair the responsible stage, and demonstrate that the same case and the rest of the regression set pass afterwards. These experiments are plans, not completed security results.

Source changes and reuse uncertainty limit future ingestion. Until an acceptable source policy and screening procedure are established, use selected minimal inputs and synthetic fixtures. Further exam work includes explicit read/write permissions, secret exclusion, an enforced total token budget, and a measurable halt policy. A proposed halt gate is three consecutive invalid runs, followed by operator review; it is not implemented yet. Team availability is a schedule risk, so meetings should be short, recorded, and frequent enough to support at least eight genuine records. Human decisions must remain visible: source selection, evidence assessment, publication approval, and corrections to agent-generated code and report text.

References

Hamar kommune. Oppstart reguleringsplan fv. 187 Ringgata i Hamar. Published/modified 26 October 2026; accessed 28 October 2026. https://www.hamar.kommune.no/lokaldemokrati/oppstart-reguleringsplan-fv-187-ringgata-i-hamar.

University of Inland Norway. *Agentic Workflows for Innlandet: Building and Verifying Coding Agent Harnesses for Local Needs*. KIUA-2003 project brief, Autumn 2026. Supplied course document.

Ollama. Generate a response: local generation API documentation. Accessed 28 October 2026. https://docs.ollama.com/api/generate.

A Agent prompt excerpts and corrections

This appendix contains representative excerpts from the student's actual assistant conversations. They document assistance, not completed human approval of the draft. The excerpt section occupies one page, within the two-page prompt-log limit.

Problem selection and time constraints. Kai asked for an idea that was "relatively easy to pull off but still relevant and good enough for a great exam/grade." Codex proposed a narrow Hamar planning-consultation brief and identified source access as a check before building. Kai agreed to proceed with source investigation. The resulting scope is a selected planning notice, rather than a general news service or multi-source crawler.

Challenging the first specification. Kai brought Claude's review: "Evidence per field" and "How to respond" were missing from the output contract. Codex added keyed evidence and a separate official response route. Claude proposed comparing deadline with retrieval date. Codex challenged that detail: a notice can expire after retrieval, so a separate current check date is required. The inherited skeleton still used retrieval date; the working copy corrects this and tests the before/on/after boundaries.

Preserving an observed failure. Claude's handoff said that the skeleton had run only on synthetic fixtures and that the Ollama backend was untested. Codex reproduced the tests, then demonstrated a numeric-deadline crash. The repair rejects malformed values without weakening the existing evidence tests. A real Llama response was rejected as out of scope; its invented evidence was preserved rather than edited into a success. The subsequent Qwen batch is reported separately.

Authorization and authorship. Kai said, "You may continue with everything and afterwards demonstrate and or present the entirety of compulsory 2 hand in." Codex prepared implementation, evaluation, report and packaging work under that instruction. Kai later supplied the Group 12 membership and the Canvas deadline. Claude and Codex have performed substantial coding, testing, execution, and drafting. The report remains an editorial draft until the students review and edit its claims. No completed partner review, resident interview, or team meeting is inferred from assistant activity.

B Working-session and meeting records

These records describe traceable individual working sessions involving Kai and assistants. They do not claim that Mohammad attended or that a formal group meeting took place. Group meeting records should be added as meetings actually occur.

B.1 27 October 2026: scope and source investigation

Participants evidenced: Kai and Codex in the coursework conversation. **Purpose:** interpret the new brief and choose a feasible Innlandet problem. **Decisions:** investigate a Hamar planning brief, start from selected public input, make output checkable, and retain human review. **Revisions:** a Claude review supplied by Kai led to an explicit response route, current check date, field-keyed evidence, a scope rule and a failure-report contract. **Open items:** group arrangement, exact Canvas deadline, source reuse and the supplied LaTeX template.

B.2 28 October 2026: handoff, implementation, and evidence

Participants evidenced: Kai and Codex, with a Claude handoff supplied by Kai. **Purpose:** inspect the working skeleton and obtain real-run evidence. **Actions:** reproduce seven tests; identify a malformed-deadline crash; add four robustness tests; preserve unique outputs; verify a minimal source extract; record one rejected Llama run, an earlier five-run Qwen batch, and a final five-run Qwen batch after the output-contract change. **Decisions:** keep deterministic drafting and document its departure from the initial plan; keep the injection gap visible; publish a reproducible repository under Kai's authorization. **New information:** Kai confirmed Group 12 membership and a Canvas deadline of 7 November at 23:59. **Open actions:** student source/output review, partner discussion and contribution confirmation, editorial revision, and checking the Canvas-specific template. These actions are pending, not recorded as completed.

B.3 Plan for genuine group records

Schedule short group meetings around 29 October, 2, 5, 9, 12, 16, 23, and 30 November, adjusting dates to availability. For each, record actual attendees, alternatives considered, decisions, evidence reviewed, and next actions. These are proposed dates only; they do not count as completed meeting reports.

C Reproduction and editorial status

Install Python 3.10+ and Ollama, then pull `qwen2.5-coder:7b`. From the project root, use:

```
python run.py --meta examples/ringgata.meta.json --input examples/ringgata.txt --
    backend ollama --checked-at 2026-10-28
python -m unittest discover -s tests -v
python evaluate.py --backend fixture
python evaluate.py --backend ollama --count 5
python tools/build_results.py
```

The date above reproduces the recorded check; a current operational run should pass the actual Oslo check date. Fixture mode is offline and uses canned extraction, not a real model. `tools/build_results.py` regenerates the report table from the fixed saved final batch. Clean-clone reproduction is recorded separately in the repository when completed.

The report uses the official NeurIPS 2025 style with the preprint option and no NeurIPS checklist. No separate Canvas template has been supplied for comparison. Students must inspect the source and output, confirm contributions and meeting records, and edit the prose before submission. The local source check and generated results are assistant work until independently reviewed. This status is preserved to avoid claiming activities that have not yet occurred.