TALENTRA · SOURCE AND DATA-DRIVEN DEVELOPMENT

Stage 1 discovery map

Five questions turn the raw brief into a reviewable design. Select a step to show its purpose, a Talentra example, and its three deliverables.

15 documents prepared | Local core seed measured | Gate G1 open

01 **Requirements**
What problem and boundaries?

02 **Actors & roles**
Who acts, owns, or is affected?

03 **Features**
What must the product do?

04 **Quality targets**
How well must it work?

05 **Workflows**
What happens, including failure?

01 · Requirement Analysis Docket

Turn brief statements into numbered, testable obligations and explicit exclusions.

THE QUESTION

What problem are we solving? What is in scope, out of scope, assumed, or still unclear?

TALENTRA EXAMPLE

Legacy candidate, job and application records are inconsistent. The full-scale design target is **10 million candidate profiles**; the laptop proof target is **1 million**.

WHAT TO SHOW

18 grouped REQ IDs, four OS exclusions, source and priority, actor links, ambiguity notes, and ranked questions.

Docket sentence → **REQ or OS ID** → **Acceptance intent**

Review gap: Source blocks are indexed, but a sentence-by-sentence and B1–B82 audit remains open.

Three deliverables

A · Output schema | **B · Scorecard** | **C · Output document**

02 · Stakeholders, Personas & Roles

Name every human and system actor, then define each actor's goal, frequency, permission and denial.

THE QUESTION

Who uses the system, who governs it, and who is affected when data or access changes?

TALENTRA EXAMPLE

A recruiter may contact candidates only for assigned jobs in their own company. A candidate's block must hide that candidate from the blocked party.

WHAT TO SHOW

16 actor IDs, persona cards and a role-permission matrix, including auditor, support staff, regulator, scheduled worker and database engineer.

REQ-03 / REQ-04 → **Recruiter / candidate** → **Allow or deny + audit**

Review gap: The matrix is proposed policy. TPO, guest, support and elevated-admin access still need owner review and role-based tests.

Three deliverables

A · Output schema | **B · Scorecard** | **C · Output document**

03 · Feature Discovery

Prioritize capabilities and compare documented competitor coverage without overstating evidence.

THE QUESTION

Which features are must-have, should-have or potential differentiators? Which requirement supports each one?

TALENTRA EXAMPLE

Candidate profiles, jobs and applications are core. A connected gig handoff and financial event trail is a *proposed* differentiation opportunity.

WHAT TO SHOW

12 FEAT IDs and a public-source comparison of Naukri, Monster and LinkedIn.

REQ ID → **FEAT ID + priority** → **Competitor evidence**

> **Review gap:** Public pages do not prove a competitor lacks an internal capability; a field-level comparison is still needed.

Three deliverables

A · Output schema | **B · Scorecard** | **C · Output document**

04 · NFR Discovery

Write each quality target as a number with a workload, measurement method and evidence artifact.

THE QUESTION

What scale, latency, availability, security, privacy, compliance and accessibility must the design support?

TALENTRA EXAMPLE

The local seed has **1m candidates, 100k jobs, 5m applications**. A **60 reads/s** load and **500 ms p95** lookup are proposals based on explicit, unverified activity assumptions.

WHAT TO SHOW

13 NFR IDs, tests and evidence status; DPDP Act 2023 / Rules 2025 mapping, and proposed WCAG 2.2 AA for a future UI.

Volume assumption → **Numeric target** → **Test result**

Review gap: Service targets need approval; per-entity personal-data retention periods remain undecided. The proposed 24-month candidate review is not an approved deletion rule. Local seed counts do not prove production performance.

Three deliverables

A · Output schema | **B · Scorecard** | **C · Output document**

05 · Business Workflow Analysis

Trace each must-have capability from trigger through decisions to output and exception handling.

THE QUESTION

Who starts the work, what decisions happen, what is recorded, and how does the system recover?

TALENTRA EXAMPLE

For a subscription payment: confirm once, append a ledger event, and use a compensating entry for a refund. A timeout moves to reconciliation.

WHAT TO SHOW

12 WF IDs, workflow diagrams and an exception catalogue covering cancel, refund, retry and timeout.

Trigger → **Decision** → **Output** ↘ **Exception / recovery**

Review gap: Domain owners still need to approve exception ownership, state transitions and reconciliation behavior.

Three deliverables

A · Output schema | **B · Scorecard** | **C · Output document**

Presenter close:

All 15 Stage 1 documents are prepared. The scorecards are self-reviews. Gate G1 remains open until source trace, access rules, field comparison, NFR targets and workflow exceptions are reviewed.