

Table 1. Baseline Characteristics of Study Participants (N=30)

Characteristics	Mean (SD) or n (%)
Age, years	75.3 (6.6)
Female	12 (40.0)
Non-Hispanic Blacks	3 (10.0)
Non-Hispanic Whites	27 (90.0)
Surgery type	
Cardiac	19 (62.5)
Urologic	5 (15.6)
Gastrointestinal	3 (9.4)
Gynecologic	2 (4.7)
Vascular	1 (2.4)
CGA-based frailty index category	
Robust (<0.15)	16 (53.3)
Pre-frailty (0.15 to <0.25)	9 (30.0)
Mild frailty (0.25 to <0.35)	4 (13.3)
Moderate-to-severe frailty (≥0.35)	1 (3.3)
Any ADL disability	0 (0)
Any IADL disability	8 (26.7)

Abbreviations: CGA, Comprehensive Geriatric Assessment; ADL, Activities of Daily Living; IADL, Instrumental Activities of Daily Living.

Table 2. Adherence to the Multi-Component Prehabilitation Program

Components	Sessions offered	Sessions completed	Participants with $\geq 50\%$ sessions completed
	n	n (%)	n (%)
Physical therapy (2/week)	208	190 (91.3)	27 (96.4)
Nutrition (1/week)	104	80 (76.9)	26 (92.9)
Meditation (1/week)	104	71 (68.3)	20 (71.4)
All 3 components	416	341 (82.0)	19 (67.9)