

DBSE WEEKLY LAB EXPERIMENTS

KAIRAV VASHI

2520030582

SECTION – 7

CSE

TABLE OPERATIONS

The screenshot shows a SQL File 3 window with the following SQL code:

```
1 CREATE DATABASE IF NOT EXISTS practice_db;
2 USE practice_db;
3
4 DROP TABLE IF EXISTS orders;
5
6 CREATE TABLE orders (
7     ord_no INT PRIMARY KEY,
8     purch_amt DECIMAL(10,2),
9     ord_date DATE,
10    customer_id INT,
11    salesman_id INT,
```

The left sidebar shows the 'SCHEMAS' tab with 'sys' selected. The 'Result Grid' shows the following data:

ord_no	purch_amt	ord_date	customer_id	salesman_id	customer_name
70009	5760.00	2012-09-10	3002	5001	Kairav
70013	3045.60	2012-04-25	3002	5001	Kairav
70003	2480.40	2012-10-10	3009	5003	Kairav
70005	2400.60	2012-07-27	3007	5001	Kairav
70010	1983.43	2012-10-10	3004	5006	Kairav

The 'Output' tab shows the following messages:

#	Time	Action	Message	Duration / Fetch
1	16:37:50	CREATE DATABASE IF NOT EXISTS practice_db	1 row(s) affected	0.000 sec
2	16:37:50	USE practice_db	0 row(s) affected	0.000 sec
3	16:37:50	DROP TABLE IF EXISTS orders	0 row(s) affected. 1 warning(s): 1051 Unknown table 'practice_db.orders'	0.000 sec
4	16:37:50	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ...	0 row(s) affected	0.016 sec

The screenshot shows a SQL File 3 window with the following SQL code:

```
15 INSERT INTO orders VALUES
16 (70001,150.50,'2012-10-05',3005,5002,'Kairav'),
17 (70009,270.65,'2012-09-10',3001,5005,'Kairav'),
18 (70002,65.26,'2012-10-05',3002,5001,'Kairav'),
19 (70004,110.50,'2012-08-17',3009,5003,'Kairav'),
20 (70007,948.50,'2012-09-10',3005,5002,'Kairav'),
21 (70005,2480.60,'2012-07-27',3007,5001,'Kairav'),
22 (70008,5760.00,'2012-09-10',3002,5001,'Kairav'),
23 (70010,1983.43,'2012-10-10',3004,5006,'Kairav'),
24 (70003,2480.40,'2012-10-10',3009,5003,'Kairav'),
25 (70012,250.45,'2012-06-27',3008,5002,'Kairav'),
```

The left sidebar shows the 'SCHEMAS' tab with 'sys' selected. The 'Result Grid' shows the following data:

ord_no	purch_amt	ord_date	customer_id	salesman_id	customer_name
70008	5760.00	2012-09-10	3002	5001	Kairav
70013	3045.60	2012-04-25	3002	5001	Kairav
70003	2480.40	2012-10-10	3009	5003	Kairav
70005	2400.60	2012-07-27	3007	5001	Kairav
70010	1983.43	2012-10-10	3004	5006	Kairav

The 'Output' tab shows the following message:

#	Time	Action	Message	Duration / Fetch
5	16:37:50	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002,'Kairav'), (70009,270.65,'2012-09-10',3...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.000 sec

Navigator: SCHEMAS
Filter objects
sys

SQL File 3*

```

26 (70011,75.29,'2012-08-17',3003,5007,'Kairav'),
27 (70013,3045.60,'2012-04-25',3002,5001,'Kairav');
28
29 • SELECT *
30 FROM orders
31 WHERE purch_amt > 2000;
32
33 • SELECT *
34 FROM orders
35 WHERE ord_date='2012-09-10';
36

```

Administration Schemas

No object selected

ord_no	purch_amt	ord_date	customer_id	salesman_id	customer_name
70008	5760.00	2012-09-10	3002	5001	Kairav
70013	3045.60	2012-04-25	3002	5001	Kairav
70003	2480.40	2012-10-10	3009	5003	Kairav
70005	2400.60	2012-07-27	3007	5001	Kairav
70010	1983.43	2012-10-10	3004	5006	Kairav

orders 24 orders 25 Result 26 Result 27 Result 28 Result 29 Result 30 Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Ret Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	16:37:50	INSERT INTO orders VALUES (70001,150.50,2012-10-09,3005,5002,'Kairav'),(70009,270.65,2012-09-10,3...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.000 sec
6	16:37:50	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
7	16:37:50	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Navigator: SCHEMAS
Filter objects
sys

SQL File 3*

```

40
41 • SELECT *
42 FROM orders
43 ORDER BY purch_amt DESC;
44
45 • SELECT *
46 FROM orders
47 ORDER BY ord_date;
48
49 • SELECT SUM(purch_amt) AS total_revenue
50 FROM orders;

```

Administration Schemas

No object selected

total_revenue
17541.18

orders 24 orders 25 Result 26 Result 27 Result 28 Result 29 Result 30 Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Ret Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	16:37:50	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
10	16:37:50	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
11	16:37:50	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Navigator: SQL File 37

SCHEMAS
Filter objects
sys

```

44
45 • SELECT *
46 FROM orders
47 ORDER BY ord_date;
48
49 • SELECT SUM(purch_amt) AS total_revenue
50 FROM orders;
51
52 • SELECT AVG(purch_amt) AS average_order
53 FROM orders;
54

```

Administration Schemas
Information
No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: $\overline{\text{X}}$

average_order
1461.765000

orders 24 orders 25 Result 26 Result 27 x Result 28 Result 29 Result 30 Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Res Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	16:37:50	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

```

54
55 • SELECT MAX(purch_amt) AS highest_order
56 FROM orders;
57

```

Administration Schemas
Information
No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: $\overline{\text{X}}$

highest_order
5760.00

orders 24 orders 25 Result 26 Result 27 Result 28 x Result 29 Result 30 Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Res Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	16:37:50	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

```

58 • SELECT MIN(purch_amt) AS lowest_order
59 FROM orders;
60

```

Administration Schemas
Information
No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: $\overline{\text{X}}$

lowest_order
65.26

orders 24 orders 25 Result 26 Result 27 Result 28 Result 29 x Result 30 Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Res Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	16:37:50	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	16:37:50	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

60
61 • SELECT COUNT(*) AS total_orders
62 FROM orders;

Administration Schemas

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Contents: IS

total_orders

12

Result Grid

orders 24 orders 25 Result 26 Result 27 Result 28 Result 29 Result 30 x Result 31 Result 32 Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Result 39 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	16:37:50	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0. 1000	1 row(s) returned	0.016 sec / 0.000 sec

68
69 • SELECT customer_id,
70 SUM(purch_amt) AS total_purchase
71 FROM orders
72 GROUP BY customer_id;
73
74 • SELECT customer_id,

Administration Schemas

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Contents: IS

customer_id total_purchase

3005 1099.00
3002 8870.86
3009 2590.90
3007 2400.60
3001 270.65

Result 32 x Result 33 Result 34 Result 35 Result 36 Result 37 Result 38 Result 39 Result 40 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	16:37:50	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0. 1000	1 row(s) returned	0.016 sec / 0.000 sec
16	16:37:50	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0. 1...	6 row(s) returned	0.000 sec / 0.000 sec
17	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT ...	8 row(s) returned	0.000 sec / 0.000 sec

73
74 • SELECT customer_id,
75 MAX(purch_amt) AS highest_purchase
76 FROM orders
77 GROUP BY customer_id;
78

Administration Schemas

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Contents: IS

customer_id highest_purchase

3005 948.50
3002 5760.00
3009 2400.40
3007 2400.60
3001 270.65

Result 32 Result 33 x Result 34 Result 35 Result 36 Result 37 Result 38 Result 39 Result 40 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:37:50	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...	1 row(s) returned	0.000 sec / 0.000 sec
20	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	2 row(s) returned	0.000 sec / 0.000 sec

78

```

79 • SELECT salesman_id,
80       SUM(purch_amt) AS total_sales
81 FROM orders
82 GROUP BY salesman_id
83 HAVING SUM(purch_amt) > 3000;
84

```

Administration Schemas

Information

No object selected

Result Grid

salesman_id	total_sales
5001	11271.46

Result 32 Result 33 Result 34 × Result 35 Result 36 Result 37 Result 38 Result 39 Result 40 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:37:50	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...	1 row(s) returned	0.000 sec / 0.000 sec
20	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	2 row(s) returned	0.000 sec / 0.000 sec
21	16:37:50	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
22	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	5 row(s) returned	0.000 sec / 0.000 sec
23	16:37:50	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN...	3 row(s) returned	0.000 sec / 0.000 sec
24	16:37:50	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
25	16:37:50	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

84

```

85 • SELECT customer_id,
86       SUM(purch_amt) AS total_purchase
87 FROM orders
88 GROUP BY customer_id

```

Administration Schemas

Information

No object selected

Result Grid

customer_id	total_purchase
3002	8870.86
3009	2590.90

Result 32 Result 33 Result 34 Result 35 × Result 36 Result 37 Result 38 Result 39 Result 40 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:37:50	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...	1 row(s) returned	0.000 sec / 0.000 sec
20	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	2 row(s) returned	0.000 sec / 0.000 sec
21	16:37:50	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
22	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	5 row(s) returned	0.000 sec / 0.000 sec
23	16:37:50	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN...	3 row(s) returned	0.000 sec / 0.000 sec
24	16:37:50	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
25	16:37:50	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

90

```

91 • SELECT customer_id,
92       COUNT(*) AS total_orders
93 FROM orders
94 GROUP BY customer_id
95 HAVING COUNT(*) > 1;
96

```

Administration Schemas

Information

No object selected

Result Grid

customer_id	total_orders
3005	2
3002	3
3009	2

Result 32 Result 33 Result 34 Result 35 Result 36 × Result 37 Result 38 Result 39 Result 40 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:37:50	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...	1 row(s) returned	0.000 sec / 0.000 sec
20	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	2 row(s) returned	0.000 sec / 0.000 sec
21	16:37:50	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
22	16:37:50	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...	5 row(s) returned	0.000 sec / 0.000 sec
23	16:37:50	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN...	3 row(s) returned	0.000 sec / 0.000 sec
24	16:37:50	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT...	3 row(s) returned	0.000 sec / 0.000 sec
25	16:37:50	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session