

CO4 LAB PART-2

KAIRAV VASHI

2520030582

SECTION-7

```
[INFO] --- resources:3.5.0:resources (default-resources) @ student-records ---
[INFO] Copying 1 resource from src/main/resources to target/classes
[INFO] Copying 0 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.15.0:compile (default-compile) @ student-records ---
[INFO] Nothing to compile - all classes are up to date.
[INFO]
[INFO] --- resources:3.5.0:testResources (default-testResources) @ student-records ---
[INFO] skip non existing resourceDirectory /Users/pranav/Downloads/student-records-2/src/test/resources
[INFO]
[INFO] --- compiler:3.15.0:testCompile (default-testCompile) @ student-records ---
[INFO] Nothing to compile - all classes are up to date.
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ student-records <<<
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ student-records ---
[INFO] Attaching agents: []



:: Spring Boot :: (v4.1.1)

2026-09-22T13:51:09.201+05:30 INFO 7041 --- [student-records] [ main] c.e.s.StudentRecordsApplication : Starting StudentRecordsApplication using Java 24.0.2 with PID 7041 (/Users/pranav/D
ownloads/student-records-2/target/classes started by pranav in /Users/pranav/Downloads/student-records-2)
2026-09-22T13:51:09.203+05:30 INFO 7041 --- [student-records] [ main] c.e.s.StudentRecordsApplication : No active profile set, falling back to 1 default profile: "default"
2026-09-22T13:51:09.547+05:30 INFO 7041 --- [student-records] [ main] s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data MongoDB repositories in DEFAULT mode.
2026-09-22T13:51:09.574+05:30 INFO 7041 --- [student-records] [ main] s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 23 ms. Found 2 MongoDB repository inter
faces.
2026-09-22T13:51:09.832+05:30 INFO 7041 --- [student-records] [ main] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-09-22T13:51:09.842+05:30 INFO 7041 --- [student-records] [ main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-09-22T13:51:09.842+05:30 INFO 7041 --- [student-records] [ main] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.24]
2026-09-22T13:51:09.869+05:30 INFO 7041 --- [student-records] [ main] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 631 ms
2026-09-22T13:51:09.946+05:30 INFO 7041 --- [student-records] [ main] org.mongodb.driver.client : MongoClient with metadata {"driver": {"name": "mongo-java-driver[spring-boot]sync",
"version": "5.8.1"}, "os": {"type": "Darwin", "name": "Mac OS X", "architecture": "aarch64", "version": "26.7"}, "platform": "Java/Oracle Corporation/24.0.2(12-64)} created with settings MongoClientSettings
{readPreference=primary, writeConcern=WriteConcern{w=null, wtimeout=null ms, journal=null}, retryWrites=true, retryReads=true, readConcern=ReadConcern{level=null}, credential=null, transportSettings=null, co
mmandListeners=[], codecRegistry=ProvidersCodecRegistry{codecProviders=[ValueCodecProvider(), BsonValueCodecProvider(), DBRefCodecProvider(), DBObjectCodecProvider(), DocumentCodecProvider(), CollectionCodec
Provider(), IterableCodecProvider(), MapCodecProvider(), ObjectIdCodecProvider(), GridFSFileCodecProvider(), Js2BSONCodecProvider(), BSONObjectCodecProvider(), BSONCodecProvider(), com.mongodb.client.model.wal
l.expressionCodecProvider$B6917723, com.mongodb.jep395$RecordsCodecProvider$7e4579c7, com.mongodb.kotlin.codec.provider$796f632b, EnumCodecProvider()]}, loggerSettings=LoggerSettings{maxDocumentLength=1880}, clus
terSettings={hosts=[localhost:27017], srvServiceName=mongodb, mode=STANDALONE, requiredClusterType=UNKNOWN, requiredReplicaSetName='null', serverSelector='null', clusterListeners=[], serverSelectionTimeout='30
000 ms', localThreshold='15 ms'}, socketSettings=SocketSettings{connectTimeoutMS=10000, readTimeoutMS=0, receiveBufferSize=0, proxySettings=ProxySettings{host=null, port=null, username=null, password=null}},
heartbeatSocketSettings=SocketSettings{connectTimeoutMS=10000, readTimeoutMS=10000, receiveBufferSize=0, proxySettings=ProxySettings{host=null, port=null, username=null, password=null}, connectionPoolSetti
ngs=ConnectionPoolSettings{maxSize=100, minSize=0, maxWaitTimeMS=120000, maxConnectionIdleTimeMS=0, maxConnectionLifetimeMS=0, maintenanceInitialDelayMS=0, maintenanceFrequencyMS=60000, connectionPoolListene
rs=[]}, maxConnections=2}, serverSettings=ServerSettings{heartbeatFrequencyMS=10000, minHeartbeatFrequencyMS=500, serverMonitoringMode=AUTO, serverListeners=[], serverMonitorListeners=[]}, sslSettings=SslS
ettings{enabled=false, invalidHostNameAllowed=false, context=null}, applicationName='null', compressorList=[], uuidRepresentation=UNSPECIFIED, serverApi=null, autoEncryptionSettings=null, dnsClient=null, ine
AddressResolver=null, contextProvider=null, timeoutMS=null}
2026-09-22T13:51:09.972+05:30 INFO 7041 --- [student-records] [localhost:27017] org.mongodb.driver.cluster : Monitor thread successfully connected to server with description ServerDescription{
address=localhost:27017, type=STANDALONE, cryptd=false, state=CONNECTED, ok=true, minWireVersion=0, maxWireVersion=28, maxDocumentSize=16777216, logicalSessionTimeoutMinutes=30, roundTripTimeNanos=18774958,
minRoundTripTimeNanos=0}
2026-09-22T13:51:10.194+05:30 INFO 7041 --- [student-records] [ main] r$InitializeUserDetailsServiceConfigurer : Global AuthenticationManager configured with UserDetailsServiceImpl bean with name cust
omUserDetailsService
2026-09-22T13:51:10.420+05:30 INFO 7041 --- [student-records] [ main] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-09-22T13:51:10.424+05:30 INFO 7041 --- [student-records] [ main] c.e.s.StudentRecordsApplication : Started StudentRecordsApplication in 1.465 seconds (process running for 1.702)
cd ~/Downloads/student-records-2
open -a "Visual Studio Code"
2026-09-22T13:54:20.272+05:30 INFO 7041 --- [student-records] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-09-22T13:54:20.272+05:30 INFO 7041 --- [student-records] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-09-22T13:54:20.274+05:30 INFO 7041 --- [student-records] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 2 ms
```


Pranav Varma's Workspace

GET Get data

My Collection > Get data

GET http://localhost:8080/students

Auth type: Bearer Token

Token: BtVY646N7KLzFTye6SOY-L-7wDsQKo

Body: JSON

```
1 {
2   {
3     "age": 21,
4     "course": "CSE",
5     "email": "ananda.updated@example.com",
6     "id": "6ab213ed775d8ff2729b26b",
7     "name": "Ananda Updated"
8   }
9 }
```

200 OK · 64 ms · 447 B

Fix status code assertion

New Chat

Fix status code assertion

Fix the status code assertion to expect 403 Forbidden instead of 200.

Test script

```
1 + pm.test("Status
code is 403",
function () {
2 +
3 + pm.response.to.hav
+ });
```

Accept Decline

Think Harder

Start using Agent Model!

Your plan includes 50 AI credits per month to use Agent Mode.

Fix request setup with env vars

Add tests for auth and status codes

Create a login + reuse token workflow

Describe what you need. Press @ for context, / for Skills.

Auto

Pranav Varma's Workspace

DEL Get data

My Collection > Get data

DELETE http://localhost:8080/students/6ab213ed775d8ff2729b26b

Auth type: Bearer Token

Token: BtVY646N7KLzFTye6SOY-L-7wDsQKo

Body: JSON

```
1
```

204 No Content · 43 ms · 274 B

Fix status code assertion

New Chat

Fix status code assertion

Update the expected status code assertion from 200 to 204.

Test script

```
1 + pm.test("Status
code is 204",
function () {
2 +
3 + pm.response.to.hav
+ });
```

Accept Decline

Think Harder

Start using Agent Model!

Your plan includes 50 AI credits per month to use Agent Mode.

Create tests for auth + errors

Parameterize credentials + token

Split into separate requests

Describe what you need. Press @ for context, / for Skills.

Auto

Pranav Varma's Workspace

GET Get data

My Collection > Get data

GET http://localhost:8080/students

Auth type: Bearer Token

Token: BlVY646N7KLzFTye6S0Y-L-7wDsQKo

Body: {} JSON

200 OK · 10 ms · 327 B

Fix status code assertion

Update the expected status code assertion from 200 to 204.

Test script

```
1 + pm.test("Status code is 204", function () {
2 +   pm.response.to.have
3 +   .status(204);
}
```

Accept Decline

Think Harder

Start using Agent Model!

Your plan includes 50 AI credits per month to use Agent Mode.

Fix test for correct status

Create a GET+DELETE pair

Parameterize student id

Describe what you need. Press @ for context, / for Skills.

Auto

spring initializr

Project

Language: Java

Spring Boot: 4.1.1

Project Metadata

Group: com.example

Artifact: student-records

Package name: com.example.studentrecords

Packaging: Jar

Configuration: Properties

Java: 17

Dependencies

ADD DEPENDENCIES... + B

No dependency selected

GENERATE + ↵

EXPLORE CTRL + SPACE

...